

TRANSVERSAL CONTRACTING
Enquiries: Phumzile Mtsweni
Tel: 012-315 5795
Email: Phumzile.mtsweni@treasury.gov.za
Ref: RT74-2020

AMENDMENT 03

DESIGNING OF MEZZANINE FLOORING, HIGH-DENSITY MOBILE FILING SYSTEM TO THE STATE FOR THE PERIOD 1 SEPTEMBER 2020 CONTRACT RT74-2020: SUPPLY, DELIVERY AND INSTALLATION OF PREFABRICATED ADJUSTABLE SHELVING, STEEL RACKING, **TO 31 AUGUST 2023**

effective from 1 June 2021 to 31 August 2021. Please note that approval has been granted to all service providers appointed under this contract to increase their prices the products hereunder

ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW
		2 Door , 4 Shelf Steel Filing Cupboard, two tone, name tag holder lockable	:				
		Dimensions: 450 mm(d) X 900 mm(w)X 1800(h)					
30161803-		Material - Mild Steel	EM Shelving and				
00000	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Racking (Pty) Ltd	14 DAYS	2	R2,693.57	R3,373.82
		2 Door, 4 Shelf Steel Filing Cupboard, two tone, name tag					
		holder, lockable					
		Dimensions: 450 mm(d) X 900 mm(w)X 1800(h)					
30161803-		Material - Mild Steel	Kusasaletu Investment				
00000	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Group (Pty) Ltd	4-6 weeks	_	R2,763.30	R3,067.09
		2 Door, 4 Shelf Steel Filing Cupboard, two tone, name tag					
		holder, lockable					
		Dimensions: 450 mm(d) X 900 mm(w)X 1800(h)					
30161803-		Material - Mild Steel					
00000	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Modrac (Pty) Ltd	10	_	R2,752.82	R2,886.67
		2 Door, 4 Shelf Steel Filing Cupboard, two tone, name tag					
•		holder, lockable					
		Dimensions: 450 mm(d) X 900 mm(w)X 1800(h)					
30161803-		Material - Mild Steel					
00000	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R2,680.36 R2,932.92	R2,932.92

1		
	ť.	-

		. 2			
ITEM CODE	PRODUCT DESCRIPTION	TEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE LEVEL
		2 Door , 4 Shelf Steel Filing Cupboard, two tone, name tag	The state of the s		
		holder, lockable Dimensions: 450 mm(d) X 900 mm(w)X 1800(h)			
30161803- 00000	FILING CLIPROARDS	Material - Mild Steel Thickness: 0.8mm -1.2 mm	Tshidumo Projects	45	.
00000	THE COLUMN STO	2 Door, 3 Shelf Steel Filing Cupboard, two tone, name tag			
		holder, lockable Dimensions: 450 mm/d) X 900mm/w)X 1500/h)			
30161803-		Material - Mild Steel	EM Shelving and		
00001	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Racking (Pty) Ltd	14 DAYS	2
		2 Door, 3 Shelf Steel Filing Cupboard, two tone, name tag			
		noider, lockable			
30404003		Dimensions: 450 mm(d) X 900mm(w)X 1500(h)	Kueseslotu Investment		
00001	FILING CUPBOARDS	Thickness: 0.8mm -1.2 mm	Group (Pty) Ltd	4-6 weeks	_
		2 Door, 3 Shelf Steel Filing Cupboard, two tone, name tag			
		holder, lockable			
		Dimensions: 450 mm(d) X 900mm(w)X 1500(h)			
30161803 <u>-</u> 00001	FILING CUPBOARDS	WaterialWild Steel Thickness: 0.8mm -1.2 mm	Modrac (Pty) Ltd	10	_
		2 Door, 2 Sheif Steel Filing Cupboard, two tone, name tag			
		hoider, lockable			
		Dimensions: 450 mm(d) X 900mm(w)X 900(h)			
30161803- 00002	FILING CUPBOARDS	Material - Mild Steel Thickness: 0,8mm -1,2 mm	Racking (Pty) Ltd	14 DAYS	2
		2 Door, 2 Shelf Steel Filing Cupboard, two tone, name tag		,	
		holder, lockable		,	
30161803-		Differsions: 450 Hilf(d) \ 900Hiff(\w)\ 900(H) Maferial - Mild Steel			
00002	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Modrac (Pty) Ltd	10	
		2 Door, 2 Shelf Steel Filing Cupboard, two tone, name tag			
		noider, lockable Dimensions: 450 mm/d) X 900mm/w)X 900/h)			
30161803-		Material - Mild Steel			
00002	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2
		2 Door, 2 Shelf Steel Filing Cupboard, two tone, name tag			
		Tionaet, Journal Control of the Cont			
30161803-		Dimensions: 450 mm(d) X 900mm(w)X 900(n) Material = Miid Steel			
00002	FILING CUPBOARDS	Thickness: 0,8mm -1,2 mm	Tshidumo Projects	45	1
		4 Drawer Steel Filing Cabinet, two tone, name tag holder,			
		Dimensions: 630 mm/d) × 470mm/w)× 1320(h)			
30161803-		Material - Mild Steel	EM Shelving and		
		Thickness: 0,8mm -1,2 mm	Racking (Pty) Ltd	14 DAYS	2

1.1

		U					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
30161803- 00003	FILING CABINETS	4 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1320(h) Material - Mild Steel Thickness: 0,8mm -1,2 mm	First Storage Centre (Pty) Ltd	10 days	2	R3,208.50	R3,743.25
30161803- 00003	FILING CABINETS	4 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1320(h) Material - Mild Steel Thickness: 0.8mm -1.2 mm	Modrac (Pty) Ltd	<u> </u>	_	R2,865.88	R3,005.22
30161803- 00003	FILING CABINETS	4 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1320(h) Material - Mild Steel Thickness: 0.8mm -1.2 mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R3,091.86	R3,383.20
30161803-		4 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1320(h) Material - Mild Steel		;			
30161803- 00004	FILING CABINETS	3 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel Thickness: 0,8mm -1,2 mm	EM Shelving and	14 DAYS	2	R2,471.17	R3,032.05
30161803- 00004	FILING CABINETS	3 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel Thickness: 0,8mm -1,2 mm	First Storage Centre (Pty) Ltd	10 days	2	R2,658.23	R3,101.27
30161803- 00004	FILING CABINETS	3 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel Thickness: 0,8mm -1,2 mm	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks	1	R3,232.50	R3,587.87
30161803- 00004	FILING CABINETS	3 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel Thickness: 0.8mm -1.2 mm	Modrac (Pty) Ltd	10		R2,383.34	R2,499.22
30161803-	EII ING CABINETO	3 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel	Tidy Elles SA (Dt.) I th	A - 6 wooks	.	20 20 20 20 20 20 20 20 20 20 20 20 20 2	R2 034 03
00004	FILING CABINETS	Thickness: 0,8mm -1,2 mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R2,682.19	R2,934.93

	r	L
۰	۰	3
	•	

		1					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		3 Drawer Steel Filing Cabinet, two tone, name tag holder,				***************************************	
30161803-		l lockable Dimensions: 630 mm(d) X 470mm(w)X 1020(h) Material - Mild Steel					
00004	FILING CABINETS	Thickness: 0,8mm -1,2 mm	Tshidumo Projects	45	_2	R2,548.00	R2,548.00
		2 Drawer Steel Filing Cabinet, two tone, name tag holder, lockable					
30161803		Dimensions: 630 mm(d) X 470mm(w)X 720(h)	EM Shelving and				
00005	FILING CABINETS	Thickness: 0,8mm -1,2 mm	Racking (Pty) Ltd	14 DAYS	2	R2,141.68	R2,627.78
į		2 Drawer Steel Filing Cabinet, two tone, name tag holder,					
		lockable Dimensions: 630 mm(d) X 470mm(w)X 720(h)					
30161803-	EII NIC CABINIETO	Material - Mild Steel Thickness: 0 8mm 1 2 mm	First Storage Centre	10 days	ა	R9 292 53	R2 674 62
00000		2 Drawer Steel Filing Cabinet, two tone, name tag holder,	() J				
		lockable		•			
20161803		Dimensions: 630 mm(d) X 470mm(w)X 720(h)					
00005	FILING CABINETS	Thickness: 0,8mm -1,2 mm	Modrac (Pty) Ltd	10		R1,887.45	R1,979.22
		2 Drawer Steel Filing Cabinet, two tone, name tag holder,					
		Dimensions: 630 mm(d) X 470mm(w)X 720(h)					
30161803- 00005	FILING CABINETS	Material - Mild Steel Thickness: 0.8mm -1.2 mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R2,476.48	R2,709.83
		ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT.					
		ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
56111906- 00100	CLIP TYPE SHELVING	56111906-00101, 56111906-00102, 56111906-00103, 56111906-00104	EM Shelving and Racking (Pty) Ltd	21 DAYS	2	R168.17	R206.34
	-	ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD					
		ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
56111906- 00100	CLIP TYPE SHELVING	56111906-00101, 56111906-00102, 56111906-00103, 56111906-00104	Group (Pty) Ltd	4-6 weeks	-	R144.66	R160.56
		ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD					
<u>.</u>		ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
00100	CLIP TYPE SHELVING	56111906-00104	Modrac (Pty) Ltd	10	_	R128.35	R134.59

		,	
L	•		

	56111906- CLIP TYPE SHELVING	56111906- CLIP TYPE SHELVING	56111906- CLIP TYPE SHELVING	56111906- CLIP TYPE SHELVING	ITEM CODE PRODUCT DESCRIPTION
CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	ITEM DESCRIPTION ON
Kusasaletu Investment	EM Shelving and Racking (Pty) <u>Ltd</u>	Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	EM Shelving and Racking (Pty) Ltd	BIDDER'S NAME
A-6 wooks	21 DAYS	10	4-6 weeks	21 DAYS	DELIVERY PERIOD (DAYS)
	N			N	B-BBEE
R2.210.71	R2,820.51	R1,639.20	R1,706.97	R2,208.66	PREVIOUS PRICE
R2,453.74	R3,460.68	R1,718.90	R1,894.62	R2,709.96	NEW PRICE

1	•	١	١
			١

56111906- 00104 CLIP TYPE SHELVING		56111906- 00103 CLIP TYPE SHELVING	56111906- 00103 CLIP TYPE SHELVING	56111906- 00102 CLIP TYPE SHELVING		ITEM CODE PRODUCT DESCRIPTION
SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEED 7 X	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	ITEM DESCRIPTION
EM Shelving and		Modrac (Pty) Ltd	Kusasaletu investment Group (Pty) Ltd	Modrac (Pty) Ltd		BIDDER'S NAME
21 DAYS		10	4-6 weeks	10		DELIVERY PERIOD (DAYS)
7	ა					B-BBEE
	R2,991.54	R1,614.07	R1,986.27	R2,356.20		PREVIOUS PRICE
	R3,670.54	R1,692.55	R2,204.63) R2,470.76		NEW PRICE

ITEM CODE PRO	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
- -	Committee Committee on the	ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	1000				
		CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO					
56111906- 00104 CLII	CLIP TYPE SHELVING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R2,460.69	R2,580.34
906-		ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00106, 56111906-00107, 56111906-00108,	EM Shelving and				
56111906- 00105 CLII	CLIP TYPE SHELVING	ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00106, 56111906-00107, 56111906-00108, 56111906-00109	Kusasaletu investment Group (Pty) Ltd	4-6 weeks	<u> </u>	R170 <u>.42</u>	R189.16
906-	CLIP TYPE SHELVING	ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00106, 56111906-00107, 56111906-00108, 56111906-00109	Modrac (Pty) Ltd	10	<u>.</u>	R148.62	R155.85
56111906- 00106 CL	CLIP TYPE SHELVING	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 381mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and	21 DAYS	N	R2,475.63	R3,037.53
906-	CLIP TYPE SHELVING	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 381mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks	_	R1,948.49	R2,162.70

ITEM CODE P	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.					
		CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 381mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADMISSING TO ALLOW FOR ADDITIONAL CURLY.	,				
56111906- 00106 C	CLIP TYPE SHELVING	ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R1.807.08	R1.894.95
56111906- 00107 CI	CLIP TYPE SHELVING	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and	21 DAYS	ν .	R3.351.39	R4.112.06
56111906- 00107 CI	CLIP TYPE SHELVING	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks	_	R2.452.23	R2.721
	LIF THE SHELVING	SPECIFICATIONS 370. CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL	Group (Pty) Ltd	4-6 weeks		R2,452.23	R2,721.82
56111906- 00107 CI	CLIP TYPE SHELVING	305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrae (Ptv) I id	5	.	R2 524 07	R 5 5 5 6 7 7 8 7 8 8
906-	CLIP TYPE SHELVING	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks		R2.252.38	R2,500.00

(ے

						÷
56111906- 00110	56111906- 00110	56111906- 00110	56111906- 00109	56111906- 00109	56111906- 00108	ITEM CODE
CLIP TYPE SHELVING	CLIP TYPE SHELVING	CLIP TYPE SHELVING	CLIP TYPE SHELVING	CLIP TYPE SHELVING	CLIP TYPE SHELVING	PRODUCT DESCRIPTION
ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL	ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00111, 56111906-00112, 56111906-00113, 56111906-00114	ADDITIONAL SHELF FOR CLIP TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00111, 56111906-00112, 56111906-00113, 56111906-00114	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.
Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	EM Shelving and Racking (Pty) Ltd	Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	Modrac (Pty) Lid	BIDDER'S NAME
10	4-6 weeks	21 DAYS	10	4-6 weeks	10	DELIVERY PERIOD (DAYS)
		2	_	_	_	B-BBEE
R173.11	R193.85	R234.80	R2,727.33	R2,855.12	R1,920.23	PREVIOUS PRICE
R181.52	R215.17	R288.09	R2,859.93	R3, 169.00	R2,013.59	NEW PRICE

۲	-	-
,		•

56111906- 00112	56111906- 00112	56111906- 00111	56111906- 00111	56111906- 00111	ITEM CODE
÷ CLIP TYPE SHELVING	CLIP TYPE SHELVING	CLIP TYPE SHELVING)- CLIP TYPE SHELVING	CLIP TYPE SHELVING	DE PRODUCT DESCRIPTION
SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY	CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00111, 56111906-00113,
Kusasaletu Investment Group (Pty) Ltd	EM Shelving and Racking (Pty) Ltd	Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	EM Shelving and	BIDDER'S NAME
4-6 weeks	21 DAYS	10	4-6 weeks	21 DAYS	DELIVERY PERIOD (DAYS)
	N			N	B-BBEE
R2,668.05	R3,790.70	R2,124,52	R2,164.31	R2,914.93	PREVIOUS PRICE
R2,961.36	R4,651.08	R2,227,82	R2,402.24	R3,576.53	NEW PRICE

_	
_	
-	_

		11				>	
		ITEM DESCRIPTION		DE! IVERY	P-BRET		NEW
ITEM CODE	PRODUCT DESCRIPTION		BIDDER'S NAME	PERIOD (DAYS)	LEVEL	PRICE	PRICE
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.			A Section Control		
		CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND					
50000000000000000000000000000000000000		BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. LINIT MI IST RE IN ACCORDANCE WITH CKS					
561119U6- 00112	CLIP TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R2,821.22	R2,958.39
	·	CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND					
		BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
56111006		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. INIT MI IST BE IN ACCORDANCE WITH CKS	EM Shelving and				
00113	CLIP TYPE SHELVING	SPECIFICATIONS 370.	Racking (Pty) Ltd	21 DAYS	2	R3,149.71	R3,864.60
		SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND					
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
		QUALITY STEEL: UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF; THE UNIT MUST BE FULLY					
E6111006		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.	Kileseslatii Investment				
00113	CLIP TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks		R2,519.01	R2,795.94
		CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X					
		457mm DEEP. 7 X SHELVES INCLUDING TOP AND ROTTOM 1mm THICK COLLED ROLLED COMMERCIAL			_		
		QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD	,				
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
2000		ADJUGIABLE TO ALLOW FOR ADDITIONAL OFFICERS.					
56111906- 00113	CLIP TYPE SHELVING	UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R2,269.38	R2,379.72
		CLIP TYPE SHELVING UNIT WITH BACK PANELS AND					
		SIDE PANELS. SIZE ZZIOMM HIGH X 914MM WIDE X					
		BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL	TA OF STATE				
-0061 10C		OF 170kg PER SHELF THE UNIT MUST BE FULLY	Racking (Pty) Ltd	21 DAYS	2	R4,087.44	R5,015.17

۳	_	
٨	•	

ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. MIT MAST BE IN ACCORDANCE WITH CKS SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS AND SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS ON CLIP TYPE SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS ON SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS ON CLIP TYPE SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS ON SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYELS ON OF THAT PER SHELVING UNIT WITH BACK PAYEND ON SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT THE TO ALLOW FOR ADDITIONAL SHELVES. SIMIL MAST BE IN ACCORDANCE WITH CKS SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATIONS OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVING UNIT WITH BACK PAYEND OUT THAT SHELVING SPECIFICATION OF THE SHELVES. OUT THAT	ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDA							
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WIT RAKES AND SPECIFICANTINES TO ALLOW FOR ADDITIONAL SHELVES. WIT RAKES SEZ ZIZOMAN HIGH STATE FLUX OF TRUE SHELVING. CLIP TYPE S	ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. MOUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. CULP TYPE SHELVING UNIT HE BACK FAMELS AND SIDE FAMELS, SIZE 270mm HIGH X SHAMIN WIDE X ADDITIONAL FIREL THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OF 710kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. SPECIFICATIONS 370. OF 710kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. OF 710kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVING UNIT WITH BACK BRACING AND SIDE FAMELS AND SIDE FAMELS. FILE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVING UNIT WITH BACK BRACING AND SIDE FAMELS AND SIDE FAMELS. FILE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND DOTTOM. SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUNT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ON THE SHELVES INCLUDING TOP AND SHELVES. OUT MUST BE IN ACCORDANCE WITH CKS. SHEADE		DUCT DESCRIPTION		BIDDER'S NAME	DELIVERY PERIOD (DAYS)	PREVIOUS PRICE	NEW PRICE
CLIP TYPE SHELVING UNIT WITH BACK PAYELS AND SIDE PAKES SIZE ZOMEN WIDE X ADDITIONAL SHELVES. QUALITY STEEL, UNITODIAL SPELLED COMMERCIAL COLLEP FOLLED COLLEP FOLLED COMMERCIAL COLLEP FOLLED COMMERCIAL COLLEP FOLLED FOLLED COMMERCIAL COLLEP FOLLED FOLLED COMMERCIAL COLLEP FOLLOW FOR ADDITIONAL SHELVES. QUALITY STEEL, UNITODIAL STEEL COLLEP FOLLED COMMERCIAL COLLEP FOLLED FOLLED COMMERCIAL COLLEP FOLLOW FOR ADDITIONAL SHELVES. QUALITY STEEL COLLOW FOR ADDITIONAL SHELVES. QUALITY STEEL COLLED	SUDE PARIES, SIEZ 2700m HIGH X SHEMWES AND SIDE PARIES, SIEZ 2700m HIGH X SHEMWES AND SIDE PARIES, SIEZ 2700m HIGH X SHEMWES MOUDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SIZE AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL COLLED ROLLED ROLLED COMMERCIAL COLLED ROLLED COMMERCIAL COLLED ROLLED ROLLED ROLLED COMMERCIAL COLLED ROLLED ROLLED ROLLED COMMERCIAL COLLED ROLLED ROL			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	- destination of the second controlled			2.21
ASTIMI DEEP 7 X SHELVES INCLUDING TOP AND ASTIMINATION OF THE PROJECT ON THE PROJ	ASTAM DEEP, 7X SHELVES INALIDING TOP AND ASTAM DEEP, 7X SHELVES INALIDING TOP AND BOTTOM, from THICK COLLED ROLLED COMMERCIAL CUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV, HE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. DID TYPE SHELVING UNIT WITH BACK PAMELS AND BOTTOM, from THICK COLLED ROLLED COMMERCIAL OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE PRAVES. SIZE Z210mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. DOTTOM from THICK COLLED ROLLED COMMERCIAL OUALITY STEEL LINIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE Z210mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES NUCLUDING TOP AND BOTTOM, from THICK COLLED ROLLED COMMERCIAL OUALITY STEEL LINIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING BRADED TYPE SHELVING SIZE Z210mm HIGH X 914mm WIDE X SPECIFICATIONS 370. DIT TIMEST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP 7 X SHELVES NOLLDING TOP AND DOTTOM. from THICK COLLED ROLLED COMMERCIAL OUALITY STEEL LINIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS MAD SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP 7 X SHELVES NOLLDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP 7 X SHELVES NOLLDING TOP AND DOTTOM, from THICK COLLED ROLLED COMMERCIAL OUALITY STEEL LINIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SHEDED TYPE SHELV			CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS SIZE 2210mm HIGH X 014mm WIDE X				
BOTTOW from THICK COLLED ROLLED COMMERCIAL CULP TYPE SHELVING OF 1700 PER SHELF THE UNIT MUST DE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WIT MUST BE IN ACCORDANCE WITH CKS SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X ASTIM DEED 7 X SHELVES NOLLDING TOP AND OF 1700 PER SHELVING WITH BACK BRACING AND SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X SHELVES NOLLDING TOP AND OF 1700 PER SHELVING UNIT WITH BACK BRACING AND SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MUST BE HILL SIZE AND SIZE ZYTOM HIGH X 94 AM WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MUST BE HILL SIZE AND SIZE ZYTOM HIGH X 94 AM WIDE X ADDITIONAL THAN HIGH X 94 AM WIDE X AND SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X AND SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X AND SIDE PANELS SIZE ZYTOM HIGH X 94 AM WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MUST BE IN ACCORDANCE WITH CKS SHELVES NOLLDING TOP AND SHEADED TYPE SHELVING WITH BACK BRACING BEADED TYPE SHELVING WITH BACK BRACING BEADED TYPE SHELVING SIZE ZYTOM HIGH X 94 AM WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MUST BE IN ACCORDANCE WITH CKS SHELVES NOLLDING TOP AND SHELVES SHELVES NOLLDING TOP AND SHELVES NOLLDING TOP AND SHELVES SHELVES NOLLDING TOP AND SHELVES NOLLDING TOP AND SHELVES SHELVES SHELVES NOLLDING TOP AND SHELVES NOLLDING TOP AN	BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL COLIP TYPE SHELVING CLIP TYPE SHELVING C			SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND				
OCHALITY SIELL UNFORMIZOUS INBUIL ED MASS LOAD OF TIMES PER SHELVING OF TIMES PER SHELVING OF THE SHELVING OF THE SHELVING OF PARES SIZE ZOOM HICH PAR ADDITIONAL SHELVES. OUNT MUST BE INCOCORDANCE WITH CAS SPECIFICATIONS 370. OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OUNLITY STEEL. UNFORMLY DISTRIBUTED MASS LOAD OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OUNLITY STEEL. UNFORMLY DISTRIBUTED MASS LOAD OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OUNLITY STEEL. UNFORMLY DISTRIBUTED MASS LOAD OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY WIDE AND SIDE BRACHES ASEZ ZÖMM HIGH X 914mm WIDE X OF TIMES PRESHELT FIRE IUM IN MIST BE FALLY WIDE ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. OF TIMES PRESHELVING ONLY THE HEAD OR MASS LOAD OF TIME PRESHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. OF TIMES PRESHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. OF TIMES PRESHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. OF TIMES PRESHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. OF TIMES PRESHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. ONLY FOR THE SHELVING ONLY FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. ONLY FOR THE SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. ONLY FOR THE SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. ONLY F	OCHP TYPE SHELVING CLIP T			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL				
OCLIP TYPE SHELVING SHECIFICATIONS 370. CLIP TYPE SHELVING SHELVING SHELVES HALLOWS FOR ADDITIONAL SHELVES. MUNT MUST BE IN ACCORDANCE WITH CKS CLIP TYPE SHELVING SHELVES HALLOWS FOR ADDITIONAL SHELVES. MUNT MUST SHELL WITH MACK PARADITIONAL SHELVES. MUNT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. CLIP TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SZEZ ZOROM HIGH X SHOW MIST BE HULLY ADJUST/BALE TO ALLOW FOR ADDITIONAL SHELVES. MUNT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. MATURIST BE IN ACCORDANCE WITH CKS MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW WIDE X ADJUST/BALE TO ALLOW FOR ADDITIONAL SHELVES. MUNT MUST BE IN ACCORDANCE WITH CKS MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW WIDE X ADJUST/BALE TO ALLOW FOR ADDITIONAL SHELVES. MUNT MUST BE IN ACCORDANCE WITH CKS MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE SHOW SIDE WIDE X MAD SIDE BRACING SZEZ ZOROM HIGH X SHOW SIDE WIDE X MAD SIDE SHOW SIDE W	OLIP TYPE SHELVING CLIP TYPE SHELVING CLIP TYPE SHELVING CLIP TYPE SHELVING CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE Z210mm HIGH X94mm WIDE X 467mm DEEP 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE Z210mm HIGH X94mm WIDE X 467mm DEEP 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL L WIPCOMAY DOLLED ROLLED COMMERCIAL QUALITY STEEL L WIPCOMAY DOLLED ROLLED COMMERCIAL QUALITY STEEL L WIPCOMAY DOLLED ROLLED COMMERCIAL QUALITY STEEL L WIPCOMAY DISTRIBUTED MASS LOAD OF 770% PER SHELVING UNIT WITH BACK BRACING SEPECIFICATIONS 370. MODERN 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE Z210mm HIGH X94mm WIDE X 305mm DEEP 7 X SHELVES INCLUDING TOP AND DOTTOM. 1mm THICK COLLED BOLLED COMMERCIAL QUALITY STEEL L WIPCOMAY DISTRIBUTED MASS LOAD OF 770% PER SHELVING UNIT WITH BACK BRACING SEPECIFICATIONS 370. MODERN 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK BRACING SEPECIFICATIONS 370. BEADED TYPE SHELVING SEPECIFICATIONS 370. BEADED TYPE SHELVING WITH THICK COLLED BOLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 770% PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WILDING TOP AND DISTRIBUTED MASS LOAD OF 770% PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE OF ALLOWS THE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WILDING TOP AND DISTRIBUTED MASS LOAD OF 770% PER SHELVING UNIT WITH BACK BRACING Group (Py) Ltd BEADED TYPE SHELVING WITH CKS SHELVES INCLUDING TOP AND DISTRIBUTED MASS LOAD OF 770% PER SHELVES. WILDING TOR AND SHELVES. WILDING TORS			QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD				
OUR TIMES BELIANG CLIP TYPE SHELVING CLIP TYPE SHELVING UNIT WITH BACK PANELS AND STORP (Pty) Ltd A57mm DEEP, 77 SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 22(0mm High 2 yalam) WIDE X 457mm DEEP, 77 SHELVING UNIT WITH BACK PANELS (DAD OF 770g PER SHELVING UNIT WITH BACK BEACING ADDITIONAL SHELVES). WITH MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK BRACING SIZE 27(0mm HIGH 2 yalam) WIDE X 200 Modrae (Pty) Ltd AD SIDE PANELS, SIZE 27(0mm HIGH 2 yalam) WIDE X 200 MODRO BRACING	CLIP TYPE SHELVING CLIP TYPE SHELVING CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED ROWBERCHA QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHEL, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. CLIP TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BRACED TYPE SHELVING OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ADS BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ADS BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ADS BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ADS BRACING THIN WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X BRACED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X BRACING THE WITH WITH BACK PANELS AND SIDE PANELS SIZE 2210mm HIGH X 914mm WIDE			AD HISTARIE TO ALLOW FOR ADDITIONAL SHELVES				
CLIP TYPE SHELVING SPECIFICATIONS 370. DEF PANELS, SIZE ZZTOmm HIGH X SHAmm WIDE X SIDE PANELS, SIZE ZZTOmm HIGH X SHAmm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm, 1HICK COLLED FORLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1700 PER SHELVING SIZE ZZTOmm HIGH X SHAMM WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH HOSE SPECIFICATIONS 370. DET TYPE SHELVING SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND DOTTOM, 1mm, 1HICK COLLED FOILED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1700 PER SHELVING SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm, 1HICK COLLED ROLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1700 PER SHELVING SIZE UNIT MAIST BE IN ACCORDANCE WITH CXS SPECIFICATIONS 370. UNIT MAIST BE THAT ACCORDANCE WITH WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE ZZTOMM HIGH X SHAMM WIDE X JOSHM DEEP TYPE SHELVING WITH WITH BACK PANELS AND SHAMD DITTOM 1mm, 1HICK COLLED ROLLED COMMERCIAL GROUP (Phy) Lid 4 6 weeks 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	CLIP TYPE SHELVING CLIP TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 270mm HIGH X 914mm WIDE X 45mm DEEP, 7 X SHELVES NOLLIDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMAY DISTRIBUTED MASS LOAD OF 17069 PER SHELF. THE LIVIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SEADED TYPE SHELVING BEADED TYPE SHELVING SECONDANCE WITH CKS	6111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment		 	
SIDE PANELS. SIZE Z210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL OUALTY STEEL, UNIFORMY, 195TRBLITED MASS LOAD OF 1700g PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED FOLLED COMMERCIAL OUALTY STEEL, UNIFORMY DISTRIBUTED MASS LOAD OF 1700g PER SHELT. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CAS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED FOLLED COMMERCIAL OUALTY STEEL, UNIFORMY DISTRIBUTED MASS LOAD OF 1700g PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACKING 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACKING 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACIS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLIDENCE OF ADDITIONAL SHELVES. UNIT MUST BE INTERCOLLED COMMERCIAL SIZE STEEL UNIFORMY DISTRIBUTED MASS LOAD SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLIDENCE TOP AND SIZE STEEL UNIFORMY DISTRIBUTED MASS LOAD SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLIDENCE TOP AND SIZE STEEL UNIFORMY DISTRIBUTED MASS LOAD SIZE STEEL UNIFORMY DISTRIB	SDE PANELS. SIZE Z210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. LINT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING WITH SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE Z210mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. OF 170kg PER SHELF, THE UNIT MUST BE INSECURED WASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE INSECURED WASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE INSECURED WASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE INSECURED WASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE Z210mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. DEFECTIONS 370. BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SOMM DEEP. 7 S SHELVES INCLUDING TOP AND SOMM DEEP. 7 S SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD SOMM DEEP. 7 S SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD SOMM DEEP. 7 S SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD FOR THE THE INTERNAL WITH BACK PANELS AND SOMM DEEP. 7 S SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD FOR THE TYPE SHELVING WITH MIST BE IN SHAPING AND		TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	 R3,121.76	R3,464.95
ADJET PARTES SIZE ZZYMINI MUCHA STRIME DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED COLMERCUAL OUALITY STELL UNIFORAN, 105TRBUTED MASS LOAD OF 170% PER SHELF. THE UNIT MUST BE FULLY ADJISTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE ZZYMIN MUST BE FULLY ADJISTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN HICK COLLED COMMERCIAL OUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE ZZYMIN HICK SIZE MUST MUST BE FULLY ADJISTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE NACCORDANCE WITH CKS GROUP (Phy) Ltd 4 6 weeks BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE ZZYMIN HICK SIZE COMMERCIAL OUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WITH WITH BACK PANELS AND MODIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WIDE X 305mm DEEP, 7X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE ZYMIN WITH WITH BACK PANELS AND MODIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND MODIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND MODIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND MODIFICATIONS 370. BEADED TYPE SHELVES. MIT MUST BE FULLY AUGUST AND	ASTAME DEEP 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING STEEL SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS WITH MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY AD			CLIP TYPE SHELVING UNIT WITH BACK PANELS AND				
BOTTOM, from THICK COLLEP ROLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1709; PER SHELF, THE LIVIT MIJST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE HIT HOKAS SPECIFICATIONS 370. BEADED TYPE SHELL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1709; PER SHELL WISTOR DRILLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1709; PER SHELL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1709; PER SHELL, UNIFORMLY DISTRIBUTED MASS LOAD OF 1709; PER SHELL WISTOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEAD	BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORALY DISTRIBUTED MASS LOAD OF 170% PER SHELL INIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELT, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SID		•	457mm DEED 7 X SHELVES INCLUDING TOP AND				
OLULITY STEEL, UNIFORMA'Y DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTAGE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE FULLY ADJUSTAGE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BACKING, SIZE 2210mm HIGH X 914mm WIDE X 306mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL UNIT MIST BE IN LACKORDANCE WITH CKS SPECIFICATIONS 370. UNIT MIST BE IN LEVES.	QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z270mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PARLELS. SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND SIZE AND SI			BOTTOM: 1mm THICK COLLED ROLLED COMMERCIAL				
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, Timm THICK COLLED ROLLED RO	OF 170kg PER SHELF THE INIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. SPECIFICATIONS 370. SPECIFICATIONS 370. SOFT MED SIDE BRACING SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS INIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. SOFT TOKE PER SHELF THE UNIT WITH BACK BRACING AND SIDE BRACING. SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z10mm HIGH X 914mm WIDE X 305mm DEEP; 7 X SHELVES INCLUDING TOP AND SIZE AND SI			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD				
ALUIS TABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 2270mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND DO 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm wIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm wIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm wIDE ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm wIDE ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. WORLD AND SIDE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm wIDE ACCORDANCE WITH CKS. UNIT MUST BE IN A	CLIP TYPE SHELVING CLIP TYPE SHELVING CLIP TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING COLLED ROLLED ROLLED COMMERCIAL AND SIDE BRACING STO. BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND OF 170kg PER SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUS			OF 170kg PER SHELF. THE UNIT MUST BE FULLY				
CLIP TYPE SHELVING SPECIFICATIONS 370. SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND 305mm DEEP, 7 X SHELVES INCLUDING TOP AND OF 170kg PER SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD DOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF TOTOM THE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STELL UNIFORMLY DISTRIBUTED MASS LOAD OF TOTOM THE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2015mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM THE SHELVE	CLIP TYPE SHELVING SPECIFICATIONS 370. Modrac (Pty) Lid BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING BEADED TYPE SHELVING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE	i6111906-		UNIT MUST BE IN ACCORDANCE WITH CKS			 	
BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD DOF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD DOF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD DOF 170kg PER SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP X 305mm DEEP X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE Z210mm HIGH X 914mm WIDE X 305mm DEEP X 305mm	BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BOTTOM. 1mm THICK COLLED ROLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVEN GUIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVEN GUIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVES INCLUDING TOP AND BEADED TYPE SHELVES		TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	 R3,093.75	R3,244.17
305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE INIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED	305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEACKING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD GF 170kg PFR SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD GF 170kg PFR SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL GROWN IN THE FILLY Y ADDRESS OF THE UNIT WITH BACK PANELS AND SIDE PANELS AND S			AND SIDE BRACING SIZE 2210mm LIGH Y 011mm WIDE Y				
BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370 BEADED TYPE SHELVING BEADED TYPE SHELVING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 x SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNITOMIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 x SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL, UNITOMIST DE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 x SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL, UNITOMIST DE THICK OF THE SHELVES. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL, UNITOMIST DE THICK OF THIC	BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS. SUDIT PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL , THE I INIT M IST RE FILL I Y Reaking (Pin) I M	-		305mm DEEP, 7 X SHELVES INCLUDING TOP AND				
OUALITY STEEL UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT-ORAND STREEL WITH MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT WITH BACK PANELS AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT WITH BACK PANELS AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL ADJUST SHELVES INCLUDING TOP AND BOTTOM THICK COLLED ROLLED COMMERCIAL CHARTON TO AND THE SHELVES INCLUDING TOP AND THE SHELVES INCLUDING TO	QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING STOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING OF 170kg PER SHELF, THE INIT MIST BE FILLY REACHING (Phy) Ltd REACHING BEADED TYPE SHELVING OF 170kg PER SHELF, THE INIT MIST BE FILLY REACHING (Phy) Ltd REACHING ROLLED TYPE SHELVING GROUP (Pty) Ltd HOW THE SHELVING GROUP (Pty) Ltd GROUP (Pty) Ltd HOW THE SHELVING GROUP (Pty) Ltd GROUP (Pty) Ltd HOW THE SHELVING AND SIDE MASS LOAD OF 170kg PER SHELVING AND SIDE MASS LOAD OF 170kg PER SHELVING AND SIDE MASS LOAD AND SIDE MASS LOAD GROUP (Pty) Ltd GRO			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL			 	
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV. NIST BE INCLUDING STORE SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS. AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS. AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS. AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 10 1 10 1 10 1 11 EXAMPLE OF THE SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING BEADED TYPE SHELV	BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD EM Shelving and OF 170kg PER SHELVING UNIT MIST BE FILLY Resking (Phy) Ind PROVIDED TO THE SHELVING OF THE FILLY ARE FILLY Resking (Phy) Ind PROVIDED TO THE SHELVING OF THE FILLY ARE FILLY RESKING (Phy) Ind PROVIDED TO THE SHELVING OF THE FILLY RESKING (Phy) Ind PROVIDED TO THE SHELVING OF THE FILLY RESKING (Phy) Ind PROVIDED TO THE SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FILLY RESKING (Phy) Ind PROVIDED TO THE SHELVING OF THE FILLY RESKING (Phy) Ind PROVIDED TO THE SHELVING OF THE SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH THE TO TH			QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD				
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMED TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL CHARLES, SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM THE THICK SIZE 2710mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND SIZE 2710mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP	BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVED ROLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIFORMLY DISTRIBUTED MASS LOAD Racking (Phy) Ltd			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.				
BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg STEEL SHELVING	BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD EM Shelving and BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING OF 170kg PER SHELVING TOP AND BEADED TYPE SHELVING BEADED TY	i6111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment		 	
BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD EM Shelving and CE 170 CET TO THE LITTER THE THICK COLLED TO THE LITTER TO THE LITTER THE THICK COLLED TO THE LITTER TO THE LITT	BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIT MUST BE FULLY Racking (Pey) Ltd		ED TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	 R1,948.66	R2,162.89
305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL. QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD EACH COLLED ROLLED COMMERCIAL GUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD EM Shelving and	305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL INIT MIJST RE FUILY Racking (Pey) Ltd			AND SIDE BRACING SIZE 3210mm HIGH Y 011mm WIDE Y				
BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD EACH COLLED ROLLED COMMERCIAL OF 170kg PER SHELVING OF 170kg PER SHELVI	BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIT MUST BE FULLY RESKING (PW) Ltd Resking Pen I H			305mm DEEP, 7 X SHELVES INCLUDING TOP AND				
QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL. QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHELVING ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. Modrac (Pty) Ltd 10 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 3 4 3 4 3	QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL UNIT MUST BE FULLY REACKING (Pty) Ltd			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL				
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170K2 PET SUFFICIENT WITH MIST BE FULLY. DEATED TYPE SHELVING ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. Modrac (Pty) Ltd 10 1 1 1 1 1 1 1 1 1 1 1 1	OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL INIT MUST BE FULLY Racking IPW) I M Racking IPW I M Ra			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD				
BEADED TYPE SHELVING BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL. QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 17012 DEEP SHELVING OF	BEADED TYPE SHELVING BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHEL INIT MUST BE FULLY Reacking (Per) Ltd Modrac (Pty) Ltd Modrac (Pty) Ltd Modrac (Pty) Ltd BEADED TYPE SHELVING OF 170kg PER SHELVING INIT MUST BE FULLY Reacking (Per) Ltd	•		OF 1/0kg PER SHELF. THE UNIT MUST BE FULLY AD ILISTABLE TO ALL OW FOR ADDITIONAL SHELVES				
BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL. QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD READED TYPE SHELVING QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD READED TYPE SHELVING AND T	BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHFL I. THE LINIT MUST BE FULLY Reacking (Per) Lid Modrac (Pty) Ltd Modrac (Pty) Ltd Modrac (Pty) Ltd BEADED TYPE SHELVING OF 170kg PER SHFL I THE LINIT MUST BE FULLY Reacking (Per) Ltd	6111906-		UNIT MUST BE IN ACCORDANCE WITH CKS				
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING COLUMN TYPE SHEL	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHFLE. THE LINIT MUST BE FULLY Reacking Per Linit	900-	ED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	 R1,411.70	R1,480.34
SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD EARLING OF ATOLS PER CUEL FOR THE COLLEGE	SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL BOTTOM. 1mm THICK COLLED ROLLED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHFL F. THE LINIT MUST BE FULLY Racking (Per) Lid Racking (Per) Lid			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND				
BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD EACH TO SHELVING GE 47012 DEPARTMENT OF THE CHARLES TO SHELVE SHOWN THE CHARLES THE	305mm DEEP. / X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD EM Shelving and OF 170kg PER SHELVING OF 170kg PER SHELF. THE UNIT MUST BE FULLY Reacking (Per) Ltd			SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X				
306- BEADED TYPE SHELVING OF AZOLO DE LITTE FIRE WIT WIST DE FILL OF COMMERCIAL. BEADED TYPE SHELVING OF AZOLO DE LITTE FIRE WIT WIST DE FILL OF CANADA DE LA CANADA DEL CANADA DE LA CANADA DEL CANADA DE LA CANADA DEL CANADA DE LA CANADA DEL CANADA DE	QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD BEADED TYPE SHELVING OF 170kg PER SHELF. THE LINIT MUST BE FULLY Reacking (Per) Ltd Reacking (Per) Ltd			305mm DEEP, 7 X SHELVES INCLUDING TOP AND				
DEADED TYPE CHELVING OF A 2012 DEED CHELVING THE CHIEF CHELVING THE CHELVING THE CHELVING THE CHIEF CHIE	BEADED TYPE SHELVING OF 170kg PER SHELF THE UNIT MUST BE FULLY Racking (Pw) Lin	-8111906_		<u> </u>	EM Chaking and			
DEADED LYTH WHEEVING CTYLOOK OF THE CHILLY TARREST TO THE CHILLY		-			LIVI CHENTER OFFICE			

1	П	Ī
€	1	

					5.(h		
56111906- 00117	56111906- 00117	56111906- 00117	56111906- 00116	56111906- 00116	56111906- 00116	ITEM CODE	
BEADED TYPE SHELVING	BEADED TYPE SHELVING	BEADED TYPE SHELVING	BEADED TYPE SHELVING	BEADED TYPE SHELVING	BEADED TYPE SHELVING	PRODUCT DESCRIPTION	
ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL	ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00118, 56111906-00119, 56111906-00120, 56111906-00121	ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00118, 56111906-00119, 56111906-00120, 56111906-00121	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 305mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370	
Modrac (Pty) Ltd	Kusasaletu investment Group (Pty) Ltd	EM Shelving and Racking (Pty) Ltd	Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	Indawo Systems CC	BIDDER'S NAME	
10	4-6 weeks	21 DAYS		4-6 weeks	15 working days	DELIVERY PERIOD (DAYS)	
		2				E-BBEE	
R155.39	R167.08	R174.76	R2,770.91	R2,539.59	R3,079.86	PREVIOUS PRICE	
R162.94	R185.45	R214.43	R2,905.64	R2,818.78	R3,326.25	NEW PRICE	

ŧ	
ŧ	-
ı	4

TIED COSCE PROOMS TRESCRIPTION THIS CREATE ACCOUNT ONLY OF THE SECUNITY SHEWARD STATES AND STATES			14					
### SHI 1006-001728 SHI 1006-001729 SHI 1006	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE		NEW PRICE
BEADED TYPE SHELVING	:		THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00118, 56111906-00119, 56111906-00120, 56111906-00121			and the second distance of the second		
AND SIDE BRACING. SUFFER HILD			BEADED TYPE SHELVING UNIT WITH BACK BRACING					
SHELP SHETTING			AND SIDE BRACING.					
COLLED ROLLED COMMERCIAL (JULITY STEEL LAWFORK AND STORMED ASS) CAND OF 1709g PER SHELVING COMPANDED THE WITH MAST BE PLLLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MAST BE NEADED THE SHELVING LIMIT HAS BELVES AND SUBJECT THE NEADES AND SHELVES LIMIT MAST BE NEADED THE NEADES AND SHELVES LIMIT MAST BE NEADED THE NEADES AND SHELVES LIMIT MAST BE NEADED THE NEADES AND SHE			SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK					
UNIFORMLY DISTRIBUTED MASS LOAD OF 170g PER SHELT PIE UNIT MUST BE NUMBER OF ALLOW FOR ADDITIONAL SHELVES. INIT MUST BE ACCORDANCE WITH CASS SPECIFICATIONS 201. ACCORDANCE WITH CASS SPECIFICATIONS 201. AND SIDE BRANCHOS. ACCORDANCE WITH CASS SPECIFICATIONS 201. AND SIDE BRANCHOS. SPECIFICATIONS 201. AND SIDE BRANCHOS. SPECIFICATIONS 201. AND SIDE BRANCHOS. SPECIFICATIONS 201. SELECT FOR BOLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170g PER SHELVES. UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING. UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING. UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SIDE TABLES. SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. UNIT MUST BE IN ACCORDANCE WITH CASS SPECIFICATIONS 201. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVING UNIT WITH BACK FAMELS AND SHELVES INCLUDING TOP AND STREW THE MUST SHELVES. BRANCED TYPE SHELVES S			COLLED ROLLED COMMERCIAL QUALITY STEEL.					-
SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE WITH MIST	-		UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
ALLOW FOR ADDITIONAL SHELVES, UNIT MIST BE IN Kussashet Investment 4-6 weeks 1 R131.33 BEADED TYPE SHELVING UNIT WITH BACK BRACING Group (Pty) Ltd 4-6 weeks 1 R131.33 SEEDED TYPE SHELVING UNIT WITH BACK BRACING GROUP (Pty) Ltd 4-6 weeks 1 R131.33 SEEDED TYPE SHELVING UNIT WITH BACK BRACING GROUP (Pty) Ltd 4-6 weeks 1 R131.33 SHEADED TYPE SHELVING SEEDED TYPE SHELVING UNIT WITH BACK FAMELS AND SIDE BRACING. THE UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH ADJUST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH ADJUST BE RILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH ADJUST BE RILLY ADJUSTABLE TO ALLOW FOR ADJUSTABLE TO			SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO					
BEADED TYPE SHELVING BEADED TYPE SHELVING CONTEMPLATIONS SHOUTH BACK RAVING COULED ROLLED COMMERCIAL QUALITY STEEL JUNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELVES NOLLIDING TOP AND BOTTOM, IMM THICK COULED ROLLED COMMERCIAL QUALITY STEEL JUNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELVING ALLDOW FOR ADDITIONAL SHELVES, WITH MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING LIMIT WITH BACK PAWELS AND SIDE PAWELS, SIZE 1906mm HIGH X SHELVES NOLLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL CUALITY STEEL LIMITOMAL SHELVES. SPECIFICATIONS 370. BEADED TYPE SHELVING SIZE 1906mm HIGH X SHELVES. SPECIFICATIONS 370. BEADED TYPE SHELVING SIZE 1906mm HIGH X SHELVES. SPECIFICATIONS 370. BEADED TYPE SHELVING SIZE 1906mm HIGH X SHELVES. SPECIFICATIONS 370. SPECIFICATIONS 3	56111906-		ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN	Kusasaletu Investment		x		3
BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 966mm HIGH X 946mm BEEP, 8 X SHELVES INCLUDING TOP AND BOTTOM. from THOCK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMAY DISTRIBUTED MASS LOAD OF 17809 FER SHELF. THE UNIT MIGHT BE RIV ADJUSTABLE TO	00118	BEADED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks		K1,911.33	K2,121.45
SIZE F850mm HIGH X 944mm WIDE X 381mm DEEP, 6 X SPELVES INCLUDING TOP AND BOTTOM, 1mm THIGX COLLED ROLLED COMMERCIAL QUALITY STEEL INFORMATY DISTRBUTED MASS LOAD OF 170kg PFR SHELVING UIT MINST BE PILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE NULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE NULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE PILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE SHELVES. UNIT			BEADED TYPE SHELVING UNIT WITH BACK BRACING					
SHELVES INCLUDING TOP AND BOTTOM, firm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALCOPROMOCE WITH CKS SPECIFICATIONS 270. BEADED TYPE SHELVING SIDE PAYLES, SEZ 1905mm HIGH X 914mm WIDEX BOTTOM, firm THICK COLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV FIRE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 270. BEADED TYPE SHELVING UNIT WITH BOCK PAYLES. AND SIDE PAYLES, SIZE 1905mm HIGH X 914mm WIDEX SPECIFICATIONS 270. BEADED TYPE SHELVING UNIT WITH BOCK PAYLES. AND SIDE FAYLES, SIZE 1905mm HIGH X 914mm WIDEX SIDE FAYLES INCLUDING TOP AND DOTTOM, firm THICK COLLED COMMERCIAL. OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV INFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV INFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV INFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BOCK PAYLES. WILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 270. SPECIFICATIO			SIZE 1905mm HIGH X 914mm WIDE X 381mm DEEP, 6 X					
OCULED ROLLED COMMERCIAL CHAITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN MODE OF TOWN FOR ADDITIONAL SHELVES, UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1995mm HIGH X 914mm WIDE X DEPANELS, SIZE 1995mm HIGH X 914mm WIDE X DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1995mm HIGH X 914mm WIDE X DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SOFT DALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1995mm HIGH X 914mm WIDE X SHELVES NOCLUDING TOP AND BOTTOM. Inm THICK COLLED ROLLED COMMERCIAL SIZE 1995mm HIGH X 914mm WIDE X SHELVES NOCLUDING TOP AND BOTTOM. Inm THICK COLLED ROLLED COMMERCIAL SIZE 1995mm HIGH X 914mm MIDE			SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK					
SHELLY ING UNIT FORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELLY RELIX FALLOWS FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BOTTON, I man THICK COLLED ROLLED ROLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND DOT 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND DOT 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X SHELVES INCLUDING TOP AND BOTTONAL SHELVES. UNIT MIST BE IN ACCORDANCE WITH CKS SHELVES INCLUDING TOP AND BOTTONA 1 mm THICK COLLED ROLLED ROLLED ROLLED COMMERCIAL OUALITY STEEL UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTONA 1 mm THICK COLLED ROLLED ROL			COLLED ROLLED COMMERCIAL QUALITY STEEL.					
SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK FANELS AND SIDE PANELS, SIZE 1956mm HIGH X 914mm WIDE X 305mm DEEP 6 X SHELVES INQLLIDED ROULED COMMERCIAL OUALITY STEEL UNIFORMAY DISTRIBUTED MASS LOAD OF 1700g PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 1956mm HIGH X 914mm WIDE X 305mm DEEP 6 X SHELVES INQLLIDED ROULED COMMERCIAL OUALITY STEEL UNIFORMAY DISTRIBUTED MASS LOAD OF 1700g PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1956mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS AND SIDE PANELS. SIZE 1956mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COULED ROULED COMMERCIAL OUNFORMLY DISTRIBUTED MASS LOAD OF 1700g PER OF 1700g PER SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 1700g PER OF 1700g PER SHELVES NUMBER OF 1 R2,168.47 R2,405.19 R2,405.19			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
BEADED TYPE SHELVING BEADED TYPE SHELVING INIT WITH BACK PARIELS AND BEADED TYPE SHELVING INIT WITH BACK PARIELS AND SIDE PARIELS. SIZE 1906mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES NCLUDING TOP AND BOTTOW, 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL LUNIF MALS DISCREDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING INIT WITH BACK PARIELS AND SIDE PARIELS. SIZE 1906mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROUNERFORAL DISCREDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING INIT WITH BACK PARIELS AND SIDE PARIELS. SIZE 1906mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROUNERFORAL DISCREDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SHELVES IN ACCORDANCE WITH CKS SHELVES INCLUDING TOP AND BOTTOM AND THE SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SHELVES INCLUDING TOP AND BOTTOM AND THE SHELVES. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM AND THICK COLLED ROUNE SHELVING UNIT WITH BACK PARIELS AND SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM AND THE SHELVES. UNIFORMLY DISTRIBUTED MASS LOAD OF TÜRG PER Group (Pty) Ltd. 4-6 weeks 1 R2,405.19 RA2,405.19	56111Q06		SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO					
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMY. DISTRIBUTED MASS LOAD OF 1706g PER SHELF I THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMY. DISTRIBUTED MASS LOAD OF 1706g PER SHELF I THE UNIT MUST BE ROLLED COMMERCIAL QUALITY STEEL. UNIFORMY. DISTRIBUTED AND SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND OF 1706g PER SHELVING UNIT WITH BACK PANELS. UNIT MUST BE IN ACCORDANCE WITH CKS SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK UNIFORMY DISTRIBUTED MASS LOAD F 1706g PER SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK UNIFORMY DISTRIBUTED MASS LOAD F 1706g PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19 R2,405.19	00118	BEADED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	1	_	R1,389.03	R1,456.57
SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED ROMERCIAL QUALITY STEEL, UNIFORALY DISTRIBUTED MASS LOAD OF 170/g PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170/g PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED ROULED ROULED ROLLED ROULED ROLLED ROULED ROLLED ROULED ROLLED			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND					
BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL O()JALITY STEEL UNIFORMY DISTRIBUTED MASS LOAD OF 1709/ PER SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING STO. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK COLLED PONLED COMMERCIAL GOAD (Pty) Ltd SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK COLLED PONLED COMMERCIAL GOAD (Pty) Ltd 4-6 weeks 1 R2,168.47 BEADED TYPE SHELVING UNIT MUST BE NOUTH ONLY TO SHELL INVESTMENT SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK COLLED PONLED COMMERCIAL GOAD (Pty) Ltd 4-6 weeks 1 R2,168.47 BEADED TYPE SHELVING UNIT MUST BE FILLY ONLY TEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19 BCADED TYPE SHELVING UNIT MUST BE FILLY ONLY THE SHELVES. Kusasaletu Investment 4-6 weeks 1 R2,405.19			305mm DEEP 6 X SHELVES INCLUDING TOP AND					
QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANIELS AND SIDE PANIELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANIELS AND SIDE PANIELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK SHELVES INCLUDING TOP AND BOTTOM. 570. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1 mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER OFW) Ltd 4-6 weeks 1 R2,168.47 R2,405.19 UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER OFW) Ltd 4-6 weeks 1 R2,405.19			BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
OF 1798g PER SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING 10P AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, LINTER SHELVING UNIT WITH BACK PANELS. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL SHELVES. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19 R2,532.85 EM Shelving and 21 DAYS 2 R2,532.85 EM Shelving and 2 DAYS 2 R2,532.85 EM Shelving and 2 DAYS 2 R2,532.85 EM Shelving and 2 Racking (Pty) Ltd 2 DAYS 2 R2,532.85 EM Shelving and 2 Racking (Pty) Ltd 2 DAYS 2 R2,532.85 EM Shelving and 2 Racking (Pty) Ltd 2 DAYS 2 R2,532.85 EM Shelving and 2 DAYS 2 R2,532.85			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 306- BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM, 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Kusasaletu Investment 4-6 weeks 1 R2,405.19 Racking (Pby) Ltd 21 DAYS 2 R2,532.85 Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS 2 R2,532.85 Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS 2 R2,532.85 Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS 2 R2,532.85 Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS 2 R2,532.85 Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 22 DAYS Racking (Pby) Ltd 21 DAYS Racking (Pby) Ltd 22 DAYS Racking (Pby) Ltd 22 DAYS Racking (Pby) Ltd 24 DAYS Racking (Pby) Ltd 25 DAYS Racking (Pby) Ltd 26 DAYS Racking (Pby) Ltd 27 DAYS Racking (Pby) Ltd	-		AD HIGHARI E HO ALLOW/ EOR ADDITIONAL SHELVES					
BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Racking (Pty) Ltd 21 DAYS Racking (Pty) Ltd 22 R2,532.85 Racking (Pty) Ltd 24 DAYS 2 R2,532.85 Racking (Pty) Ltd 25 R2,532.85 Racking (Pty) Ltd 26 Weeks 1 R2,168.47 Racking (Pty) Ltd 46 Weeks 1 R2,168.47 Racking (Pty) Ltd 46 Weeks 1 R2,168.47 Racking (Pty) Ltd 46 Weeks 1 R2,405.19	56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and				
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PAYELS, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47	00119	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Racking (Pty) Ltd	21 DAYS	2	R2,532.85	R3,107.73
SIDE PANELS, SIZE 1905IIII FIND A 914IIII WIDE A 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47 R2,405.19 R2,405.19			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND					
BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47 R2,168			305mm DEEP, 6 X SHELVES INCLUDING TOP AND					
QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FUILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47 R2,168.4			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL					
OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,168.47 R3,168.47 R2,168.47	56111006		TIMIT MI IST BE IN ACCORDANCE WITH CKS	Kusasalatu Invastment				
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. COLLED ROLLED COMMERCIAL QUALITY STEEL. Kusasaletu Investment 4-6 weeks 1 R2,405.19	00119	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	_	R2,168.47	R2,406.87
SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND					
SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. Kusasaletu Investment 4-6 weeks 1 R2,405.19			SIDE PANELS.					
SHELVES INCLUDING FOR AND BOTTOM: Time Filick COLLED ROLLED COMMERCIAL QUALITY STEEL. BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19			SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X					
BEADED TYPE SHELVING UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER Group (Pty) Ltd 4-6 weeks 1 R2,405.19	50000		SHELVES INCLUDING FOR AND BOTTOM, 1mm THICK	Kiepsaloti Invostment				
	561119U6- 00119	READED TYPE SHELVING	- INTEORMI Y DISTRIBUTED MASS LOAD OF 170kg PER	Group (Ptv) I td	4-6 weeks		R2.405.19	R2.669.61

۰	
è	

		1.J					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW
		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.			Š		
		BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY AD INSTABLEF TO ALLOW FOR ADDITIONAL SHELVES					
56111906- 00119	BEADED TYPE SHELVING	UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	<u> </u>	R2,588.46	R2,714.32
		BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER CHELT THE INIT MIST BE EVILY AD HIGTORY.					
56111906- 00120	BEADED TYPE SHELVING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and Racking (Pty) Ltd	21 DAYS	2	R1,984.44	R2,434.85
56111906- 00120	BEADED TYPE SHELVING	BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks		R2,209.47	R2,452.37
		BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
56111906- 00120	BEADED TYPE SHELVING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R1,573.50	R1.650.01
56111906- 00121	BEADED TYPE SHELVING ·	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER	EM Shelving and	21 DAYS	r> -	R2.949.24	R3.618.63

ı		
r	-	

		10					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	:	The state of the s			
	·	BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO					
56111906- 00121	BEADED TYPE SHELVING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND	Kusasaletu investment Group (Pty) Ltd	4-6 weeks		R2,800.40	R3,108.27
56111906-		SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN		·			
56111906-		ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00123, 56111906-00124, 56111906-00125	FM Shelving and				
56111906- 00122	READED TYPE SHELVING	ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00123, 56111906-00124, 56111906-00125,	Kusasaletu Investment	A G works	<u>.</u>	D400 00	7,40,29
56111906- 00122	BEADED TYPE SHELVING	ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00123, 56111906-00124, 56111906-00125, 56111906-00126	Wodrac (Ptv) Ltd	10		R180 97	R189 <i>77</i>
56111906- 00123	BEADED TYPE SHELVING	BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY	EM Shelving and	21 DAYS		R2,092.64	R2,567.60

۲	_
÷	

ADJUSTABLE TO ALCOW FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 270. BEALDED TYPE SHELVING BEALDED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1906mm HIGH X 54 fmm WIDE X AS mm DEEP 8 X 54 EVES MULLIDING TOP AND DOTTOM, fmm THCX COLLED DROLLED COMMERCIAL LOUALITY STEEL, UNIFORMALY DISTRIBUTED MASS LOAD BEALDED TYPE SHELVING BEALDED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1906mm HIGH X 54 fmm WIDE X AS mm DEEP 8 X 54 EVES MULLIDING TOP AND BEALDED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1906mm HIGH X 54 fmm WIDE X AS mm DEEP 8 X 54 EVES MULLIDING TOP AND BEALDED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1906mm HIGH X 54 fmm WIDE X AS MID AND AND AND AND AND AND AND AND AND AN			MEW DESCRIPTION			
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES SPECIFICATIONS 2010. ADDITION THE SHELVING BEDJED TYPE SHELVING UNIT WITH BUCK DETAIL MODERNOR AND SIDE BRANCHS SET STEMM HIGH X SHELVES OUNLING STEEL WHOPAN'S 105 FIRBUTES WASSLOAD OF TIME PER SHELVES AND SIDE BRANCHS STEEL SHELWES WASSLOAD OF TIME PER SHELVES AND SIDE BRANCHS STEEL SHELWES WASSLOAD OF TIME PER SHELVES AND SIDE BRANCHS STEEL SHELWES WASSLOAD SHELVES WASSLOAD FOR THE SHELVING BEADED TYPE SHELVING WITH MUST BE IN ADDORANCE WITH O'CS SPECIFICATIONS 270. OUNLING STEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVING WITH HIGH SOCIALED COMMERCIAL AUALITY STEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVING WITH HIGH SOCIALED COMMERCIAL AUALITY STEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVING WITH WITH BACK PANDED AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY STEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVING WITH WITH BACK PANDED AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY STEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVING WITH WITH BACK PANDED AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVES WAS LIDING TOP AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WHOPAN'S DISTRIBUTED WASSLOAD OF TIME PER SHELVES WAS LIDING TOP AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WHOPAN'S WAS LIDING TOP AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WHOPAN'S WAS LIDING TOP AND DOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WHOPAN'S WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WAS SHOULD WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SEEL WAS SHOULD WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULED COMMERCIAL AUALITY SHOULD WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULD WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULD WAS LIDING TOP AND BOTTOM THEM THCK COLLED ROULD WAS LIDING TOP AND THEM THEM THEM THEM THEM THEM THEM THEM	ITEM CODE	PRODUCT DESCRIPTION	II EMI DENOMIT I I ON		DELIVERY PERIOD (DAYS)	B-BBEE LEVEL
AD SUPE PARADON OF A STREET STREET SHELDING BAND. ADD STREET SHELD WE SHELD WAS LOAD OF 17Mg PER SHELT THE LUM HAST BE FULLY. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADD STREET SHELD WE SHELD WIT WITH BACK BRACKS. AND SUPE BRACKS. STREET SHELD WE SHELD WITH STREET BULLY. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ADJUSTABLE TO ALLOW FOR AD	:		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	en e		
ASTIMI DEEP: 6 X SHELVES NOLLUNK TOP AND LED COMMERCIAL CUALITY STEEL, UNIFORMAT DISTRIBUTED MASS LOAD CHARGE AND STEEL SHELVING SHELVES AND LED COMMERCIAL CUALITY STEEL, UNIFORMAT DISTRIBUTED MASS LOAD CHARGE AND STEEL SHELVING INT WITH SIGHT SHELVES AND STEEL SHELVING TOP AND CHARGE AND CHA			BEADED TYPE SHELVING UNIT WITH BACK BRACING AND CIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X			!
BOTTON: timn THICK COLLED ROLLED COMMERCIAL CUALITY STEEL, UNIFORMY TO STREUTED MASS LOAD OF 1706 PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ASSOCIATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK SRACING AND SIDE BACKING JUNIT WITH BACK SHACING AND SIDE BACKING STEEL SHALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE SHELVES. UNIT MUST BE TULLY ADJUSTABLE SHELVES. UNIT MUST BE TULLY ADJUSTABLE SHELVES. UNIT MUST BE TULLY ADJUSTABLE SHELVES. ADJUSTABLE SHELVES. ADJUSTABLE SHELVES. ADJUSTABLE SHELVES. ADJUSTABLE SHELVES. ADJUSTABLE SHELVES. ADJUSTABL	_		457mm DEEP. 6 X SHELVES INCLUDING TOP AND			
OF TYPE SHELVING BEADED TYPE SHELVING STEEL UNFORMED STEEL UNFORMED SHELVES. UNIT MUST BE IN COCCEED FOLLIES NOLLIDING TOP AND BOTTOM. ITEM THICK COLLED ROLLIDD COMMERCIAL QUALITY STEEL UNFORMED STEEL UNFORMED SHELVES. UNIT MUST BE IN COCCEED FOLLID COMMERCIAL QUALITY STEEL UNFORMED STEEL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN COCCEDADACE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN COCCEDADACE WITH CKS SPECIFICATIONS 370. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN COCCEDADACE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN COCCEDADACE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SECUPICATIONS 370. BEADED TYPE SHELVING UNIT WITH BAC			BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL			
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CXS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK BRACKING AND SIDE BRACKING SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND OF 1706 PER SHELVING UNIT WITH BACK BRACKING FOR 1706 PER SHELVING UNIT WITH BACK PAWELS AND OF 1706 PER SHELVING UNIT WITH BACK PAWELS AND SIDE PAWELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND OF 1706 PER SHELVING UNIT WITH BACK PAWELS AND SIDE PAWELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND OF 1706 PER SHELVES INCLUDING TOP AND SIDE PAWELS. SIZE 1905mm HIGH X 914mm WIDE X ASTRING PER SHELVES INCLUDING TOP AND SIDE PAWELS SIZE 1905mm HIGH X 914mm WIDE X ASTRING PER SHELVES INCLUDING TOP AND OF 1706 PER SHELVES INCLUDING TOP AND SIDE PAWELS SIZE 1905mm HIGH X 914mm WIDE X ASTRING PER SHELVES INCLUDING TOP AND OF 1706 PER SHELVES INCLUDING TOP AND OF 1706 PER SHELVES INCLUDING TOP AND OF 1706 PER SHELVES INCLUDING TOP AND ASTRING PER SHELVES INCLUDING TOP AND OF 1706 PER S			QUALITY STEEL, UNIFORMILY DISTRIBUTED MASS FOAD			
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X 45 mm DEEP 6 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELVING UNIT WITH BACK PARACINA AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X 45 mm DEEP 6 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELV SHELVING UNIT WITH BACK PARELS LOAD OF 170kg PER SHELVING UNIT WITH BACK PARELS AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS DOF AND DOF TOWN TOWN THE SHELVING UNIT WITH BACK PARELS AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS DOF AND SIZE PANELS SIZE 1905mm HIGH X 914mm WIDE X SPECIFICATIONS 370. DOF TOWN FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS DOF AND SIZE PANELS SIZE 1905mm HIGH X 914mm WIDE X SPECIFICATIONS 370. DOF TOWN FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. DOF TOWN FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.			
BEADED TYPE SHELVING SPECIFICATIONS 370. AND SIDE BRACING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED COMMERCIAL QUALITY STEEL, UNIFORALLY DISTRIBUTED MASS LOAD OF 1708g PERS SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. SIDE PARIES, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED FOULED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PARIES, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PARIES, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PARIES, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 4-6 weeks 1 1 4-7 WITH AND	56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment		
BEADED TYPE SHELVING AND SIDE REACHED TYPE SHELVING UNIT WITH BOCK BRACHING AFFIRM DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THCK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD GH 770g PER SHELVING UNIT WITH BOCK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THCK COLLED FOULED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD GH 770g PER SHELVING UNIT WITH BOCK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CXS SHELVES INCLIDING TOP AND SHELVES INCLIDING TOP AND SHELVES INCLIDING TOP AND SHELVES INCLIDING TOP AND SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X SHELVES INCLIDING TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDING TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND SHELVES INCLIDENCE TOP AND	00123	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	
ASTIMIN DEEP, IS X SHELVES INCLUDING TOP AND BOTTOM, Imm. THICK COLLED COMMERCIAL QUALITY STEEL UNIFORM, 195 EEF LILY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1995mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1 mm. THICK COLLED COMMERCIAL QUALITY STEEL UNIFORM. 1 MIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1995mm HIGH X 914mm MIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1995mm HIGH X 914mm MIDE X ASTIM DEEP, 6 X SHELVES INCLUDING TOP AND OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1995mm HIGH X 914mm MIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABL			BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BDACING SIZE 1905mm HIGH Y 917mm WIDE Y			
BEADED TYPE SHELVING	•		AND SIDE BY SHELLYES INCLIDING TOD AND			
QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELY THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SLZE 1905mm HIGH X 914mm WIDE X 45/mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, from THICK COLLED ROULED ROULED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170% PER SHELV IN UNIFORMLY STEEL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES UNIT MAIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES ADJUSTABLE TO ADDITIONAL SHELVES ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES ADDITIONAL SHELVES ADDITIONAL SHELVES ADDITIONAL SHELVES ADDITIONAL SHELVES ADDITIONAL S			BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL		-	
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP 6 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP 6 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIZE 1905mm HIGH X 914mm WIDE X 407mm DEEP 6 X SHELVES INCLUDING TOP AND SIZE 1905mm HIGH X 914mm WIDE X SIZE	•		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			
ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM 1 THE UNIT WITH BACK PANELS IN ACCORDANCE AS/mm DEEP, 6 X SHELVES INCLUDING TOP AND DETTOM 1 THE UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SOCIONAL TRY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE BE FULLY ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. Group (Phy) Ltd 4-6 weeks 1 AGAIN THE UNIT WITH BACK PANELS AND SPECIFICATIONS 370. CHARLES INCLUDING TOP AND BOTTOM 1 mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL, UNIFORMLY DOTTOM THE WITH WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATION 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AN			OF 170kg PER SHELF. THE UNIT MUST BE FULLY			
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1 mm THICK COLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1 mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING STREED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND BEADED TYPE SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING STREET ONLED COMMERCIAL OF 170kg PER SHELVING STREET ONLED COMMERCIAL OF 170kg PER SHELVING STREET ONLED COMMERCIAL OF 170kg PER SHELVES STREET ONLED COMMERCIAL OF 170kg PER SHELVES STRE	56111906-		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.			
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1906mm HIGH X 457mm DEEP 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD DEFENDER OF THE THICK COLLED ROLLED COMMERCIAL DEFENDER O	00123	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	_
SIDE PANELS, SIZE 1950mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL, LINIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND DOF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIT RANK OF SHELVES INCLLIDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIT RANK OF SHELVES INCLLIDING TOP AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS. SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIDE PANELS SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIZE AND SIZE SIZE 1955mm HIGH X 914mm WIDE X 457mm DEEP; 6 X SHELVES INCLLIDING TOP AND SIZE SIZE SIZE SIZE SIZE SIZE SIZE SIZE			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND			
BOTTOM. 1mm THCK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLIDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORNLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVES INCLIDING TOP AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLIDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNITORNAL SHELVES. GROUP (Pty) Ltd 4-6 weeks 1 BEADED TYPE SHELVING UNIT MITH BACK PANELS AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNITORNAL SHELVES. GROUP (Pty) Ltd 4-6 weeks 1 ACCORDANCE THE THICK OF T			SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X			
QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNICH COLLED ROLLED COMMERCIAL QUALITY STEEL, UNICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNICK COLLED ROLLED R			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL			
ADDITIONAL SHELVES. BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED ROMERCUAL QUALITY STEEL, UNIT-ORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV ING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED ROMERCUAL QUALITY STEEL, UNIF-ORMLY DISTRIBUTED MASS LOAD AT ANY DEEP SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED ROLLED COMMERCUAL QUALITY STEEL, UNIF-ORMLY DISTRIBUTED MASS LOAD AT ANY DEEP SHELVING UNIT WITH BACK PANELS AND SIDE PANELS AND SIDE PANELS INCLUDING TOP AND AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCUAL QUALITY STEEL, UNIF-ORMLY DISTRIBUTED MASS LOAD AT ANY DEEP SHELVING UNIT WITH BACK PANELS AND SIDE PANELS AND SIDE PANELS INCLUDING TOP AND			QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD			
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNITOMAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIT MUST BE THE LINE THE LINE OF T			OF 170KG FER SHEET, THE ONLY BOD ADDITIONAL SHEET/FES			
BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNITED MASS LOAD OF 170k SEED SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNITED MASS LOAD ACCORDANCE AND COLLED TOPE SHELVING UNITED MASS LOAD ACCORDANCE AND COLLED TOPE SHELVING UNITED MASS LOAD	56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and		*
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELV DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROULED COMMERCIAL AND	00124	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Racking (Pty) Ltd	21 DAYS	2
457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELL INIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELL FITTE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD ACCORDED TYPE SHELVING OF ATOMS OF THE THICK THE THICK TO BE THE THICK			SIDE DANIELS SIZE 1905mm HIGH Y 914mm WIDE Y			,
BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD Modern Charles BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD Modern Charles ACCORDANCE BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD Modern Charles Modern Charles ACCORDANCE BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD Modern Charles ACCORDANCE MODERN COLLED ROLLED COMMERCIAL ACCORDANCE MODERN COLLED ROLLED COLLED COLL			457mm DEEP. 6 X SHELVES INCLUDING TOP AND			
QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD Modern (Fig. 14.1) OCALOR DEED CHELT THE INIT MUST BE FILL IN MASS LOAD ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 DEADED TYPE SHELVING SPECIFICATIONS 370. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 ACCORD TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 ACCORD TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. Kusasaletu investment 4-6 weeks 1 ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ACCORD TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL			
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD ACCORDANCE COLLED FOR MASS LOAD Modern (Fig. 1) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 470th DEEP SHELVING OF 470th DEEP SHELVING			OF 170kg PER SHELF. THE UNIT MUST BE FULLY AD ILISTARIE TO ALLOW FOR ADDITIONAL SHELVES			
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIT MIGHT BY THICK TO THE THICK THE THICK TO THE T	58111008		TIMIT MI INT RE IN ACCORDANCE WITH OKO	Kuesesletu investment		
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 470th DEEP CHELD THE INIT MUST DE CHILD	00124	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	<u> </u>
SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 470m DEEP CUEL F. THE LINIT MIGHT DE FILL V. Address (Thick is a line of the line of			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND			
457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 470km DEEP. 6 X SHELVES INCLUDING TOP AND			SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X			
906- DEADED TYPE STEEL VIVO OF 47012 DEED STEEL UNIT MIST BE FILED WASS LOAD OF 47012 DEED STEEL UNIT MIST BE FILED WASS LOAD AND STEEL VIVO OF 47012 DEED STEEL WITH MIST BE FILED WASS LOAD AND STEEL VIVO OF 47012 DEED STEEL WITH MIST BE FILED WASS LOAD			457mm DEEP. 6 X SHELVES INCLUDING TOP AND			
ACCUPATION TO THE PARTY OF THE PARTY MANAGED FOR MANAGED TO THE PARTY MANAGED FOR MANAG	,		DITALITY OTEEL TINIEDOMI Y DISTRIBUITED MASS TOAD			
	56111006					

۰	
0	×

EIDDER'S NAME DELIVERY PERIOD (DAYS) LEVEL PRICE PRI			18					1
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CASS. SPECIFICATIONS 270. AND SIDE BACKED TYPE SHELVING UNIT WITH BACK BRACKING. AND SIDE BACKED SHELT THE UNIT MUST BE FULLY AUSSISTABLE TO ALLOW FOR ADDITIONAL SHELVES. AND SIDE BACKED SHELT THE UNIT MUST BE FULLY AND SIDE BACKED SHELL THE UNIT MUST BE FULLY AND SIDE BACKED SHELT THE UNIT BACK SHELT COMMERCIAL. OUT MUST BE IN ACCORDANCE WITH CASS. BEADED TYPE SHELVING WITH WITH BACK BRACKING. AND SIDE BACKED SHELT THE UNIT BACK SHE RE FLLY AUS SIDE BACKED SHELT THE UNIT BACK SHE RE FLLY AUS SIDE BACKED SHELT THE UNIT BACK SHE SHELTS. BEADED TYPE SHELVING WITH WITH BACK BRACKING. AND SIDE BACKED SHELT THE UNIT BACK SHE SHELTS. AND SIDE BACKED SHELT THE UNIT BACK SHE SHELTS. AND SIDE BACKED SHE SHELT THE UNIT BACK SHE SHELTS. AND SIDE BACKED SHE SHELT THE UNIT BACK SHE SHELTS. AND SIDE BACKED SHE SHELT THE UNIT BACK SHE SHELTS. AND SIDE BACKED SHE SHELT THE UNIT BACK SHE SHELTS. AND SHE SHELTS SHE SHELTS SHELTS SHELTS SHELTS. BEADED TYPE SHELVING SHELTS SHELTS SHELTS SHELTS. AND SHELTS SHELTS SHELTS SHELTS SHELTS SHELTS SHELTS. BEADED TYPE SHELVING SHELTS	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION		DELIVERY	8-88EE	PREVIOUS PRICE	NEW
ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH CKS. BEACHED TYPE SHELVING SIZE ZYTIOM HEIGH X 914mm WIDE X AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL AND SIDE BRACING SIZE ZYTIOM HEIGH X 914mm WIDE X ACTIVITY STEPL WITH COMMERCIAL BEACHED TYPE SHELVING BEACHED TYPE SHELVING DITH WITH BACK PAVIELS AND SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE SALD THE MUST MUST BE FILLY. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE TO ALLOW FOR ADDITIONAL SHELVES. WITH MUST BE IN ACCORDANCE WITH C/S SECRIFICATIONS SIZE. ADUISTABLE SALD THE SHELVES. ADUISTABLE SALD THE SHELVES. ADUISTABLE SALD THE SHELVES.				The state of the s		April 10 miles	The second secon	
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BRACK PAVIDE AND SIDE PAVIDAGE TO ALLOW FROM MICHON SHELVES. AND SIDE PAVIDAGE TO SHELVES AND SHELVES. AND SHELVES AND AND SHELVES AND SHELVES AND SHELVES. AND SHELVES AND SHELVES AND SHELVES. AND SHELVES AND SHELVES AND SHELVES AND SHELVES. AND SHELVES AND SHELVES AND SHELVES AND SHELVES. AND SHELVE			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS				"	
AND SIDE BRACHG SIZE Z010mn HIGH X 9 Harm WIDEX AND SIDE BRACHG SIZE Z010mn HIGH X 9 Harm WIDEX ADTOWN 1 mm THICK COLLED ROLLED COMMERCY. AUGUSTRALE TO ALLOW FOR ADDITIONAL SHLLVES. MIT MINIST BE IN ACCORDANCE WITH CKS SECHEANING. BRACHED TYPE SHELVING BRACHED TYPE SHELVING LIMIT WITH BACK PANELS AND BRACHED TYPE SHELVING BRACHED TYPE SHELVING LIMIT WITH BACK PANELS AND BRACHED TYPE SHELVING BRACHED TYPE SHELVING LIMIT WITH BACK PANELS AND BRACHED TYPE SHELVING BRACHED TYPE SHELVING LIMIT WITH BACK PANELS AND BRACHED TYPE SHELVING BRACHED TYPE SHELVING LIMIT WITH BACK PANELS AND BRACHED TYPE SHELVING L			READED TYPE SHELVING LINIT WITH BACK BRACING					
BEADED TYPE SHELVING JUNIT WITH BACK PAKELS AND BEADED TYPE SHELVING BEADED TYPE SHELVING JUNIT WITH BACK PAKELS AND BEADED TYPE SHELVING BEADED TYPE SHELVING JUNIT WITH BACK PAKELS AND BEADED TYPE SHELVING BEADED TYPE SHELVING JUNIT WITH BACK PAKELS AND BEADED TYPE SHELVI			AND SIDE BRACING, SIZE 2210mm HIGH X 914mm WIDE X					
OBJ. TOWN THE LIMPORALY VISITIBILITED MASS LOAD OBJ. TOWN THE LIMPORALY VISITIBILITED MASS LOAD OBJ. TOWN THE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK RRACKING AND STORE BEACHES SEEZ 210mm HIGHS 189 4mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND OCIVALITY STEEL LIMPORALY DISTRIBUTED MASS LOAD OF TYPE SHELVING UNIT WITH BACK RANCE WITH CSS OBJ. BEADED TYPE SHELVING UNIT WITH BACK RANCE AND SPECIFICATIONS 270. OF TYPE SHELVING UNIT WITH BACK RANCE SAND OF THE SHELVING UNIT WITH BACK RANCE SAND OF THE SH			457mm DEEP, 7 X SHELVES INCLUDING TOP AND					
DOG- BEADED TYPE SHELVING BEADED TYPE SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVES INCLUDING TOP AND BEADED TYPE SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVES INCLUDING TOP AND BEADED TYPE SHELVES INCLUDING TOP AND BEADED TYPE SHELVES INCLUDING TOP AND BEADED			QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD					
DOS- BEADED TYPE SHELVING BEADED TYPE SHELVING WITH WITH BACK BRACING AND SIDE BRACING STO. BEADED TYPE SHELVING WITH WITH BACK BRACING AND SIDE BRACING SIZE ZICHOM HIGH X 9 HAM WIDE X 457mm DEEP; 7 X SHELVES INCLUDING TOP AND BOTTOM, 1 mm THICK COLLED ROLLED COMMERCIAL OUT 1796 BREADED TYPE SHELVING WITH HIGH X 9 HAM WIDE X ADJUSTRABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 270. BEADED TYPE SHELVING SPECIFICATIONS 270. WIT MIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. WITH MIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING WITH HIGH X 9 HAM WIDE X ASTAM DEEP; 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING WITH HIGH X 9 HAM WIDE X ASTAM DEEP; 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING WITH HIGH X 9 HAM WIDE X ASTAM DEEP; 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING WITH HIGH X 9 HAM WIDE X ASTAM DEEP; 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING WITH CKS			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
DOS- BEADED TYPE SHELVING SPECIFICATIONS 370 RADIO STORE SHELVING UNIT WITH BLOKE RRACING AND SIDE BACADED TYPE SHELVING UNIT WITH BLOKE RRACING AND SIDE BACADED TYPE SHELVING UNIT WITH BLOKE RRACING AND SIDE BACADED TYPE SHELVING UNIT WITH BLOKE RRACING CUALITY STEEL. UNITORNAL'S DISTRIBUTED MASS LOAD CUALITY STEEL. UNITORNAL'S DISTRIBUTED MASS LOAD BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WIST BE INCLUDING TOP AND BEADED TYPE SHELVING UNIT WIST BE INCLUDING TOP AND BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WIST BE INCLUDING TOP AND BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WIST BE INCLUDING TOP AND SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATION STORE SPECIFICATION SPECIFIC			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE ZOMM HIGH X 94mm WIDE X 457mm DEEP 7 X SHELVES INCLUDING TOP AND BOTTOM. from THICK COLLED ROLLED COMMERCIAL COLAULTY SITEL. UNITOMAY TO ISTRBULTING MASS LOAD OF 170mg PERS SHELVES INCLUDING TOP AND SODE PANELS SIZE ZOMM HIGH X 94mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. ANTI MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS STEEL UNIFORMY TO ISTRBUTIED MASS LOAD OF 170mg PERS SHELT THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. ANTI MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. BEADED TYPE SHELVING SHELT THE UNIT MUST BE FULLY. ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS ASJAM SHE ADDIT ON A 1 R1,778.21 BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK PANELS AND SEPCIFICATIONS 370. BEADED TYPE SHELVING WITH BACK	56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and		.		3
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PRACING AND SIDE BRACKED SIZE 220mm HIGH X 914mm WIDEX A67mm DEEP 7 X SHELVES INCLUDING TOP AND BOTTOM, from THCK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMY DISTRIBUTED MASS LOAD OF 170g PER SHELF. THE UNIT MUST BE FILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PAWELS AND OF 170g PER SHELF. THE UNIT MUST BE FILLY SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS. UNIT MUST BE IN ACCORDANCE WITH CKS. SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PAWELS AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND OF 170g PER SHELF. THE LIMIT MUST BE FILLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE IN ACCORDANCE WITH CKS UNIT SHELVING UNIT WITH BACK PAWELS AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. WILLYS BE IN ACCORDANCE WITH CKS WILLYS BE IN ACCORDANCE WITH BACK PAWELS AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PAWELS WILLYS BEADED TOP AND BEADED TYPE SHELVES WILLYS BEADED COMMERCIAL UNIT MUST BE IN ACCORDANCE WITH BACK PAWELS AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X WITH MUST BE IN ACCORDANCE WITH BACK PAWELS AND SIDE PAMELS, SIZE 2210mm HIGH X 914mm WIDE X WITH MUST BE WILLYS BEADED COMMERCIAL UNIT MUST BE WILLYS BEADED COMM	00125	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Racking (Pty) Ltd		2	R2,352.42	Z.
457mm DEEP. 7 X SHELVES INCLIDING TOP AND BOTTOM. 1mm THICK COLLED PROLLED COMMERCIAL QUALITY STEEL, LINFORM, 105TRIBUTED MASS LOAD OF 1706 PER SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS SPECIFICATIONS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHIMM WIDE X SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHIMM WIDE X SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH C/S SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS, SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS SIZE Z270mm HIGH X SHELVES. UNIT MUST BE IN ACCORDANCE WITH BACK PANELS AND SIDE PANELS SIZE Z270mM			AND SIDE BRACING SIZE 2210mm HIGH X 914mm WIDE X					
BOTTOM, Tam THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMAY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MAIST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING DISTRIBUTED MASS LOAD OF 170kg PER SHELVES INJUDING TOP AND OF 170kg PER SHELVES INJUDING TOP AND OF 170kg PER SHELVING UNIT WITH BACK PANIELS AND SPECIFICATIONS 370. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANIELS AND SIDE PANIELS, SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1, X SHELVES INJUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMAY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANIELS AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMAY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANIELS AND SIDE PANIELS, SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND SIDE PANIELS, SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND SIDE PANIELS SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND SIDE PANIELS SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND SIDE PANIELS SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND SIDE PANIELS SIZE 220mm HIGH X 94mm WIDEX AFTIMID DEEP 1 X SHELVES INJUDING TOP AND BOTTOM 1 mm THICK COLLED ROLLED COMMERCIAL BOTTOM 1 mm THICK COLLED ROLLED ROLLED COMMERCIAL BOTTOM 1 mm THICK COLLED ROLLED ROLLE			457mm DEEP 7 X SHELVES INCLUDING TOP AND					
OCHATY STEEL, UNER ORAL Y DISTRIBUTED MASS LOAD OF 170% PER SHELF, THE UNIT MUST BE FULLY ADJUST/BILE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ASTIMO DEEP, 7 X SHELVES INCLUDING TOP AND OF 170% PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ASTIMO DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ASTIMO DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ASTIMO DEEP, 7 X SHELVES INCLUDING TOP AND SIDE PANELS, SIZE ZOROM HIGH X 914mm WIDE X ASTIMO DEEP, 7 X SHELVES INCLUDING TOP AND SHORT OF TOWN AND SHELVES INCLUDING TOP AND SHORT OF TOWN AND SHELVES INCLUDING TOP AND SHORT OF TOWN AND SHELVES INCLUDING TOP AND SHEADED TYPE SHELVING UNIT WITH BACK PANELS AND SHEADED TYPE SHEADED TYP			BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE ZZ10mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm HIGH CX SOLLED ROULED ROUNGEROULED ROULED ROUNGER ROULED ROULED ROULED ROULED ROULED ROULED ROUNGER ROULED ROULED ROUNGER ROURED ROULED ROUNGER ROULED ROUNGER ROULED ROUNDER ROULED ROUNGER			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS COMMERCIAL OUALITY STEEL. UNIFORM YOUR STREAM WIDEX ASTIMAL DEEP. 7 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CXS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS SIZE 2210mm HIGH X 914mm WIDEX ASTIMAL DEEP. 7 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CXS PROBLEM TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CXS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS SAVE SPECIFICATIONS 370. BEADED TYPE SHELVES INCLUDING TOPS AND T			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SDE PANELS. SIZE 270mm HIGH X 914mm WIDE X 457mm DEEP. 7 x SHELVES INCLUDING TOP AND BOTTOM. 1mm THCK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS INCLUDING TOP AND BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS. Kussasaletu Investment 4-6 weeks 1 R3.661.81 BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 1 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 1 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 1 X SHELVES INCLUDING TOP AND SIDE PANELS. SIZE 2710mm HIGH X 914mm WIDE X 457mm DEEP. 1 X SHELVES INCLUDING TOP AND SIDE PANELS SIZE DEEP. 1 THE WITH BACK PANELS AND SIDE PANELS SIZE DEEP. 1 THE WITH BACK PANELS AND SIDE PANELS SIZE DEEP. 1 THE WITH WITH BACK PANELS AND SIDE PANELS SIZE DEEP. 1 THE WITH WITH BACK PANELS	56111006		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD F 170kg PER SHELL IN HORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELL IN HORMLY DISTRIBUTED MASS LOAD SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ATMIT DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ATMIT DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ATMIT DEEP, 7 X SHELVES IN QLUDING TOP AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X ATMIT DEEP, 7 X SHELVES IN QUALITY SHE X A	00125	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	_	R1,778.21	건,
SIDE PANELS, SIZE 22/form HIGH X 914mn WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICX COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 22/form HIGH X 914mn WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICX COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING SPECIFICATIONS 370. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 22/form HIGH X 914mn WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 22/form HIGH X 914mn WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 22/form HIGH X 914mn WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICX COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD			BEADED TYPE SHELVING UNIT WITH BACK PANELS AND					
BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS UNIT MUST BE SHELVING UNIT WITH BACK PANELS SHELVES. UNIT MUST BE SHELVES INCLUDING TOP AND BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS SHELVES. UNIT MUST BE SHELVES. UNIT MUST			SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X					
QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH C/KS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 934mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH C/KS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2270mm HIGH X 914mm WIDE X 457mm DEEP. TX SHELVES INCLUDING TOP AND BOTTOM 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD ORDON FOR THE OWNER OF THE OWNER OF THE OWNER OWN			BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL					
DOG- OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 270mm HIGHAX 94mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT MUST BE FULLY ADJUST/ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2270mm HIGH X 94mm WIDE X 45mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2270mm HIGH X 94mm WIDE X 4-6 weeks 1 R3,061.81 R3,061.81 R3,061.81 R3,061.81 R3,061.81 R3,061.81 R3,061.81		,	QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BEADED TYPE SHELVING UNIT WITH BACK PANELS			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OUT AND THE SHELVING UNIT WITH BACK PANELS AND BOTTOM, 1mm THICK COLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	00126	READED TYDE SHELVING	SPECIFICATIONS 370	Racking (Ptv) Ltd	21 DAYS	2	R3.349.73	₽
SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	00,100		BEADED TYPE SHELVING UNIT WITH BACK PANELS AND					
457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X					
BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			457mm DEEP. 7 X SHELVES INCLUDING TOP AND		•			
QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL					
OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
BEADED TYPE SHELVING BEADED TYPE SHELVING BEADED TYPE SHELVING UNIT MUST BE IN ACCORDANCE WITH CKS BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
BEADED TYPE SHELVING BEADED TYPE SHELVING SPECIFICATIONS 370. BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
BEADED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	56111906-	מוזי ללמו מוחי מוזי	UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment	A-6 wooks		R3 061 81	ZJ.
SIDE PANELS. SIZE 2210mm HIGH V914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	00120	BEADED LIFE SHELVING	READED TYPE SHELVING LINIT WITH BACK DANELS AND	Crodo (1 ty) Esta	i o mocino	-	1 80,000 1.00 1	
457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD			SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X					
BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			457mm DEEP. 7 X SHELVES INCLUDING TOP AND					
QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL					
	200011101		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	į		_	3	200

١.	
	_
1	_

ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL CALAUTY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, EASING ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL CALAUTY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, Index ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD POLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, Index ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00139, 56111906-00130, Index 56111906-00138, 56111906-00130, 56111906-00130, Index 56111906-00138, 56111906-00130, 56111906-00130, Index 56111906-00138, 56111906-00130, 56111906-00130, Index 56111906-00138, 56111906-00130, 5			ITEM DESCRIPTION					
ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 306mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TIEM IS ADDITIONAL TO THE BELOW ITEMS: \$6111906-00128, 56111906-00129, 56111906-00130, BOLTED TYPE SHELVING BOLTED	ITEM CODE	PRODUCT DESCRIPTION		BIDDER'S NAME		DELIVERY PERIOD (DAYS)	DELIVERY B-BBEE PERIOD (DAYS) LEVEL	
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. ROLLED COMMERCIAL QUALITY STEEL THIS TIEM IS ADDITIONAL TO THE BELOW ITEMS: EM SN 56111906-00121 BOLTED TYPE SHELVING BOLTED T			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.		l			
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00128, 56111906-00130, 1040ww ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00138, 56111906-00129, 56111906-00130, 1040w ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00131, 56111906-00132, 56111906-00130, 1040w ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00138, 56111906-00129, 56111906-00130, 1040w ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00138, 56111906-00129, 56111906-00130, 1040w ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 86111906-00138, 56111906-00129, 56111906-00130, 10411906	56111906- 00127	BOLTED TYPE SHELVING	ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, 56111906-00131	EM Shelving and Racking (Pty) Ltd	İ	14 DAYS	14 DAYS 2	
BOLTED TYPE SHELVING	56111906-		ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130,					
906- 906- BOLTED TYPE SHELVING WITH BACK BRACING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVING WITH BACK BRACING RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVES INCLUDING TOP AND RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVES INCLUDING TOP AND RACKING RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVES INCLUDING TOP AND RACKING RACKING BOLTED TYPE SHELVING BOLTED TYPE SHELVES INCLUDING TOP AND ROCKING RACKING ROCKING RO	00127	BOLIED THE SHELVING	ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL	ilidawo oyalella o		o worming out		TO WOLLING WOLL
SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, 56111906-00131 ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00131 ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, 56111906-00128, 56111906-00129, 56111906-00130, 56111906-00128, 56111906-00129, 56111906-00130, 56111906-00131 BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND DOF 170kg PER SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING SPECIFICATIONS 370. BOLTED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X BOLTED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X BOLTED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITED TYPE SHELVING MODITED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITED TYPE SHELVING UNIT WITH BACK BRACING MODITED TYPE	00127	BOLTED TYPE SHELVING	56111906-00131	Group (Pty) Ltd	į	4-6 weeks		4-6 weeks
BOLTED TYPE SHELVING ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130, BOLTED TYPE SHELVING BOLTED TYPE SHELVING SUBE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X Racking SPECIFICATIONS 370. BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVES INCLUDING TOP AND MODITAL SHELVING SUBTER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVES INCLUDING TOP AND MODITAL SHELVING SUBTER SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVING UNIT WITH BACK BRACING AND SIDE BRACING SIZE 1905mm HIGH X 914mm WIDE X MODITAL SHELVING UNIT WITH BACK BRACING MODITAL SHEL	56111906-		ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00128, 56111906-00129, 56111906-00130,					
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X MODITAL TOP AND TIDY FIT OF TOP AND TO FIT OF TOP AND THE PROPOSITOR, SOLIT FOR TOP AND THE PROPOSITOR TOP AND TH	C04444000		ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND	00127	BOLTED TYPE SHELVING	BOLTED TYPE SHELVING UNIT WITH BACK BRACING	Tidy Files SA (Pty) Ltd) Ltd) Ltd 4 - 6 weeks		4 - 6 weeks
906- BOLTED TYPE SHELVING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND			BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND	56111906- 00128	BOLTED TYPE SHELVING	UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and Racking (Pty) Ltd		14 DAYS	14 DAYS 2	
	56111906- 00128	BOLTED TYPE SHELVING	BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP. 6 X SHELVES INCLUDING TOP AND	Modrac (Pty) Ltd		10	10	

7	
U	

ITEM CODE
BOLTED TYPE SHELVING
BOLTED TYPE SHELVING
BOL
56111906- 00129
56111906-

١	
·	٦

		21					-
		ITEM DESCRIPTION		DELIVERY	B-886:	PREVIOUS	
ITEM CODE	PRODUCT DESCRIPTION		BIDDER'S NAME	PERIOD (DAYS)	LEVEL	PRICE	PRICE
	de	BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
		UNIT MUST BE IN ACCORDANCE WITH CKS					
		BOI TED TYPE SHELVING UNIT WITH BACK BRACING					
		AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X					
		305mm DEEP. 7 X SHELVES INCLUDING TOP AND					
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY				-	
E0144000		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.	TM Shelving and		•		
00130	BOLTED TYPE SHELVING	SPECIFICATIONS 370	Racking (Ptv) Ltd	14 DAYS	2	R1.417.94	
0000		BOLTED TYPE SHELVING UNIT WITH BACK BRACING	3,7,7				
		AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X					
		305mm DEEP, 7 X SHELVES INCLUDING TOP AND					
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
		QUALITY OF CHEEK UNIT ORIGINATION FOR WASSINGTON					
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
56111006_		INIT MIST BE IN ACCORDANCE WITH CKS					
00130	BOLTED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R1,231.68	R1,291.57
		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND				•	
		SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X				•	
		305mm DEEP. 7 X SHELVES INCLUDING TOP AND	-				
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					
		OF 170Ks DED SHELLE THE LINET MILIST DE DILLIY					
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and		-		
00131	BOLTED TYPE SHELVING .	SPECIFICATIONS 370.	Racking (Pty) Ltd	14 DAYS	2	R2,485.83	R3,050.04
		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND					
		305mm DEED 7 Y SHELVES INCLIDING TOP AND					
		BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL					
		QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD				-	
		OF 170kg PER SHELF, THE UNIT MUST BE FULLY					
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS				1	
00131	BOLTED TYPE SHELVING	SPECIFICATIONS 370.	Indawo Systems CC	15 working days		K2,/61.56	R2,982.48
E6111006		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND	Kijesesletir Investment			••	
56111906- 00131	ROLTED TYPE SHELVING	SIDE PANELS, SIZE ZZIUMM HIGH X 914MM WIDE X	Groun (Ptv) I td	4-6 weeks	_	R2.490.08	
==5		SUBMIT DEET. / A SHELVES INCLUDING FOR AND	Gloup (Fty) Ltd	1-0 WOONS	-	142,400.00	142,100.00

ITEM CODE PRODUCT DESCRIPTION			2.2		į			
BOLTED TYPE SHELVING	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE LEVEL	PREVIOUS PRICE	NEW
ADJITISTAGE TO ALLOW FOR ADDITIONAL SHELVES ADJITISTAGE TO ADDITIONAL SHELVES ADJITISTAGE TO ALLOW FOR ADDITIONAL SHELVES ADJITISTAGE TO ADDITIONAL SHELVES ADJITISTAGE TO ADDITIONAL SHELVES ADJITISTAGE TO ADDITIONAL SHELVES ADJITISTAGE TO A SHELVES			BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL OUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD	· · · · · · · · · · · · · · · · · · ·	, 10 day 1 day			
ADJITSTABLE TO ALLOW FOR ADDITIONAL SHELVES. LOWIT MIST BE IN ACCORDANCE WITH CASS. BOLTED TYPE SHELVING. BOLTED TYPE SHELVING UNIT WITH BACK PAKELS AND SHELVES. MOSE PAKELS SIZE ZYROWN HIGH SHELVES. MOSE PAKELS SHELVES SHELVING WITH HACK COLLED ROLLED ROL			OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
BOLTED TYPE SHELVING			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS					
DOG-			BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND					
BOLTED TYPE SHELVING			305mm DEEP. 7 X SHELVES INCLUDING TOP AND					
OLITED TYPE SHELVING STREET OLITEM THE SET BETLLY ADUITS THE INCOME PER SHELT FILE UNIT MUST BE FLUXES AND STREET OLITEM THE SHELVES AND BOTTON Inter HIGH COLLED OLITEM THE BETLLY ADUITS THE IN ACCORDANCE WITH OKS STREET OLITEM THE SHELVES AND SH			BOTTOM: 1mm THICK COLLED ROLLED COMMERCIAL					
### ### ##############################			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
MODIFICATION Modi			AD ICTABLE TO ALLOW FOR ADDITIONAL SHELVES					
BOLTED TYPE SHELVING	56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS					
SOLTED TYPE SHELVING	00131	BOLTED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	>	R2,467.65	R2,587.
SIDE PANELS, SIZE ZYRIMM HIGH X 94mm WIDE X			BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND					
BOTTOM, 1mm THOX COLLED ROLLED COMMERCIAL			305mm DEEP 7 X SHELVES INCLUDING TOP AND					
OG- BOLTED TYPE SHELVING SPECIFIC THE LINIT MUST BE FULLY			BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL	-				
OB- BOLTED TYPE SHELVING BOLTE			QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
BOLIED Type Shelving			ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP: 1mm THICK COLD ROLLED COMMERCIAL CUJALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00134, 56111906-00135, BOLTED TYPE SHELVING	56111906- 00131	ROLTED TYPE SHELVING	UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Tidv Files SA (Ptv) Ltd	4 - 6 weeks	N	R2,417.42	R2,645
SIZE 914mm WIDE X 381mm DEEP, 1mm THICK COLD			ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT.					
### 1006- ### 10			SIZE 914mm WIDE X 381mm DEEP, 1mm THICK COLD		-			
BOLTED TYPE SHELVING			THIS ITEM IS ADDITIONAL TO THE RELOW ITEMS:					
BOLTED TYPE SHELVING	56111906-		56111906-00133, 56111906-00134, 56111906-00135,	EM Shelving and				
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00136, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00135, 56111906-00133, 56111906-00133, 56111906-00133, 56111906-00133, 56111906-00133, 56111906-00135, 56111906-00135, 56111906-00136, 5611	00132	BOLTED TYPE SHELVING	56111906-00136	Racking (Pty) Ltd	14 DAYS	2	R154.86	R190.
## ROLLED COMMERCIAL QUALITY STEEL ### ROLLED C	÷		ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT.					
THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00135, Kusasaletu investment 56111906-00136 Kusasaletu investment 56111906-00138, 56111906-00135, Group (Pty) Ltd 4-6 weeks 1 R162.74 ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00134, 56111906-00135, S6111906-00134, 56111906-00135, BOLTED TYPE SHELVING BOLTED TYPE SHELVING ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD Tidy Files SA (Pty) Ltd 4-6 weeks 2 R163.42			ROLLED COMMERCIAL QUALITY STEEL					
BOLTED TYPE SHELVING BOLTED TY			THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00134, 56111906-00135, BOLTED TYPE SHELVING BOLTED TYPE SHELVING SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 R163.42	56111906-		56111906-00133, 56111906-00134, 56111906-00135,	Kusasaleru invesiment	1-8 wooks	_	R162 74	R180
SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00134, 56111906-00135, BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00134, 56111906-00135, Modrac (Pty) Ltd 10 1 R135.12 R135.12 R163.42 R163.42	20100	BOLIED LIFE SHELVING	ADDITIONAL CHELCEDO BOLTED TYPE CHELVING LINIT	CIVUD (1 t)/ Eta	T O SECONO	-	11102:1-1	1.00.
ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00135, BOLTED TYPE SHELVING BOLTED TYPE SHELVING ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP: 1mm THICK COLD BOLTED TYPE SHELVING ROLLED COMMERCIAL QUALITY STEEL Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 R163.42			SIZE 914mm WIDE X 381mm DEEP, 1mm THICK COLD					
THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00135, BOLTED TYPE SHELVING 56111906-00136 ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD BOLTED TYPE SHELVING BOLTED TYPE SHELVING ROLLED COMMERCIAL QUALITY STEEL Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 R163.42			ROLLED COMMERCIAL QUALITY STEEL					
## BOLTED TYPE SHELVING			THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 381mm DEEP. 1mm THICK COLD BOLTED TYPE SHELVING ROLLED COMMERCIAL QUALITY STEEL Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 R163.42	00132	BOLTED TYPE SHELVING	56111906-00136	Modrac (Pty) Ltd	10	_	R135.12	R141.
BOLTED TYPE SHELVING ROLLED COMMERCIAL QUALITY STEEL Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 R163.42			ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT.					
	00132	BOLTED TYPE SHELVING	ROLLED COMMERCIAL QUALITY STEEL	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R163.42	R178.

h	ú
1	

		2.5			
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE
		THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00133, 56111906-00134, 56111906-00135, 56111906-00136			
		BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X			
		381mm DEEP, 6 X SHELVES INCLUDING TOP AND			
		BOLLOM, 1mm THICK COLLED ROLLED COMMERCIAL			
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY			
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.			
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and	11 7.00	s
00133	BOLTED TYPE SHELVING	SPECIFICATIONS 3/0.	Racking (Pty) Ltd	14 DAYS	
		BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING, SIZE 1905mm HIGH X 914mm WIDE X			
		381mm DEED 6 X SHELVES INCLUDING TOP AND			
		BOTTOM: 1mm THICK COLLED ROLLED COMMERCIAL			
		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY			
56111006		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.			
00133	BOLTED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	_
		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND			
		SIDE PANELS. SIZE 1905MM HIGH X 914MM WIDE X			
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL			
		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			
		OF 1/0KG PER SHELF, THE UNIT MUST BE FULLY			
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	EM Shelving and		
00134	BOLTED TYPE SHELVING	SPECIFICATIONS 370.	Racking (Pty) Ltd	14 DAYS	2
		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND			
		SIDE PANELS, SIZE 1905mm HIGH X 914mm WIDE X			
	•	BOTTOM: 1mm THICK COLLED ROLLED COMMERCIAL			
		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD			
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY			
		AUJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.			
56111906-	ROI TED TYPE SHEI VING	UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment	4-6 weeks	
00.00	COLUMN TITLE CHEEVING	BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND	() / =:«		
		SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X			
		BOTTOM 1mm THICK COLLED ROLLED COMMERCIAL			
56111906-		QUALITY STEEL, UNIFORMLY DISTRIBUTED MASS LOAD			
		OF 170kg PER SHELF THE LINIT MUST BE FILLLY	Modrac (Ptv) Ltd	a	

\mathbb{N}	
4	

		24					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.					
		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 305mm DEEP, 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY AD INSTABLE TO ALL OW FOR ADDITIONAL SHELVES	·				
56111906- 00134	BOLTED TYPE SHELVING	ADJUS ABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. Your spec should read 381mm	Tidy Files SA (Pty) Ltd	4 - 6 weeks	. 2	R2,336.17	R2,556.30
56111906- 00135	BOLTED TYPE SHELVING	BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and Racking (Pty) Ltd	14 DAYS	2	R1,588.92	R1,949.56
56111906- 00135	BOLTED TYPE SHELVING	BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrae (Ptv) Ltd	10	_	R1,372.34	R1,439.07
00100	טירורט וודר אוויס	BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS	modiae (L1)/ Eta	i	-	161,01	
56111906- 00136	BOLTED TYPE SHELVING	SIDE PANELS SIDE PANELS SIDE PANELS SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and	14 DAYS	N .	R2,761.67	R3,388.48
56111906- 00136	BOLTED TYPE SHELVING	BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks	_	R2,745.70	R3,047.55
00130	BOLIED ITEE SHELVING	UNITURNIET DIVIRIBUTED MASS FUAD OF TORGITER	Group (Fty) Liu	4-0 Wddxs	_	74,143.10	7

ĸ.
1,
t.

TEMPLOODE PRODUCT DESCRIPTION			2.3					
ALLONG FOR ADDITIONAL SERIE FOR ADDITIONAL STOLED TO A GARDES AND SUPER SHELVING ADDITIONAL STOLED TO A GARDES AND SUPER SHELVING ADDITIONAL STOLED AND SUPER SHELVING ADDITIONAL SHELF FOR ADDITIONAL SHE	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE		NEW
BOLTED TYPE SHELVING UNIT WITH BOCK PAVELS AND SIDE PAVELS SIDE PA		Que de la companya de	SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.					
SIDE PARIELS			BOLTED TYPE SHELVING LINIT WITH BACK PANELS AND					
SIZE 22(nom High X 94mm WIDE X 95mm DEEP / X SHELVER KOLLUNG TO PAUR BOTTOM, 1 mm HHCX COLLED ROLLED COMMERCIAL QUIALITY STEEL UNEYDAM/OSTROLLED MASS LOAD OF 1708, 2 mm HHCX OLLED ROLLED COMMERCIAL QUIALITY STEEL UNEYDAM/OSTROLLED MASS LOAD OF 1708, 2 mm HHCX OLLED ROLLED COMMERCIAL QUIALITY STEEL UNEYDAM/OSTROLLED MASS LOAD OF 1708, 2 mm HHCX OLLED ROLLED COMMERCIAL QUIALITY STEEL UNEYDAM/OSTROLLED MASS SECTIONAL TO THE BELOW TIEMS SETS 94mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL SETS 194mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL LADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SETS 94mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL LADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SETS 194mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL LADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SETS 194mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL LADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SETS 194mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL LADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SETS 194mm WIDE X 95mm DEEP from HHCX COLD ROLLED COMMERCIAL QUIALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE X 95mm DEEP perm HICX COLD SETT 195mm WIDE			SIDE PANELS					
ACCORDANCE MILLY NOW SET THE UNIT MIST SET Modes (Fb) Ltd 10 1 72,745.91 R			SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X					
SHELF INFE SHELVING SHELVES LINIT MUST SEE N.			COLLED ROLLED COMMERCIAL QUALITY STEEL.					
SHELF, THE UNIT MUST BE FILLY ADJUSTABLE TO		-	UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
### BOLTED TYPE SHELVING ### ACCORDANCE WITH CRS. SPECIFICATIONS 370. ### BOLTED TYPE SHELVING ### BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 361mm DEEP. 7 X SIZE 270mm HIGH X 914mm WIDE X 4015mM DEEP. 7 X SIZE 914mm WIDE X 4015mM DEEP. 1 X ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 405mm DEEP. 1 MILKS COLD SHELVES ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES ADDITIONAL TO THE BELOWITEMS. SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT. SIZE 914mm WIDE X 45mm DEEP. 1 MILKS COLD SHELVES UNIT.			SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO					
BOLIED TYPE SHELVING	56111906-	פטן זבט זיאסב פטבן אוויס	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN	Modroo (Dtv) td	<u>à</u>	٠.	R2 7/15 01	R2 879 42
SIDE PAPACIS	UU136	BOLIED I THE SHELVING	ACCORDANCE WITH CAS SPECIFICATIONS 370.	Modiac (Fty) Liu	5	_	12,740.01	14.013.42
SEZE 22/10mm HIGH X 914mm WIDE X 381mm DEEP, TX			SIDE PANELS					
SHELVES NOLLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE PALLY ADJUSTABLE TO ALCOPDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R2.631.63 R ACCORDANCE WITH CKS SPECIFICATIONS 370. Tally Files SA (Pty) Ltd. 4 - 6 weeks 2 R179.05 ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SUZE 914mm WIDE X 457mm DEEP. 1mm THICK COLLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL TO THE BELOW TEMS. SET 1906-00143 SET1906-00143 SET1906-00140, SET1906-00140, SET1906-00140, SET1906-00144. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT. SUZE 914mm WIDE X 457mm DEEP. 3 TALLY SHELVING UNIT. SH			SIZE 2210mm HIGH X 914mm WIDE X 381mm DEEP. 7 X					
COLLED YOULED YOUR HOURS ALLED FOR MACE YOUR YS INC.			SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK					
SHELF, THE UNIT MOST BE FOLLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP 1 mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00140, SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP 1 mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00149, 56111906-00140, Group (Pty) Ltd ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS TEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00149, 56111906-00140, Group (Pty) Ltd ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD THIS THIS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00149, 56111906-00140, Group (Pty) Ltd ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD THIS THIS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00149, 56111906-00140, Group (Pty) Ltd ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SZE 944mm WIDE X 457mm DEEP, 1mm THICK COLD THIS THIS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00149, 56111906-00140, Group (Pty) Ltd ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. ROLLED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SZE 1955mm HIGH X 9440 BOTTOM. Timm THICK COLLED ROLLED			COLLED ROLLED COMMERCIAL QUALITY STEEL					
ACLICIPED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLIED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLIED TYPE SHELVING BOLIED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATION STEEL THIS ITEM IS ACCORDANCE WITH CKS SPECIFICATION INT. SIZE 914mm WIDE X 457mm DEEP 1 mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ACCORDANCE ACCORDANCE WITH STEEL THIS ITEM IS ACCORDANCE ACCORDAN			ONE CHARLE THE LINET MIST BE ELLEY AD HISTARIE TO					
BOLITED TYPE SHELVING	56111906-		ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN					
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X A57mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00139, 56111906-00140, ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00140, S6111906-00141 ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00143, 56111906-00140, S6111906-00143, 56111906-00140, S6111906-00140, S6111906-00143, 56111906-00140, S6111906-00140, S6111906-00143, 56111906-00140, S6111906-00140, S611906-00140, S6111906-00140, S6111906-00140, S611	00136	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R2,631.63	R2,879.61
ROLED TYPE SHELVING			ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT.					
## SPELVING ## SHELVING ## SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD F6111906-00138, 56111906-00140, 56111906-00140, 56111906-00140, 56111906-00141			ROLLED COMMERCIAL OUALITY STEEL		-			
## BOLTED TYPE SHELVING ## S6111906-00139, 56111906-00139, 56111906-00140, ## Racking (Pty) Ltd ## JAPYS 2 R153947 R ### BOLTED TYPE SHELVING ## Shelving and ## Shelving and ## S6111906-00139, 56111906-00139, 56111906-00140, ## S6111906-00139, 56111906-00140, ## S6111906-00139, 56111906-00139, 56111906-00140, ## S6111906-00139, 56111906-00139, 56111906-00140, ## SIZE 914mm WIDE X 457mm DEEP, 14mm THICK COLD ROLLED COMMERCAL QUALITY STEEL ### THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: ## S6111906-00139, 56111906-00139, 56111906-00140, ## S6111906-00139, 56111906-00139, 56111906-00140, ## S6111906-00139, 56111906-			THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
BOLIED TYPE SHELVING	56111906-		56111906-00138, 56111906-00139, 56111906-00140,	EM Shelving and	14 DAVO	s	D170 08	D340 70
SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD	9	מין דר אין מין מין דר אין מין מין מין מין מין מין מין מין מין מ	ADDITIONAL SHELF FOR BOLTED TYPE SHELVING LINIT	recording (1 s) Fee		ļ	1312	
ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 55111906-00138, 55111906-00140, 55111906-00138, 55111906-00140, 55111906-00138, 55111906-00140, 55111906-00141 SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 55111906-00138, 55111906-00140, 55111906-00138, 55111906-00140, 55111906-00138, 55111906-00140, 55111906-00141 BOLTED TYPE SHELVING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. EM Shelving and 14 DAYS 2 R1 539 47 R 1539 47 R 15			SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD					
### THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: ### THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: ### 56111906-00141 ### 56111906-00141 ### ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00138, 56111906-00140, 56111906-00138, 56111906-00139, 56111906-00140, 56111906-00138, 56111906-00139, 56111906-00140, 56111906-00138, 56111906-00139, 56111906-00140, Modrac (Pty) Ltd 10			ROLLED COMMERCIAL QUALITY STEEL					
## BOLTED TYPE SHELVING ## BOLTED TYPE SHELVING UNIT. Group (Pty) Ltd ## 4-6 weeks 1 R188.53 ## ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00138, 56111906-00139, 56111906-00140, BOLTED TYPE SHELVING UNIT WITH BACK BRACING BOLTED TYPE SHELVING UNIT WITH BACK BRACING SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL. EM Shelving and	56111006		THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:	Kusasalatu Invostment				
ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT. SIZE 914mm WIDE X 457mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00139, 56111906-00140, 56111906-00141 BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEELL EM Shelving and 14 DAYS RESIDENCY RESID	00137	BOLTED TYPE SHELVING	56111906-00141	Group (Pty) Ltd	4-6 weeks	_	R188.53	R209.25
ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00139, 56111906-00140, BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BOLTED TYPE SHELVING INJECTION OF TORS OF TORS OF THE RESIDENCE OF			ADDITIONAL SHELF FOR BOLTED TYPE SHELVING UNIT.					
THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00138, 56111906-00140, BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. BOLTED TYPE SHELVING COLLED ROLLED COMMERCIAL QUALITY STEEL. EM Shelving and 14 DAYS PRI 532 47 R1 532 47			ROLLED COMMERCIAL QUALITY STEEL					
S6111906-00138, 56111906-00140, Modrac (Pty) Ltd 10 1 R157.37			THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
BOLTED TYPE SHELVING 56111906-00141 MODIFICATION MODIFICA	56111906-		56111906-00138, 56111906-00139, 56111906-00140,			-	1 1	
AND SIDE BRACING. AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. EM Shelving and 14 DAYS 2 R1 532 47	00137	BOLTED TYPE SHELVING	56111906-00141	Modrac (Pty) Ltd	10	_	R157.37	R165.02
SIZE 105 COLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL. ROLLED ROLLED COMMERCIAL QUALITY STEEL. ROLLED			BULLEU TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING					
SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. EM Shelving and 14 DAYS 2 R1 532 47	·		SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X					
ROLTED TYPE SHELVING LINIEORMI Y DISTRIBUTED MASS LOAD OF 170kg PER Racking (Ptv) Ltd 14 DAYS 2 R1 532 47			SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK	! ! !			•	
	56111906- 00138	BOI TED TYPE CHELVING	COLLED ROLLED COMMERCIAL QUALITY STEEL.	Racking (Ptv) I td	14 DAYS	৩	R1 539 47	R1 880 30

M
~

BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDE	ER'S NAME	ER'S NAME DELIVERY PERIOD (DAYS)	R'S NAME
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			BOLTED TYPE SHELVING UNIT WITH BACK BRACING	- 1			
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP. 6 X				
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK				
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING	•		UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER				
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO				
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING	56111906- 00138	ROI TED TYDE CHEI VING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN	Z	Nortac (Ptv) I td		Modrae (Ptv) I td
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING	00.100	ם כבו במיור מיורב אוואס	BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND	AND		modiac (1.4)) =ra	mound (11) Exa
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			SIDE PANELS.	, , ,			
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEF SHELVES INCLUDING TOP AND BOTTOM, 1mm TH	CX X	GK X	OK X	CK
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOG-			COLLED ROLLED COMMERCIAL QUALITY STEEL				
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER	´ ;;;	, IX		
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING	56111906-		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE	Ź			
906- BOLTED TYPE SHELVING	00139	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	:	Racking (Pty) Ltd		Racking (Pty) Ltd
906- BOLTED TYPE SHELVING			BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND	AND	AND	SAND	SAND
906- BOLTED TYPE SHELVING			SIZE 1905mm HIGH X 914mm WIDE X 457mm DEEP	6 ×	.6X	.6X	.6X
906- BOLTED TYPE SHELVING			SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK	욧	QX	CK	SK
906- BOLTED TYPE SHELVING			COLLED ROLLED COMMERCIAL QUALITY STEEL.	Ŭ	<u> </u>		
BOLTED TYPE SHELVING BOLTED TYPE SHELVING			SHELF. THE UNIT MUST BE FULLY ADJUSTABLE T	o, <u>i</u>			O j
BOLTED TYPE SHELVING BOLTED TYPE SHELVING	56111906-		ALLOW FOR ADDITIONAL SHELVES. UNIT MUST B	m. Z	Kusasa	Kusasaletu Investment	Kusasaletu Investment
306- BOLTED TYPE SHELVING	00139	BOLTED TYPE SHELVING	ROLTED TYPE SHELVING UNIT WITH BACK PANE	LS AND	S AND Group (Pty) Ltd	Group	Group (Pty) Ltd
906- BOLTED TYPE SHELVING			SIDE PANELS				
906- BOLTED TYPE SHELVING			SIZE 1905mm HIGH X 914mm WIDE X 457mm DE SHELVES INCLUDING TOP AND BOTTOM. 1mm T	TP.6X	田.6×	EP.6X	EP.6 X
906- BOLTED TYPE SHELVING			COLLED ROLLED COMMERCIAL QUALITY STEEL.				
BOLTED TYPE SHELVING			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg	^궁 莊	O PER	TO PER	PER TO
906-	56111906-	BOI TED TYPE SHELVING	ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN	Z	EIN Modrae (Dt.) Itd		Modran (Dt.) td
06-	000		BOLTED TYPE SHELVING UNIT WITH BACK BRACI	S		1110000000 (1-4)) ====	1110000000 (1-4)) ====
106-			AND SIDE BRACING.	7 \	7 v		7 \
306-			SLE ZZIUMM HIGH X 914MM WIJE X 45/MM JEEF. /	^ >	^ >	~~~	
			COLLED ROLLED COMMERCIAL QUALITY STEEL.	,	EM Shelving and		EM Shelving and

•	`	٦

			2/					l
ACCOPROMISE SHELVING BOLTED TYPE SHELVING	ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION		DELIVERY PERIOD (DAYS)	B-BBEE		NEW PRICE
## BOLTED TYPE SHELVING ## BOLTED TYPE SHELVI			SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	d (de la la central de la cent	**************************************			
SELECT STATE STA			BOLTED TYPE SHELVING UNIT WITH BACK BRACING AND SIDE BRACING.					
WALDAY DATE OF THE PRESENT OF THE			SIZE 2210mm HIGH X 914mm WIDE X 45/mm DEEP. / X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED BOTT ED COMMEDCIAL OUALITY STEEL					
SHEF. THE (WIT MIST SE FILLY ADJUST, ABELE TO ACCORDANCE WITH CYS SEFELIFICATIONS 370. BOLTED TYPE SHELVING ACCORDANCE WITH CYS SEFELIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIDE SHELVING ACCORDANCE WITH CYS SPECIFICATIONS 370. ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE IN SHELVES AND SIDE PANELS. SIDE PANELS. SIDE SHELVING ACCORDANCE WITH CYS SPECIFICATIONS 370. ALLOW FOR ADDITIONAL SHELVES. UNIT MIST BE IN SHEL			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
BOLTED TYPE SHELVING	56111006		SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO					
SIDE PARIELS. SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TO PAND BOTTOM, Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVE THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, INITI MUST BE IN SIDE PARIELS. SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVE HELVING UNIT MUST BE FULLY ADJUSTABLE TO ALCOMPROMY DISTRIBUTED MASS LOAD OF 170kg PER SHELVES INCLUDING TOP AND BOTTOM, Imm THICK SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, Imm THICK COLLED TYPE SHELVING ACCORDANCE WITH AUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, Imm THICK COLLED TYPE SHELVING SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, Imm THICK SIZE Z710mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM, Imm THICK COLLED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORDANCE WITH CKS SHELVES, UNIT MUST BE IN ACCORDANCE WITH	00140	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	3	_	R1,550.35	꼰
SZE 22/10mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM Imm THICK COLLER ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE LIMIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN SIZE 22/10mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORPANCE WITH CSS SPECIFICATIONS 370. SHELVES INCLUDING TOP AND BOTTOM Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORPANCE WITH CSS SPECIFICATIONS 370. SIZE 22/10mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICX COLLED ROLLED COMMERCIAL QUALITY STEEL UNFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN ACCORPANCE WITH CKS SPECIFICATIONS 370. SIZE 22/10mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICX COLLED ROLLED COMMERCIAL QUALITY STEEL UNFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVING ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, WITH MUST BE IN ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCORPANCE WITH CKS SPECIFICATIONS 370. MOST BE FULLY ADJUSTABLE TO ACCO	1		BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS					
SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 x SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING ACCOPROMORE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING ACCOPROMORE WITH CKS SPECIFICATIONS 370. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 x SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCOPROMORE WITH CKS SPECIFICATIONS 370. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 x SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MAD OF 170kg PER SHELVES INCLIDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MOST STEEL ACKING WITH MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL ACKING WITH MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIO			SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X	•				
UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN EAST BE IN ADJUSTABLE TO ACCORDANCE WITH CKS SPECIFICATIONS 370. Reaking (Pty), Ltd 14 DAYS 2 R2,910.08 BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES, INCLUDING TOP AND BOTTOM, Imm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE FULLY ADJUSTABLE TO SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES, INCLUDING TOP AND BOTTOM, Imm THICK COLLED ROULED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNI			SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK					
ALLOW FOR ADDITIONAL SHELVES, INIT MUST BE FULLY ADJUSTABLE TO ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. BOLTED TYPE SHELVING UNIT WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE TO ALLOW FOR MITH NO DECKING. BOLTED TYPE SHELVING UNIT WIST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE TO ALLOW FOR THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAMLEVEL UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAMLEVEL UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR THE MUST BE TO ALLOW F			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING UNIT WITH BACK PANIELS AND SIDE PANIELS. SHELVES INCLUDING TOP AND BOTTOM. Imm THICK COLLED ROLLED OWNERCIAL QUALITY STEEL. LUNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALCORDANCE WITH CKS SPECIFICATIONS 370. SIDE PANIELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. Imm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING HEAVY DUTY STEEL RACKING WITH NOT DEECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAMLEVEL UNIT MUST BE FULLY AJJUSTABLE TO ALLOW FOR ADDITIONS 370. MUST BE FULLY AJJUSTABLE TO ALLOW FOR MITH NO DEECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAMLEVEL UNIT EM Sheking and MUST BE FULLY AJJUSTABLE TO ALLOW FOR DDITIONS 370. MOST BE FULLY AJJUSTABLE TO ALLOW FOR ADDITIONS 370. MOST BE FULLY AJJUSTABLE TO ALLOW FOR ADDITIONS 370. MOST BE FULLY AJJUSTABLE TO ALLOW FOR ADDITIONS 370. MOST B	56111906-		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO	EM Shelving and				
BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS, SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2310mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2310mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2310mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2310mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SIZE 2310mm HIGH X 914mm WIDE X 457mm DEEP. 4 X BELLY BLUTT MUST BE FULLY ADJUSTABLE TO ALLOW FOR World BLUTT MUST BE IN ACCORDANCE WITH OLD SECRING. SIZE 335mm HIGH X 274mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMUS DISTRIBUTED LOAD OF 300046 PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR MOdrac (Pby) Ltd 10 1 R3,084.04 MUST BE FULLY AJUSTABLE TO ALLOW FOR MODRAC WITH GRANG WITH WITH DECKNOWN DECKN	00141	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Racking (Pty) Ltd	14 DAYS	2	R2,910.08	23
SIZE 2210mm HIGH X 944mm WIDE X A57mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING BOLTED TYPE SHELVING STO. BOLTED TYPE SHELVING SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			SIDE PANELS.					
SHELVES INCLUDING 10-P AND BOT 10 M. 1mm I HILK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PAVIELS AND SIDE PANELS. SIZE 2210mm HIGH.X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. MODITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 300kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR MUST BE FULLY AJUSTABLE TO ALLOW FOR MUST BE FULLY AJUSTABLE TO ALLOW FOR MUST BE FULLY AJUSTABLE TO ALLOW FOR MUST BE FULLY AJUSTABLE TO ALLOW FOR MIST BE FULLY ADJUSTABLE TO ALLOW FOR MIST BE FULLY ADJ			SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X					
UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES INCLIDING TOP AND BOTTOM, 1mm THICK COLLED ROLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALCOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP, 4 X BEAM LEVELS TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN MUST BE FULLY AJUSTABLE TO ALLOW FOR BOLTED TYPE SHELVING HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP, 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR WIST BE FULLY AJUSTABLE TO ALLOW FOR WIST BEFULLY AJUSTABLE TO ALLOW FOR WIST BE FULLY AJUSTABLE TO ALLOW FOR			COLLED ROLLED COMMERCIAL OLIALITY STEEL					
SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES, UNIT MUST BE IN Kusasaletu Investment ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP, 7 X SHELVES, INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED DOMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF, THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP, 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
BOLTED TYPE SHELVING BOLTED TYPE SHELVING BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIDE PAN	78111008_		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO	Krisasaletii Investment				
BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS. SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED ROLLED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR BOLTED TYPE SHELVING SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and	00141	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks		R3,001.81	23
SIZE 22:0mm HIGH X 914mm WIDE X 457mm DEEP. 7 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			BOLTED TYPE SHELVING UNIT WITH BACK PANELS AND SIDE PANELS				·	
COLLED ROLLED COMMERCIAL QUALITY STEEL UNIFORMI, Y DISTRIBUTED MASS LOAD OF 170kg PER SHELF: THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. BOLTED TYPE SHELVING BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			SIZE 2210mm HIGH X 914mm WIDE X 457mm DEEP. 7 X					
UNIFORMI.Y DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR UNIFORMILY Modrac (Pty) Ltd 10 1 R3,084.04			COLLED ROLLED COMMERCIAL QUALITY STEEL.					
SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES. UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR Modrac (Pty) Ltd Modrac (Pty) Ltd 10 1 R3,084.04 10 1 R3,084.04 EM Shelving and			UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER					
BOLTED TYPE SHELVING ACCORDANCE WITH CKS SPECIFICATIONS 370. HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and	10000		SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO					
HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and	00141	BOLTED TYPE SHELVING	ACCORDANCE WITH CKS SPECIFICATIONS 370.	Modrac (Pty) Ltd	10	_*	R3,084.04	汉
SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			HEAVY DUTY STEEL RACKING WITH NO DECKING.					ļ
DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X					
MUST BE FULLY AJUSTABLE TO ALLOW FOR EM Shelving and			DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL, UNIT					
	56111906-		MUST BE FULLY AJUSTABLE TO ALLOW FOR	EM Shelving and		1		

	ħ	•
١	0	C

00145	56111906-	56111906- 00144	56111906 00144	56111906- 00144	56111906 00143	56111906- 00143	56111906 00142	ITEM CODE
56111906-	906-	906-	906-	906-	906-	906-	306-	CODE
HEAVY DUTY RACK SUPPORTED MEZZANINE	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR	HEAVY DUTY STEEL RACKING	HEAVY DUTY STEEL RACKING	HEAVY DUTY STEEL RACKING	HEAVY DUTY STEEL RACKING	HEAVY DUTY STEEL RACKING	HEAVY DUTY STEEL RACKING	PRODUCT DESCRIPTION
HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR. COMPATIBLE WITH HEAVY DUTY RACKING PLACED ON THE ELOOB LINIFORM Y DISTRIBITED LOAD OF	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR. COMPATIBLE WITH HEAVY DUTY RACKING PLACED ON THE FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH TIMBER DECKING. PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	HEAVY DUTY STEEL RACKING WITH STEEL DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. 1mm THICK STEEL DECKING. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	HEAVY DUTY STEEL RACKING WITH STEEL DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. 1mm THICK STEEL DECKING. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	HEAVY DUTY STEEL RACKING WITH STEEL DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. 1mm THICK STEEL DECKING. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	HEAVY DUTY STEEL RACKING WITH TIMBER DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. 25mm THICK TIMBER DECKING. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	HEAVY DUTY STEEL RACKING WITH TIMBER DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. 25mm THICK TIMBER DECKING. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	HEAVY DUTY STEEL RACKING WITH NO DECKING. SIZE 3353mm HIGH X 2743mm WIDE X 900mm DEEP. 4 X BEAM LEVELS TO THE HEIGHT. UNIFORMLY DISTRIBUTED LOAD OF 3000kg PER BEAM LEVEL. UNIT MUST BE FULLY AJUSTABLE TO ALLOW FOR ADDITIONAL BEAM LEVELS TO BE ADDED.	ITEM DESCRIPTION
First Storage Centre	EM Shelving and	Indawo Systems CC	First Storage Centre (Pty) Ltd	EM Shelving and Racking (Pty) Ltd	First Storage Centre (Pty) Ltd	EM Shelving and	First Storage Centre (Pty) Ltd	BIDDER'S NAME
28 days	14 DAYS	15 working days	28 days	25 DAYS	28 days	14 DAYS	28 days	DELIVERY PERIOD (DAYS)
12	2		2	2	2	2	2	B-BBEE
R545.81	R2,059.31	R15,471.25	R13,857.53	R15,148.83	R8,446.48	R10,528.85	R6,424.78	PREVIOUS PRICE
R636.78	R2,526.71	R15,471.21	R16,167.12	R18,587.19	R9,854.22	R12,918.60	R7,495.57	NEW PRICE

7		
	ĸ.	
		2

		29					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		350kg/m². FLOOR TO BE COVERED WITH TIMBER DECKING. PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.					
56111906- 00146	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR. COMPATIBLE WITH HEAVY DUTY RACKING PLACED ON THE FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH STEEL DECKING PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R2,883.03	R3,537,39
	HEAVY DUTY RACK	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR. COMPATIBLE WITH HEAVY DUTY RACKING PLACED ON THE FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH STEEL					
56111906- 00146	HEAVY DUTY RACK SUPPORTED MEZZANINE FLOOR	350kg/m². FLOOR TO BE COVERED WITH STEEL DECKING PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	First Storage Centre (Pty) Ltd	28 days	2	R1,244.06	R1,451.41
56111906- 00147	SHLEVING SUPPORTED MEZZANINE FLOOR	SHELVING SUPPORTED MEZZANINE FLOOR (CATWALK SYSTEM). COMPATIBLE WITH SHELVING PLACED ON THE FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R5,436.57	R6,670.51
56111906- 00147	SHLEVING SUPPORTED MEZZANINE FLOOR	SHELVING SUPPORTED MEZZANINE FLOOR (CATWALK SYSTEM). COMPATIBLE WITH SHELVING PLACED ON THE FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	First Storage Centre (Pty) Ltd	28 days	2	R1,052.66	R1,228.11
56111906- 00148	STRUCTRAL MEZZANINE FLOOR	STRUCTURAL MEZZANINE FLOOR. FREE STANDING INDEPENDENT FLOOR. UNIFORMLY FREE STANDING INDEPENDENT FLOOR TO BE COVERED WITH STEEL DECKING. PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R4,736.40	R5,811.43
56111906-	STRI ICTRAI MEZZANINE	STRUCTURAL MEZZANINE FLOOR. FREE STANDING INDEPENDENT FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH STEEL DECKING, PRICE INCLUDES	First Storage Centre				
56111906- 00149	STRUCTRAL MEZZANINE FLOOR	STATINCHIONS, STAIRCASE AND HANDRAILS. STRUCTURAL MEZZANINE FLOOR. STRUCTURAL MEZZANINE FLOOR. UNIFORMLY FREE STANDING INDEPENDENT FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH TIMBER DECKING. PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R2,883.03	R3,537.39
56111906- 00149	STRUCTRAL MEZZANINE	STRUCTURAL MEZZANINE FLOOR. FREE STANDING INDEPENDENT FLOOR. UNIFORMLY DISTRIBUTED LOAD OF 350kg/m². FLOOR TO BE COVERED WITH TIMBER DECKING. PRICE INCLUDES STATNCHIONS, STAIRCASE AND HANDRAILS.	First Storage Centre (Pty) Ltd	35 days	2	R1,834.19	R2,139.89

ı	
١,	٠.
	_

<u>س</u>	0 5	D 55	0 5	0.5	0 5	***
56111906- 00151	56111906- 00150	56111906- 00150	56111906- 00150	56111906- 00150	56111906- 00150	ITEM CODE
MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	PRODUCT DESCRIPTION
ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	ITEM DESCRIPTION
First Storage Centre (Pty) Ltd	Tidy Files SA (Pty) Ltd		Kusasaletu Investment Group (Pty) Ltd	Indawo Systems CC	First Storage Centre	BIDDER'S NAME
35 days	4 - 6 weeks	10	4-6 weeks	15 working days	35 days	DELIVERY PERIOD (DAYS)
2	2	_	_	>	N	B-BBEE
R4,854.29	R16,162.90	R16,440.17	R20,286.68	R16,379.75	R18,005.24	PREVIOUS PRICE
R5,663.34	R17,685.89	R17,239.53	R22,516.92	R16,675.00	R21,006.12	NEW PRICE

t	
	-

	56111906 <u>.</u>	56111906- 00152	56111906- 00151	56111906- 00151 M	56111906- 00151 M	56111906- 00151		ITEM CODE PI
	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)	MOBILE SHELVING (2103H)		PRODUCT DESCRIPTION
MOBILE FILING SYSTEM 02 DEEP 03 BASES (HANDLE OPERATED).	MOBILE FILING SYSTEM 02 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	MOBILE FILING SYSTEM 02 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 920mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	BASE.	ITEM DESCRIPTION
Modern (Dt.) I to	First Storage Centre	EM Shelving and Racking (Pty) Ltd	Tidy Files SA (Pty) Ltd	Modrac (Pty) Ltd	Kusasaletu Investment Group (Pty) Ltd	Indawo Systems CC		BIDDER'S NAME
ò	35 days	30 DAYS	4 - 6 weeks	10	4-6 weeks	15 working days		DELIVERY PERIOD (DAYS)
٠.	2	22	2		_	_		B-BBEE
D38 /81 00	R29,488.26	R33,162.57	R5,387.63	R5,129.53	R6,762.22	R5,459.92		PREVIOUS PRICE
R29.865.91	R34,402.97	R40,689.53	R5,895.29	R5,378.94	R7,505.63	R5,558.00		NEW PRICE

ı	t.
ı	_
ı	Ν.

		34					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		2103mm HIGH X 1840mm WIDE X 381mm DEEP, 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	·				
56111006		MOBILE FILING SYSTEM 02 DEEP 03 BASES (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE					
56111906- 00152	MOBILE SHELVING (2103H)	LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R32,662.65	R35,740.39
56111906- 00153	MOBILE SHELVING (2103H)	ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R10,364.31	R12,716.71
56111906- 00153	MOBILE SHELVING (2103H)	ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	First Storage Centre (Pty) Ltd	35 days	2	R8,632.73	R10,071.52
56111906-		ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE					
00153 56111906	MOBILE SHELVING (2103H)	BASE. ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). (HANDLE OPERATED). 2103mm HIGH X 1840mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE	Modrac (Pty) Ltd	10	_	R9,897.86	R10,379.12
00153 00153 56111906- 00154	MOBILE SHELVING (2103H) MOBILE SHELVING (2103H)	BASE. MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK	Tidy Files SA (Pty) Ltd EM Shelving and Racking (Pty) Ltd	4 - 6 weeks 30 DAYS	2 2	R10,887.55	R11,913.46 R62,172.37

п	П	ı.	١
ı	~	•	

TEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	IPTION 33		33	BIDDER'S NAME
		COLLED ROLLED STEEL	. The procedure of the second	A production for many to the following the second s	A contract to the contract of	
56111906-	MORI E SHELVING (2103H)	MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEEL WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANEL. SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STA BASES , 1 X SINGLE MOVABLE BASE , 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm 1 COI I FD ROI I FD STEFI	MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL	DEEP 03 BASES (STEERING IDE X 381mm DEEP. 6 X UNIT HAS BACK PANELS AND STS OF 1 X SINGLE STATIC BLE BASE , 1 X SINGLE 000mm PASSAGE. 1mm THICK (PN) I td	First	First Storage Centre
56111906-		MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AI SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THIC COLLED TO STEEL	MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP, 6 X 2103mm HIGH X 2760mm WIDE X 381mm DEEP, 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS, UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE, 1 mm THICK LOCKABLE BASE AND 1 X 800mm PASSAGE, 1 mm THICK		Modeon (Dh.) I kd	The state of the s
56111906-		MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK	DEEP 03 BASES (STEERING DE X 381mm DEEP. 6 X INIT HAS BACK PANELS AND TS OF 1 X SINGLE STATIC LE BASE, 1 X SINGLE LE BASE, 1 X SINGLE Omm PASSAGE. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
56111906-	MOBILE STELVING (ZIUST)	MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SHELVES TO THE HEIGHT.	DEEP 01 BASE (STEERING DE X 381mm DEEP. 6 X JNIT HAS BACK PANELS AND TS OF 1 X SINGLE MOVABLE	DEEP 01 BASE (STEERING DE X 381mm DEEP. 6 X JNIT HAS BACK PANELS AND TS OF 1 X SINGLE MOVABLE EM Shelving and	EV S	EM Shelving and
00155 56111906 00155	MOBILE SHELVING (2103H) MOBILE SHELVING (2103H)	BASE. MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS-AI SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVAB BASE.	BASE. MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS-AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	DEEP 01 BASE (STEERING DE X 381mm DEEP. 6 X JUIT HAS BACK PANELS-AND TS OF 1 X SINGLE MOVABLE (Pty) Ltd Racking (Pty) Ltd	Rack First (Pty)	Racking (Pty) Ltd First Storage Centre (Pty) Ltd
56111906-		MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AI SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVAB	MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2103mm HIGH X 2760mm WIDE X 381mm DEEP. 6 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE			
00155	MOBILE SHELVING (2103H)	BASE.		Modrac (Pty) Ltd	Modrac (Pty) Ltd 10	ac (Pty) Ltd

l	Ų
ı	-

ITEM CODE PRODUCT	PRODUCT DESCRIPTION	MORIL E ELLING SYSTEM OS DEED OF BASE /STEEDING	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE LEVEL	PREVIOUS PRICE	NEW PRICE
	The second secon	MODILE ELLING SYSTEM 03 DEED 01 BASE (STEEDING		The second secon			
		MODILE LENG OF OLEM OF DEEL OF DOOR (OF LEIVING					
		WHEEL OPERATED).					
		SHELVES TO THE HEIGHT, UNIT HAS BACK PANELS AND					
56111906-		SIDE PANELS, UNIT CONSISTS OF 1 X SINGLE MOVABLE					
	MOBILE SHELVING (2103H)	BASE.	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R17,022.63	R18,626.63
		MÖBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING WHEEL OPERATED).					
		2103mm HIGH X 3680mm WIDE X 381mm DEEP. 6 X					
		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND					
		SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC					
		BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE					
-306		LOCKABLE BASE AND 1 X 800mm PASSAGE, 1mm THICK	EM Shelving and	5)	1	1
MOBILE S	MOBILE SHELVING (2103H)	COLLED SOLLED.	Racking (Pty) Ltd	JUDAYS	7	R61,455.12	K/0,4U3.68
		MOBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING)					
•		2103mm HIGH X 3680mm WIDE X 381mm DEEP 6 X					
		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND					
		SIDE PANELS, UNIT CONSISTS OF 1 X SINGLE STATIC					
		BASES , 1 X SINGLE MOVABLE BASE , 1 X SINGLE					
00156 MOBILE S	MOBILE SHELVING (2103H)	COLLED ROLLED STEEL.	Group (Ptv) Ltd	4-6 weeks	_	R58.119.76	R64,509.22
		MOBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING					
		WHEEL OPERATED).					
		2103mm HIGH X 3680mm WIDE X 381mm DEEP, 6 X					
		SHELVES TO THE HEIGHT, UNIT HAS BACK PANELS AND T					
		BASES: 1 X SINGLE MOVABLE BASE: 1 X SINGLE					
56111906-		LOCKABLE BASE AND 1 X 800mm PASSAGE, 1mm THICK		-			
	MOBILE SHELVING (2103H)	COLLED ROLLED STEEL.	Modrac (Pty) Ltd	10	1	R64,407.63	R67,539.28
		MOBILE FILING SYSTEM 04 DEEP 01 BASE (STEERING					
		WHEEL OPERATED).					
		2103mm HIGH X 3680mm WIDE X 381mm DEEP. 6 X					
		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND					
906-		SIDE PANELS, UNIT CONSISTS OF 1 X SINGLE MOVABLE	EM Shelving and		,	1]
00157 MOBILE S	MOBILE SHELVING (2103H)	BASE.	Racking (Pty) Ltd	30 DAYS	2	R20,399.55	R25,029.66
		MOBILE FILING SYSTEM 04 DEEP 01 BASE (STEERING					
		WHEEL OPERATED).					
		2103mm HIGH X 3680mm WIDE X 381mm DEEP. 6 X					
1000		SHELVES TO THE HEIGHT, UNIT HAS BACK PANELS AND	Kinggoldti Investment				
00157 MORII F.S	MOBILE SHELVING (2103H)	SIDE FANELS, ONLL CONSISTS OF A SINGEE MOVABEL BASE	Group (Ptv) I fd	4-6 weeks		R21 794 91	R24 190.96
		MOBILE FILING SYSTEM 04 DEEP 01 BASE (STEERING	1,1				
906-		WHEEL OPERATED).		<u>.</u>	_		7
00157 MOBILE S	MOBILE SHELVING (2103H)	2103mm HIGH X 3680mm WIDE X 381mm DEEP. 6 X	Modrac (Pty) Ltd	10		R16,498.83	R17,301.04

ı		
	ŧ.	
	,	

		11					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE LEVEL	PREVIOUS PRICE	NEW PRICE
		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.					
7824440000		MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKARI E RASE AND 1 X 800mm PASSAGE 1mm THICK	First Storage Centre				
56111906- 00158	MOBILE SHELVING (2484H)	LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	First Storage Centre (Pty) Ltd	35 days	2	R18,592.70	R21,691.49
56444906		MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE MOVABLE BASE, 1 X SINGLE					
56111906-		MOBILE FILING SYSTEM 01 DEEP 03 BASES (HÄNDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK				D47 078 04	D 447 0000000000000000000000000000000000
56111906-	INCOLL OF ILLEVIEW (F. W. I.)	MOBILE FILING SYSTEM 01 DEEP 03 BASES (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE AND 1 X 800mm PASSAGE. 1mm THICK		-			
56111906- 00159	MOBILE SHELVING (2484H)	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	First Storage Centre (Pty) Ltd	35 days	.2	R5,050.12	R5,891.80
56111906- 00159	MOBILE SHELVING (2484H)	ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND	Indawo Systems CC	15 working days		R5,936.50	R5,946.50

ł		
è	j	•

SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE. ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE (HANDLE OPERATED). ADDITIONAL MOBILE FILING SYSTEM 01 DEEP 01 BASE (HANDLE OPERATED). 2494mm HIGH X 920mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE MOBILE FILING SYSTEM 01 DEEP 01 BASE OPERATED). Tidy Files SA (Pty) Ltd 4 - 6 weeks 2 2 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE OPERATED.
PERIOD (DAYS) 10 4-6 weeks
1

		ITEM DESCRIPTION		DELIVERY	B-88EE	PREVIOUS	NEW
ITEM CODE	PRODUCT DESCRIPTION		BIDDER'S NAME	PERIOD (DAYS)	LEVEL	PRICE	PRICE
		LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.					
		MOBILE FILING SYSTEM 02 DEEP 03 BASES (HANDLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE					
56111906- 00160	MOBILE SHELVING (2484H)	LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R36,192.00	R39,602.30
		ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP 7 X					
56111906- 00161	MOBILE SHELVING (2484H)	2484mm HIGH X 1840mm WIDE X 381mm DEEP, 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R10,685.32	R13,110.59
56111906-		ADDITIONAL MÖBILE FILING SYSTEM 02 DEEP 01 BÄSE (HANDLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE	First Storage Centre				
00161	MOBILE SHELVING (2484H)	BASE.	(Pty) Ltd	35 days	2	R9,024.37	R10,528.43
56111906-		ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE.					
00161	MOBILE SHELVING (2484H)	BASE.	Modrac (Pty) Ltd	10		R9,735.59	R10,208.96
		ADDITIONAL MOBILE FILING SYSTEM 02 DEEP 01 BASE (HANDLE OPERATED). 2484mm HIGH X 1840mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND					
56111906- 00161	MOBILE SHELVING (2484H)	SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	Tidy Files SA (Pty) Ltd	4 - 6 weeks	2	R12,064.00	R13,200.77
		MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED).					
		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE					
56111906- 00162	MOBILE SHELVING (2484H)	LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R52,328.07	R64,205.05
56111906- 00162	MORII E SHELVING (2484H)	MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED).	First Storage Centre	35 days	>	R57 389 81	R66 946 61
00.00) 1110 Oliver Oliver to 1110 (2.10)		(1 ty) = con	00 00) 0	1	1 100 100 100 1	

1		ď
•	•	~
^	`	,

		38					
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW PRICE
		2484mm HIGH X 2760mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANIELS AND SIDE PANIELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE I OCKARI F BASE AND 1 X 800mm PASSAGE 1mm THICK					
		MOBILE FILING SYSTEM 03 DEEP 03 BASES (STEERING WHEEL OPERATED). 2484mm HIGH X 2760mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC SIDE PANELS.					
56111906- 00162	MOBILE SHELVING (2484H)	BASES, 1 x SINGLE MOVABLE BASE, 1 x SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	Modrac (Pty) Ltd	10	<u> </u>	R56,963.91	R59,733.63
56111906- 00163	MOBILE SHELVING (2484H)	MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2484mm HIGH X 2760mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R17,750.80	R21,779.73
56111906- 00163	MOBILE SHELVING (2484H)	MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2484mm HIGH X 2760mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE BASE.	First Storage Centre (Pty) Ltd	35 days	2	R18,109.67	R21,127.95
56111906-		MOBILE FILING SYSTEM 03 DEEP 01 BASE (STEERING WHEEL OPERATED). 2484mm HIGH X 2760mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE		;			
	MODITE OLIETAINO (54041)	MOBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING WHEEL OPERATED). 2484mm HIGH X 3680mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND	ואטעופט (ו גי) בע	ā	-		Nio, i E. Jo
56111906- 00164	MOBILE SHELVING (2484H)	BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R64,323.26	R78,922.80
56111906- 00164	MOBILE SHELVING (2484H)	MOBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING WHEEL OPERATED). 2484mm HIGH X 3680mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC	Kusasaletu Investment Group (Pty) Ltd	4-6 weeks	_	R30 512 88	R33,867.34

ι		3
ĺ	-	

		33		****			
ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION	BIDDER'S NAME	DELIVERY PERIOD (DAYS)	B-BBEE	PREVIOUS PRICE	NEW
		BASES , 1 X SINGLE MOVABLE BASE , 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE. 1mm THICK COLLED ROLLED STEEL.	ender in enderde bygge in enderde ende		****		
56111006-		MOBILE FILING SYSTEM 04 DEEP 03 BASES (STEERING WHEEL OPERATED). 2484mm HIGH X 3680mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE STATIC BASES, 1 X SINGLE MOVABLE BASE, 1 X SINGLE LOCKABLE BASE AND 1 X 800mm PASSAGE 1mm THICK					
00164	MOBILE SHELVING (2484H)	COLLED ROLLED STEEL.	Modrac (Pty) Ltd	10		R68,334.61	R71,657.20
		CLIP TYPE SHELVING UNIT WITH BACK BRACING AND SIDE PANELS. SIZE 1905mm HIGH X 914mm WIDE X 381mm DEEP. 6 X SHELVES INCLUDING TOP AND BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD OF 170kg PER SHELF. THE UNIT MUST BE FULLY ADJUSTABLE TO ALLOW FOR ADDITIONAL SHELVES.					
56111906- 00165	MOBILE SHELVING (2484H)	UNIT MUST BE IN ACCORDANCE WITH CKS SPECIFICATIONS 370.	EM Shelving and Racking (Pty) Ltd	30 DAYS	2	R21,136.74	R25,934.18
		MOBILE FILING SYSTEM 04 DEEP 01 BASE (STEERING WHEEL OPERATED). 2484mm HIGH X 3880mm WIDE X 381mm DEEP, 7 X					
56111906-		SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS. UNIT CONSISTS OF 1 X SINGLE MOVABLE	Kusasaletu Investment				
00165	MOBILE SHELVING (2484H)	BASE.	Group (Pty) Ltd	4-6 weeks		R3,219.35	R3,573.27
56141006		MOBILE FILING SYSTEM 04 DEEP 01 BASE (STEERING WHEEL OPERATED). 2484mm HIGH X 3680mm WIDE X 381mm DEEP. 7 X SHELVES TO THE HEIGHT. UNIT HAS BACK PANELS AND SIDE PANELS INIT CONSISTS OF 1 X SINGLE MOVARIES.			. !		
00165	MOBILE SHELVING (2484H)	BASE.	Modrac (Pty) Ltd	10		R17,557.85	R18,411.55
56111906-		ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP, 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00167, 56111906-00119, 56111906-00115.	EM Shelving and			.:	
00166	BEADED TYPE SHELVING	56111906-00116	Racking (Pty) Ltd	21 DAYS	2	R147.17	R180.58
56111906-		ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT. SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD ROLLED COMMERCIAL QUALITY STEEL THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS: 56111906-00167, 56111906-00119, 56111906-00115,					
00166	BEADED TYPE SHELVING	56111906-00116	Indawo Systems CC	to working days	-	KI5/ 43	K170.02

		ITEM DESCRIPTION					
ITEM CODE	PRODUCT DESCRIPTION		BIDDER'S NAME	DELIVERY PERIOD (DAYS)	LEVEL B-88EE	PRICE	PRICE
			And the second s		100 July 200	-	An agree of the second
	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT.					
		SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD					
		ROLLED COMMERCIAL QUALITY STEEL				,	
		THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
56111906-		56111906-00167, 56111906-00119, 56111906-00115,	Kusasaletu Investment				
00166	BEADED TYPE SHELVING	56111906-00116	Group (Pty) Ltd	4-6 weeks		R145.30	R161.27
		ADDITIONAL SHELF FOR BEADED TYPE SHELVING UNIT.					
		SIZE 914mm WIDE X 305mm DEEP. 1mm THICK COLD					
		ROLLED COMMERCIAL QUALITY STEEL					
		THIS ITEM IS ADDITIONAL TO THE BELOW ITEMS:					
56111906-		56111906-00167, 56111906-00119, 56111906-00115,					-
00166	BEADED TYPE SHELVING	56111906-00116	Modrac (Pty) Ltd	10	_	R135.16	R141.73
		BEADED TYPE SHELVING UNIT WITH BACK BRACING					
		AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X					
		305mm DEEP. 6 X SHELVES INCLUDING TOP AND					
		BOTTOM. 1mm THICK COLLED ROLLED COMMERCIAL	<u> </u>				
		QUALITY STEEL. UNIFORMLY DISTRIBUTED MASS LOAD					
		OF 170kg PER SHELF. THE UNIT MUST BE FULLY					
		AUJUSTABLE TO ALLOW FOR AUDITIONAL SHELVES.	-				
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS	Kusasaletu Investment				
00167	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Group (Pty) Ltd	4-6 weeks	د	R1,6/4.62	K1,858./3
		BEADED TYPE SHELVING UNIT WITH BACK BRACING					
		AND SIDE BRACING. SIZE 1905mm HIGH X 914mm WIDE X					
		305mm DEEP. 6 X SHELVES INCLUDING TOP AND					
		BOTTOM, 1mm THICK COLLED ROLLED COMMERCIAL					-
		QUALITY STEEL UNIFORMLY DISTRIBUTED MASS LOAD					
		AD HIGHARI E TO ALL OW FOR ADDITIONAL CHECKER OF LOOK FER OFFER. LITE ONLY MOST BE FOLLY					
56111906-		UNIT MUST BE IN ACCORDANCE WITH CKS					
00167	BEADED TYPE SHELVING	SPECIFICATIONS 370.	Modrac (Pty) Ltd	10		R1,247.45	R1,308.10

Please update your records accordingly.

*In the event that an incorrect price adjustment was made during the calculation of the contract price adjustment, the State reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect price adjustment will be dealt with by the supplier and the relevant end-user department.

DESIGNING OF MEZZANINE FLOORING, HIGH-DENSITY MOBILE FILING SYSTEM TO THE STATE FOR THE PERIOD 1 SEPTEMBER 2020 CONTRACT RT74-2020: SUPPLY, DELIVERY AND INSTALLATION OF PREFABRICATED ADJUSTABLE SHELVING, STEEL RACKING, TO 31 AUGUST 2023

Yours Faithfully,

2 Milimonari

ZANELE MKHWANAZI

FOR CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

OFFICE OF THE CHIEF PROCUREMENT OFFICER