



Enquiries : Brenda Mashifane

Ref : RT2-1-2016

Tel : 012 3155877 Fax : 0866205063

email: Transversal.contracting2@treasury.gov.za

ADDENDUM 38: - TO ALL PARTICIPANTS

TRANSVERSAL CONTRACT RT2-1-2016: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND MAINTENANCE OF MEDICAL EQUIPMENT TO THE STATE FOR PERIOD ENDING 31 DECEMBER 2021

The current prices for B Braun (Pty) Ltd are valid until 31 December 2021:

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
38.00	42296323-00000 VIDEO SYSTEM, LAPAROSCOPIC, GYNAE (ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND ACCESSORIE & INSTRUMENTS: 38.02 UP TO 38.35 AND CONTAINER X1)	Aesculap (PV470)	R 1 039 986.38	R 1 039 986.38
38.02	TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 28 011.21	R 28 011.21
38.03	TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 28 011.21	R 28 011.21
38.04	TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 5 MM, LG 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 13081.42	R 13081.42
38.05	TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 5MM, LG 29CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1.		R 25 771.56	R 25 771.56
38.06	CASE, SCOPE,		R 2 259.51	R 2 259.51
38.07	NEEDLE, VERESS PNEUMOPERITONEUM, SPRING -LOADED BLUNT STYLET, LUER-LOCK, LG 10CM.		R 676.80	R 676.80
38.09	TROCAR AND CANNULA 6MM.		R 3 016.19	R 3 016.19
38.10	TROCAR AND CANNULA 11MM		R 3 174.94	R 3 174.94
	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
38.11	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR		R 5 202.50	R 5 202.50

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.			
38.12	CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
38.13	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
38.14	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.		R 6 641.80	R 6 641.80
38.15	LYMPH NODE GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA OUTER TUBE, INSULATED, AND FORCEPS INSERT.		R 5 932.68	R 5 932.68
38.16	GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, JAWS WITH MULTIPLE TEETH, WIDTH OF JAWS 4,8 MM, SINGLE ACTION JAWS, CONSISTING OF: 33156 PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA 33300 OUTER TUBE, INSULATED 33310 ME FORCEPS INSERT.		R 5 096.16	R 5 096.16
38.17	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
38.18	CLAW FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED, AND FORCEPS INSERT.		R 5 202.50	R 5 202.50

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
38.19	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM.		R 7 910.15	R 7 910.15
38.20	BIOPSY FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER LOCK ADAPTOR FOR CLEANING, LARGE JAWS, SINGLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER SHEATH, INSULATED, AND FORCEPS INSERT.		R 5 636.01	R 5 636.01
38.21	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT		R 9 755.74	R 9 755.74
38.22	FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH AND FORCEPS INSERT.		R 9 755.74	R 9 755.74
38.23	COAGULATING AND DISSECTING ELECTRODE, SPATULA-SHEAPED, BLUNT WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM		R 2 383.21	R 2 383.21
38.24	COAGULATING AND DISSECTING ELECTRODE, L-SHAPED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM.		R 2 382.21	R 2 382.21
38.25	PROBE, PALPATION, VIDEO SYSTEM, LAPAROSCOPIC.		R 555.98	R 555.98
38.26	INSTRUMENT, FIXATION, MYOMA, SCREW SHAPED, DIA 5MM.		R 0	R 0
38.27	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM.		R 640.07	R 640.07
38.28	NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE RIGHT SIDE, LEFT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R 7 151.25	R 7 151.25
38.29	NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE LEFT SIDE, RIGHT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R 6 273.03	R 6 273.03
38.30	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING.		R 1 000.52	R 1 000.52
38.31	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM.		R 4 768.98	R 4 768.98

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
38.32	MANIPULATOR, UTERINE, GYNAE.		R 21 688.99	R 21 688.99
38.33	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM.		R 1 002.10	R 1 002.10
38.34	BIPOLAR HIGH FREQUENCY CORD, LENGTH 300 CM.		R 2 604.61	R 2 604.61
38.35	FIBER OPTIC LIGHT CABLE, WITH STRAIGHT CONNECTOR, DIAMETER 4.8 MM, LENGTH 300 CM.		R 9 714.05	R 9 714.05
38.36	MORCELLATOR SYSTEM		No Quote	No Quote
39.00	42296323-00000 VIDEO SYSTEM, LAPAROSCOPIC, URO (ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD UROLOGY CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND STANDARD ACCESSORIE & INSTRUMENTS: 39.01 UP TO 39.34)		R 957 081.82	R 957 081.82
39.01	STRAIGHT FORWARD TELESCOPE 0° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R 28 266.91	R 28 266.91
39.02	FORWARD-OBLIQUE TELESCOPE 30° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R 28 256.91	R 28 256.91
39.03	STRAIGHT FORWARD TELESCOPE 0°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R 14 694.31	R 14 694.31
39.04	FORWARD-OBLIQUE TELESCOPE 30°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R 22 606.63	R 22 606.63
39.05	PLASTIC CONTAINER FOR STERILIZING, SUITABLE FOR STEAM, GAS, AND HYDROGEN PEROXIDE (STERRAD®) STERILIZATION AND STORAGE, PERFORATED, WITH LID, EXTERNAL DIMENSIONS (W X D X H): 321 X 90 X 45 MM FOR USE WITH TWO RIGID ENDOSCOPES UP TO MAX. 20 CM WORKING LENGTH X2		R 1 982.02	R 1 982.02
39.06	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
39.07	CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 5 202.50	R 5 202.50
39.08	ATRAUMATIC GRASPING FORCEPS ROTATING,		R 5 202.50	R 5 202.50

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT.			
39.09	ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 5 809.63	R 5 809.63
39.10	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 7 571.65	R 7 571.65
39.11	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.		R 5 809.63	R 5 809.63
39.12	GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 5 202.51	R 5 202.51
39.13	BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 5 202.51	R 5 202.51
39.14	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 5 202.51	R 5 202.51
39.15	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER		R 5 202.51	R 5 202.51

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1			
39.16	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.51	R 5 202.51
39.17	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 636.01	R 5 636.01
39.18	CLAW FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.51	R 5 202.51
39.19	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 982.16	R 9 982.16
39.20	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R 4 508.79	R 4 508.79
39.21	SCISSORS INSERT, METZENBAUM SCISSORS, CURVED, LENGTH OF BLADES 12 MM, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 6 936.60	R 6 936.60
39.22	STRAIGHT SCISSORS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT X1		R 5 202.51	R 5 202.51
39.23	CLICK LINE SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 1 966.89	R 1 966.89
39.24	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1		R 9 755.74	R 9 755.74
39.25	FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X1 OUTER SHEATH AND FORCEPS INSERT X1		R 9 756.74	R 9 756.74

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
39.26	COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 2 089.51	R 2 089.51
39.27	HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1		R 1 438 .66	R 1 438 .66
39.28	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1		R 935.13	R 935.13
39.29	PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1		R 592.59	R 592.59
39.30	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1 000.51	R 1 000.51
39.31	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 4 768.98	R 4 768.98
39.32	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2		R 1 002.10	R 1 002.10
39.33	BIPOLAR CABLE X1		R 2 604.61	R 2 604.61
39.34	PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSTRUMENTS, EXTERNAL DIMENSIONS (W X D X H): 600 MM X 145 MM X 260 MM (X1)		R 1 982.02	R 1 982.02
40.00	42296323-00000 VIDEO SYSTEM, LAPAROSCOPIC, GENERAL SURGERY (ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND ACCESSORIE & INSTRUMENTS: 40.01 UP TO 40.07) OPTIONAL SETS: LAP CHOLE SET (40.08 - 40.16), LAP NISSEN SET (40.17 - 40.25), LAP HERNIA (40.26 - 40.38) & COLORECTAL SET (40.39 - 40.54)	Aesculap PV470	R 944 969.97	R 944 969.97
40.01	STRAIGHT FORWARD TELESCOPE 0° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1		R 18 160.44	R 18 160.44
40.02	FORWARD-OBLIQUE TELESCOPE 30° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1		R 28 256.91	R 28 256.91
40.03	PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM INSTRUMENTS , EXTERNAL DIMENSIONS (W X D X H): 600 MM X 145 MM X 260 MM X1		R 1 982.02	R 1 982.02
40.04	LAPAROSCOPIC NEEDLE HOLDER X1		R 6 273.03	R 6 273.03
40.05	VERESS PNEUMOPERITONEUM NEEDLE, WITH SPRING -LOADED BLUNT STYLET, LUER-LOCK, LENGTH 10CM X1		R 593.68	R 593.68
40.06	TROCAR SIZE, 11MM,WITH INSUFFLATION STOPCOCK, CANNULA WITH THREAD, LENGTH 100MM(MAX 110MM) X2		R 3 829.42	R 3 829.42
40.07	TROCAR SIZE, 6MM,WITH INSUFFLATION STOPCOCK, CANNULA WITH THREAD, LENGTH		R 3 829.42	R 3 829.42

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	100MM(MAX 110MM) X2			
40.08	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT X2		R 7 571.65	R 7 571.65
40.09	COAGULATING AND DISSECTING ELECTRODE, L-SHAPED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM X1		R 2 089.65	R 2 089.65
40.10	CLAW FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF HANDLE WITH RATCHET, OUTER TUBE, INSULATED, AND FORCEPS INSERT X1		R 5 202.51	R 5 202.51
40.11	SUCTION AND IRRIGATION TUBE,WITH LATERAL HOLES, SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 1 438.66	R 1 438.66
40.12	SUCTION IRRIGATION HANDLE X1		R 2 283.00	R 2 283.00
40.13	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 4 768.98	R 4 768.98
40.14	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R 1 002.10	R 1 002.10
40.15	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT X1 OR		R 5 202.51	R 5 202.51
40.16	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT, FOR USE WITH TROCARS SIZE 6 MM X1		R 4 508.79	R 4 508.79
40.17	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT X2		R 7 571.65	R 7 571.65
40.18	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED		R 5 202.51	R 5 202.51


ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	AND FORCEPS INSERT X1			
40.19	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT, FOR USE WITH TROCARS SIZE 6 MM X1		R 4 508.79	R 4 508.79
40.20	BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, SIZE 5MM,LENGTH 36 CM X1		R 5 202.51	R 5 202.51
40.21	LIVER RETRACTOR X1		R 6 585.88	R 6 585.88
40.22	SUCTION AND IRRIGATION TUBE,WITH LATERAL HOLES, SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 1 438.66	R 1 438.66
40.23	SUCTION IRRIGATION HANDLE X1		R 2 283.84	R 2 283.84
40.24	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 4 768.98	R 4 768.98
40.25	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R 1 002.10	R 1 002.10
40.26	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE,ONE WITH AND ONE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2		R 5 202.51	R 5 202.51
40.27	BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.51	R 5 202.51
40.28	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 636.01	R 5 636.01
40.29	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 5MM , LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.51	R 5 202.51
40.30	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R 4 508.79	R 4 508.79
40.31	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING		R 9 755.74	R 9 755.74

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	OF:PLASTIC HANDLE, WITHOUT RATCHET, OUTER SHEATH AND FORCEPS INSERT X1			
40.32	COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM X1		R 2 089.65	R 2 089.65
40.33	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1		R 1 438.66	R 1 438.66
40.34	SUCTION AND IRRIGATION HANDLE X1		R 2 283.84	R 2 283.84
40.35	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1000.52	R 1000.52
40.36	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 4 768.98	R 4 768.98
40.37	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X1		R 1 002.10	R 1 002.10
40.38	BIPOLAR CABLE X1		R 2 604.61	R 2 604.61
40.39	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2		R 5 202.50	R 5 202.50
40.40	ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.50	R 5 202.50
40.41	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 7 571.65	R 7 571.65
40.42	ATRAUMATIC GRASPING FORCEPS, ROTATING, SIZE 5 MM, LENGTH 36 CM, DOUBLE ACTION,CONSISTING OF: PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 809.63	R 5 809.63
40.43	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 10MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 636.01	R 5 636.01
40.44	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH		R 5 202.50	R 5 202.50

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1			
40.45	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 636.01	R 5 636.01
40.46	CLAW FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 5 202.50	R 5 202.50
40.47	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R 0	R 0
40.48	METZENBAUM SCISSORS, CURVED, LENGTH OF BLADES, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 6 936.60	R 6 936.60
40.49	BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, LENGTH OF JAWS 18MM, SIZE 5MM, LENGTH 36 CM X2		R 5 202.50	R 5 202.50
40.50	MANHES GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, SINGLE ACTION JAWS, WITH MULTIPLE TEETH, WIDTH OF JAWS 4.8 MM, FOR ATRAUMATIC AND ACCURATE GRASPING, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF PLASTIC HANDLE, WITH RATCHET, WITH LARGER CONTACT AREA, METAL OUTER SHEATH, FORCEPS INSERT X1		R 5 202.50	R 5 202.50
40.51	KNOT TIER, SIZE 5 MM, LENGTH 6 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1 000.52	R 1 000.52
40.52	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 4 768.98	R 4 768.98
40.53	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM, X1		R 1002.10	R 1002.10
40.54	BIPOLAR CABLE X2		R 2 604.61	R 2 604.61
72.00	42222002-00002 DRILL, SURGICAL, TRAUMA, BATTERY OPERATED, LARGE (DUAL TRIGGER ROTATORY) SUPPLIED STANDARD WITH: SYNTHES QUICK CONNECT, HUDSON MODIFIED TRINKLE, 1/4" KEYED CHUCK, 1/4" KEYLESS CHUCK, 1/8" KEYLESS CHUCK, WIRE COLLECT (0,7MM - 2.8MM), PIN COLLECT (2MM - 4MM), SAGITTAL/OSCILLATING SAW AND BATTERY WITH CHARGER.	AESCLAP 3TI GA772	R 355 033.97	R 355 033.97
72.02	ACCULAN 3TI UNIVERSAL K-WIRE ATTACHMENT		R 83 240.54	R 83 240.54
72.03	ACCULAN 3TI DRILL ATTACHMENT AO-SMALL		R 13 185.08	R 13 185.08
72.04	ACCULAN 3TI UNIVERSAL K-WIRE ATTACHMENT		R 26 370.15	R 26 370.15
72.05	ACCULAN 3TI UNIVERSAL K-WIRE ATTACHMENT		R 44 499.66	R 44 499.66

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
72.06	ACCULAN 3TI REAMER ATTACHMENT HUDSON/ZIMMER		R 18 541.53	R 18 541.53
72.07	ACCULAN 3TI REAMER ATTACHMENT AO-LARGE		R 16 481.36	R 16 481.36
72.08	ACCULAN 3TI OSCILLATING SAW		R 88 999.32	R 88 999.32
72.09	ACCULAN 3TI CHARGING UNIT		R 35 738.41	R 35 738.41
72.10	ACCULAN 3TI NIMH BATTERY		R 9 529.62	R 9 529.62
72.11	ACCULAN 3TI STERILE FUNNEL		R 252.07	R 252.07
72.12	ACCULAN 3TI LID		R 6 325.15	R 6 325.15
72.13	STERILIT POWER SYSTEMS OIL SPRAY		R 542.91	R 542.91
72.15	BOTTOM FOR 1/1 CONTAINER HEIGHT:187MM		R 1 791.94	R 1 791.94
72.16	FULL-SIZE LID W/RETENTION PLATE SILVER		R 2 168.10	R 2 168.10
	ECCOS SET F/ACCULAN 3TI MOTORS/ACCESSOR		R 7 368.13	R 7 368.13
72.18	REUSABLE FILTER FOR CONTAINER		R 0	R 0
72.19	IDENTIFICATION LABEL BLACK		R 0	R 0
58.00	42222002-00000		R 9 772.05	R 9 772.05
	SYRINGE DRIVER, BASIC Standard accessories: 58.01 and 58.02			
58.01	DOCKING STATION POWERED CENTRALLY. ALL APPLICABLE PORTS/TILES/LINKS MUST BE STATED AND QUOTED SEPARATELY		R 32 980.66	R 32 980.66

*In the event that an incorrect contract price adjustment was made during calculation, the State reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect contract price adjustment will be dealt with by the supplier and the relevant State Institution.



Brenda Mashifane

ICT & Security Services

For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

Date: 17 AUGUST 2021