



Enquiries : Brenda Mashifane

Ref : RT2-1-2016
email: Transversal.contracting2@treasury.gov.za

Tel : 012 3155877 Fax : 0866205063

ADDENDUM 39: - TO ALL PARTICIPANTS

TRANSVERSAL CONTRACT RT2-1-2016: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND MAINTENANCE OF MEDICAL EQUIPMENT TO THE STATE FOR PERIOD ENDING 31 DECEMBER 2021

The current prices for Tecmed (Pty) Ltd are valid until 31 December 2021:

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
21.00	42281508-00002 AUTOCLAVE - TABLE TOP 24-30 LITERS (ITEM SUPPLIED COMPLETE AND FULL FUNCTIONAL UPON COMMISSIONING)	SHINVA	R 65 025.07	R 65 025.07
29.00	42295121-00004 (OFFER 1)	SEILER	R 1 2 176.55	R 1 2 176.55
29.01	BINOCULAR TUBES		R 84 913.05	R 84 913.05
29.02	AUTOCLAVABLE HANDLE, MICROSCOPE, ENT		R 1 974.79	R 1 974.79
29.03	CUP, EYEPiece, MICROSCOPE, ENT		R 2 244.85	R 2 244.85
29.04	DUSTCOVER, MICROSCOPE, ENT		R 1 718.95	R 1 718.95
29.05	SECOND OBSERVER, MICROSCOPE, ENT		R 44 888.91	R 44 888.91
29.06	LENSE, OBJECTIVE, 200MM - 400MM, FOR USE ON ITEM		R 16 219.22	R 16 219.22
38.00	42296323-00000 VIDEO SYSTEM, LAPAROSCOPIC, GYNAE (ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND ACCESSORIE & INSTRUMENTS: 38.02 UP TO 38.35 AND CONTAINER X1)	ACKERMANN	R 1 568 055.97	R 1 568 055.97
38.01	LAPAROSCOPE, VIDEO SYSTEM, GYNAE, C/W MONITOR, VIDEO PROCESSOR, INSUFFLATOR, CAMERA CONSOLE, DATA MANAGEMENT SYSTEM, LAPAROSCOPIC RIGID SCOPES, FIBER OPTIC LIGHT CABLE AND THE APPROPRIATE TROLLEY.		R 12 665 435.69	R 12 665 435.69
38.02	TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 26 572.90	R 26 572.90
38.03	TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 26 638.28	R 26 638.28
38.04	TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 5 MM, LG 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R 26 527.50	R 26 527.50
38.05	TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 5MM, LG 29CM,		R 26 611.03	R 26 611.03

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1.			
38.06	CASE, SCOPE,		R 25 488.72	R 25 488.72
38.07	NEEDLE, VERESS PNEUMOPERITONEUM, SPRING -LOADED BLUNT STYLET, LUER-LOCK, LG 10CM.		R 1 257.27	R 1 257.27
38.08	TROCAR AND CANNULA 6MM.		R 6 635.74	R 6 635.74
38.09	TROCAR AND CANNULA 11MM		R 6 611.72	R 6 611.72
38.10	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 9 445.74	R 9 445.74
38.11	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 9 077.66	R 9 077.66
38.12	CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 9 304.21	R 9 304.21
38.13	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT.		R 9 552.88	R 9 552.88
38.14	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.		R 9 552.88	R 9 552.88
38.15	LYMPH NODE GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA OUTER TUBE, INSULATED, AND FORCEPS INSERT.		R 9 905.45	R 9 905.45
38.16	GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR		R 9 825.80	R 9 825.80

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	COAGULATION, SIZE 5 MM, LENGTH 36 CM, JAWS WITH MULTIPLE TEETH, WIDTH OF JAWS 4,8 MM, SINGLE ACTION JAWS, CONSISTING OF: 33156 PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA 33300 OUTER TUBE, INSULATED 33310 ME FORCEPS INSERT.			
38.17	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 10 038.31	R 10 038.31
38.18	CLAW FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED, AND FORCEPS INSERT.		R 9 932.04	R 9 932.04
38.19	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM.		R 9 360.73	R 9 360.73
38.20	BIOPSY FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER LOCK ADAPTOR FOR CLEANING, LARGE JAWS, SINGLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER SHEATH, INSULATED, AND FORCEPS INSERT.		R 9 219.22	R 9 219.22
38.21	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT		R 33 277.34	R 33 277.34
38.22	FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH AND FORCEPS INSERT.		R 32 496.51	R 32 496.51
38.23	COAGULATING AND DISSECTING ELECTRODE, SPATULA-SHEAPED, BLUNT WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM		R 2 255.38	R 2 255.38
38.24	COAGULATING AND DISSECTING ELECTRODE, L-SHAPED, WITH CONNECTOR PIN FOR		R 2 255.38	R 2 255.38

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM.			
38.25	PROBE, PALPATION, VIDEO SYSTEM, LAPAROSCOPIC.		R 1 231.84	R 1 231.84
38.26	INSTRUMENT, FIXATION, MYOMA, SCREW SHAPED, DIA 5MM.		R 2 295.40	R 2 295.40
38.27	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM.		R 7 093.55	R 7 093.55
38.28	NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE RIGHT SIDE, LEFT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R 11 156.68	R 11 156.68
38.29	NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE LEFT SIDE, RIGHT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R 11 156.68	R 11 156.68
38.30	KNOT TIER; SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING.		R 1 931.97	R 1 931.97
38.31	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM.		R 10 188.06	R 10 188.06
38.32	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM.		R 13 008.93	R 13 008.93
38.33	BIPOLAR HIGH FREQUENCY CORD, LENGTH 300 CM.		R 2 967.49	R 2 967.49
38.34	FIBER OPTIC LIGHT CABLE, WITH STRAIGHT CONNECTOR, DIAMETER 4.8 MM, LENGTH 300 CM.		R 5 464.23	R 5 464.23
38.35	MORCELLATOR SYSTEM		R 11 175.70	R 11 175.70
39.00	42296323-00000 VIDEO SYSTEM, LAPAROSCOPIC, URO (ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD UROLOGY CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND STANDARD ACCESSORIE & INSTRUMENTS: 39.01 UP TO 39.34)	ACKERMANN FUSION (LAPAROSCOPIC SYSTEM)	R 1 554 345.28	R 1 554 345.28
39.01	STRAIGHT FORWARD TELESCOPE 0° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R 26 532.18	R 26 532.18
39.02	FORWARD-OBLIQUE TELESCOPE 30° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R 26 597.45	R 26 597.45
39.03	STRAIGHT FORWARD TELESCOPE 0°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R 26 486.85	R 26 486.85
39.04	FORWARD-OBLIQUE TELESCOPE 30°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R 26 570.24	R 26 570.24

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
39.05	PLASTIC CONTAINER FOR STERILIZING, SUITABLE FOR STEAM, GAS, AND HYDROGEN PEROXIDE (STERRAD®) STERILIZATION AND STORAGE, PERFORATED, WITH LID, EXTERNAL DIMENSIONS (W X D X H): 321 X 90 X 45 MM FOR USE WITH TWO RIGID ENDOSCOPES UP TO MAX. 20 CM WORKING LENGTH X2		R 25 449.67	R 25 449.67
39.06	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 25 449.67	R 9 887.77
39.07	CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 9 887.77	R 9 064.04
39.08	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT.		R 9 064.04	R 9 512.96
39.09	ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 9 512.96	R 9 538.22
39.10	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 9 538.22	R 9 862.65
39.11	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.		R 9 862.65	R 10 017.35
39.12	GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR		R 10 017.35	R 9 960.88

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.			
39.13	BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 9 960.88	R 9 942.35
39.14	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT.		R 10 017.35	R 10 017.35
39.15	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 865.32	R 9 865.32
39.16	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 865.32	R 9 865.32
39.17	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 639.43	R 10 639.43
39.18	CLAW FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 194.14	R 10 194.14
39.19	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 976.56	R 10 976.56
39.20	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL		R 10 455.12	R 10 455.12

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1			
39.21	SCISSORS INSERT, METZENBAUM SCISSORS, CURVED, LENGTH OF BLADES 12 MM, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 4 266.03	R 4 266.03
39.22	STRAIGHT SCISSORS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT X1		R 9 346.38	R 9 346.38
39.23	CLICK LINE SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 4 433.45	R 4 433.45
39.24	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1		R 33 315.06	R 33 315.06
39.25	FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X1 OUTER SHEATH AND FORCEPS INSERT X1		R 32 446.69	R 32 446.69
39.26	COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 2 258.21	R 2 258.21
39.27	HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1		R 7 082.69	R 7 082.69
39.28	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1		Included in above	Included in above
39.29	PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1		R 1 346.20	R 1 346.20
39.30	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1 855.08	R 1 855.08
39.31	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCARS INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 6 679.65	R 6 679.65
39.32	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2		R 2 962.94	R 2 962.94
39.33	BIPOLAR CABLE X1		R 2 960.84	R 2 960.84
39.34	PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSTRUMENTS, EXTERNAL DIMENSIONS (W X D X H): 600 MM X 145 MM X 260 MM (X1)		R 23 111.09	R 23 111.09
40.00	42296323-00000		R 1 628 917.48	R 1 628 917.48
	VIDEO SYSTEM, LAPAROSCOPIC, GENERAL SURGERY			

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	(ITEM SUPPLIED AS A COMPLETE SYSTEM: TROLLEY, PROCESSOR, HD CAMERA HEAD, CO2 INSUFFLATOR, LIGHT SOURCE, COLOUR PRINTER, 26" MONITOR AND TWO-CHANNEL DATA MANAGEMENT SYSTEM (500GB STORAGE) AND ACCESSORIE & INSTRUMENTS: 40.01 UP TO 40.07) OPTIONAL SETS: LAP CHOLE SET (40.08 - 40.16), LAP NISSEN SET (40.17 - 40.25), LAP HERNIA (40.26 - 40.38) & COLORECTAL SET (40.39 - 40.54)			
40.01	STRAIGHT FORWARD TELESCOPE 0° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1		R 26 532.18	R 26 532.18
40.02	FORWARD-OBLIQUE TELESCOPE 30° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1		R 26 597.45	R 26 597.45
40.03	PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM INSTRUMENTS , EXTERNAL DIMENSIONS (W X D X H): 600 MM X 145 MM X 260 MM X1		R 12 724.84	R 12 724.84
40.04	LAPAROSCOPIC NEEDLE HOLDER X1		R 11 139.58	R 11 139.58
40.05	VERESS PNEUMOPERITONEUM NEEDLE, WITH SPRING -LOADED BLUNT STYLET, LUER-LOCK, LENGTH 10CM X1		R 1 255.33	R 1 255.33
40.06	TROCAR SIZE, 11MM,WITH INSUFFLATION STOPCOCK, CANNULA WITH THREAD, LENGTH 100MM(MAX 110MM) X2		R 13 203.19	R 13 203.19
40.07	TROCAR SIZE, 6MM,WITH INSUFFLATION STOPCOCK, CANNULA WITH THREAD, LENGTH 100MM(MAX 110MM) X2		R 13 251.20	R 13 251.20
40.08	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT X2		R 10 017.35	R 10 017.35
40.09	COAGULATING AND DISSECTING ELECTRODE, L-SHAPED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM X1		R 2 251.93	R 2 251.93
40.10	CLAW FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF HANDLE WITH RATCHET, OUTER TUBE, INSULATED, AND FORCEPS INSERT X1		R 9 916.81	R 9 916.81
40.11	SUCTION AND IRRIGATION TUBE,WITH LATERAL HOLES, SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 7 459.51	R 7 459.51
40.12	SUCTION IRRIGATION HANDLE X1		R 5 568.76	R 5 568.76
40.13	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 10 172.45	R 10 172.45
40.14	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R 1 481.48	R 1 481.48
40.15	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING,		R 9 431.25	R 9 431.25

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT X1 OR			
40.16	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT, FOR USE WITH TROCARS SIZE 6 MM X1		R 9 346.38	R 9 346.38
40.17	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT X2		R 10 022.90	R 10 022.90
40.18	CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT X1		R 9 431.25	R 9 431.25
40.19	METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT, FOR USE WITH TROCARS SIZE 6 MM X1		R 9 346.38	R 9 346.38
40.20	BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, SIZE 5MM,LENGTH 36 CM X1		R 9 880.56	R 9 880.56
40.21	LIVER RETRACTOR X1		R 16 972.22	R 16 972.22
40.22	SUCTION AND IRRIGATION TUBE,WITH LATERAL HOLES, SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R 7 082.43	R 7 082.43
40.23	SUCTION IRRIGATION HANDLE X1		R 5 568.78	R 5 568.78
40.24	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 10 172.45	R 10 172.45
40.25	UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R 1 482.53	R 1 482.53
40.26	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH		R 9 512.96	R 9 512.96

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, ONE WITH AND ONE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2			
40.27	BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 320.47	R 9 320.47
40.28	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 639.43	R 10 639.43
40.29	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 769.69	R 9 769.69
40.30	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R 9 346.38	R 9 346.38
40.31	CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER SHEATH AND FORCEPS INSERT X1		R 33 226.34	R 33 226.34
40.32	COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM X1		R 2 251.93	R 2 251.93
40.33	SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1		R 7 082.69	R 7 082.69
40.34	SUCTION AND IRRIGATION HANDLE X1		R 5 568.76	R 5 568.76
40.35	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1 855.08	R 1 855.08
40.36	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 10 172.45	R 10 172.45
40.37	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X1		R 1 484.43	R 1 484.43
40.38	BIPOLAR CABLE X1		R 2 840.80	R 2 840.80
40.39	ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION,		R 9 081.71	R 9 081.71


ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2			
40.40	ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 8 628.71	R 8 628.71
40.41	ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 017.35	R 10 017.35
40.42	ATRAUMATIC GRASPING FORCEPS, ROTATING, SIZE 5 MM, LENGTH 36 CM, DOUBLE ACTION, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 9 320.47	R 9 320.47
40.43	BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 10MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 639.43	R 10 639.43
40.44	RIGHT ANGLED DISSECTING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 848.28	R 10 848.28
40.45	BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 816.23	R 10 816.23
40.46	CLAW FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R 10 816.23	R 10 816.23
40.47	METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL		R 9 346.38	R 9 346.38

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
	OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1			
40.48	METZENBAUM SCISSORS, CURVED, LENGTH OF BLADES, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R 4 160.27	R 4 160.27
40.49	BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, LENGTH OF JAWS 18MM, SIZE 5MM, LENGTH 36 CM X2		R 9 890.26	R 9 890.26
40.50	MANHES GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, SINGLE ACTION JAWS, WITH MULTIPLE TEETH, WIDTH OF JAWS 4.8 MM, FOR ATRAUMATIC AND ACCURATE GRASPING, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF PLASTIC HANDLE, WITH RATCHET, WITH LARGER CONTACT AREA, METAL OUTER SHEATH, FORCEPS INSERT X1		R 9 960.88	R 9 960.88
40.51	KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R 1 855.08	R 1 855.08
40.52	FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R 10 161.15	R 10 161.15
40.53	UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM, X1		R 1 488.20	R 1 488.20
40.54	BIPOLAR CABLE X2		R 5 681.61	R 5 681.61
55.00	42271603-00000 PULMONARY FUNCTION UNIT STANDARD ACCESSORIES: SPIROMETRY SENSOR, CALIBRATION SYRINGE, MOUTH PIECES AND PRINTING PAPER	SCHILLER (SPIROSCOUT)	R 71 006.71	R 71 006.71
55.01	SPIROMETRY SENSOR		R 30 272.62	R 30 272.62
55.03	MOUTH PIECES		R 30.28	R 30.28
62.00	42295112-00003 THEATRE TABLE NEURO-SPINAL, ELECTRONICALLY OPERATED STANDARD ACCESSORIES: 62.01 UPTO 62.13	TRUMPF	R 1 718 952.57	R 1 718 952.57
62.01	GENERAL PURPOSE HEAD SUPPORT		R 25 832.26	R 25 832.26
62.02	ANAESTHETICS ARM BOARD X 1		R 7 703.50	R 7 703.50
62.03	SET OF LITHOTOMY POLES		R 12 309.03	R 12 309.03
62.04	1 SETS OF BEDSIDE RAIL CLAMPS		R 9 897.08	R 9 897.08
62.05	ANAESTHETIC SCREEN COMPLETE WITH CLAMPS		R 10 258.28	R 10 258.28
62.06	NEURO – SKULL CLAMP		R 44 473.83	R 44 473.83
62.07	NEURO – HORSE SHOE		R 31 493.45	R 31 493.45
62.08	NEURO – BASE UNIT		R 26 246.58	R 26 246.58
62.09	NEURO – SWIVEL ADAPTOR WITH CLAMPS		R 31 779.24	R 31 779.24
62.10	NEURO – CROSSBAR ADAPTOR		R 19 889.10	R 19 889.10
62.11	NEURO – WALL STORAGE UNIT		R 39 566.32	R 39 566.32
62.12	NEURO – HEAD REST ADAPTOR		R 19 086.20	R 19 086.20
62.13	1X POSTERIOR SPINAL ATTACHMENT CONSISTING OF A SELF-CONTAINED TRANSPORT SYSTEM, A COMPLETELY RADIOLUCENT TABLE TOP MADE UP OF A HEAD SUPPORT SYSTEM AS WELL AS AN ABDOMINAL SUPPORT SYSTEM ALL OF WHICH MUST BE ABLE TO MOVE LONGITUDINALLY TO ACCOMMODATE ADULT AND PEDIATRIC SIZE PATIENTS		R 819 514.87	R 819 514.87
62.14	FOOT SWITCH		R 81 963.33	R 81 963.33

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
62.15	ARM & HAND TABLE		R 45 728.02	R 45 728.02
62.16	SHOULDER PLATE		R 41 905.95	R 41 905.95
62.17	BACK SECTION EXT		Included in table	Included in table
62.18	HORSESHOE HEAD SUPPORT		R 36 659.46	R 36 659.46
64.00	42201709-00006 (Offer 1)	TOSHIBA XARIO 100 PLATINUM	R 574 623.40	R 574 623.40
	ECHOCARDIOGRAM MACHINE - LOW END ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY AND VASCULAR SOFTWARE), ADULT ECHO TRANSDUCER, PRINTER AND MOBILE TROLLEY			
	42201709-00006 (OFFER 2)	TOSHIBA XARIO 100 PLATINUM	R 708 774.87	R 708 774.87
	ECHOCARDIOGRAM MACHINE - LOW END ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY AND VASCULAR SOFTWARE), ADULT ECHO TRANSDUCER, PRINTER AND MOBILE TROLLEY			
64.02	LINEAR CAROTID TRANSDUCER PROBE		R 88 362.01	R 88 362.01
64.03	NON-IMAGING PENCIL PROBE		R 35 999.34	R 35 999.34
64.04	PAEDS ECHO TRANSDUCER		R 111 925.22	R 111 925.22
64.06	OBSTETRIC PROBE		R 98 556.36	R 98 556.36
64.07	VAGINAL PROBE		R 100 179.01	R 100 179.01
65.00	42201709-00006 (OFFER 1)	TOSHIBA APLIO 300	R 956 913.87	R 956 913.87
	ECHOCARDIOGRAM MACHINE - MID RANGE ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY, STRESS ECHOCARDIOGRAPHY AND FULL CARDIAC ECHOCARDIOGRAM SOFTWARE PACKAGE), 1X SECTOR TRANSDUCER (1.5 MHZ TO 5 MHZ), 1X SECTOR TRANSDUCER (4 MHZ TO 8 MHZ), 1X COMPLETE ECG CABLE, PRINTER WITH PRINTING PAPER, AND MOBILE TROLLEY			
65.00	42201709-00006 (OFFER 2)	TOSHIBA APLIO 400	R 1 112 147.01	R 1 112 147.01
	ECHOCARDIOGRAM MACHINE - MID RANGE ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY, STRESS ECHOCARDIOGRAPHY AND FULL CARDIAC ECHOCARDIOGRAM SOFTWARE PACKAGE), 1X SECTOR TRANSDUCER (1.5 MHZ TO 5 MHZ), 1X SECTOR TRANSDUCER (4 MHZ TO 8 MHZ), 1X COMPLETE ECG CABLE, PRINTER WITH PRINTING PAPER, AND MOBILE TROLLEY			
65.00	42201709-00006 (OFFER 3)	TOSHIBA APLIO 500	R 1 280 640.48	R 1 280 640.48
	ECHOCARDIOGRAM MACHINE - MID RANGE ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY, STRESS ECHOCARDIOGRAPHY AND FULL CARDIAC ECHOCARDIOGRAM SOFTWARE PACKAGE), 1X SECTOR TRANSDUCER (1.5 MHZ TO 5 MHZ), 1X SECTOR TRANSDUCER (4 MHZ TO 8 MHZ), 1X COMPLETE ECG CABLE, PRINTER WITH PRINTING PAPER, AND MOBILE TROLLEY			

ITEM NO	ITEM CODE & ACCESSORIES	BRAND NAME	OLD PRICE INCLUSIVE OF VAT UNTIL 31 MARCH 2021	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 APRIL 2021
65.02	A6 100 X SHEETS OF PRINTING PAPER		R 425.13	R 425.13
65.05	TWO FULL OFF-LINE WORK STATIONS WITH FULL REPORTING SYSTEMS		R 319 788.90	R 319 788.90
65.06	5.LINEAR CAROTID TRANSDUCER PROBE		R 105 568.46	R 105 568.46
65.07	6. NON-IMAGING PENCIL PROBE		R 35 999.34	R 35 999.34
65.08	OBSTETRIC PROBE		R 107 260.27	R 107 260.27
65.09	VAGINAL PROBE		R 100 279.01	R 100 279.01
66.00	42201709-00008 ECHOCARDIOGRAM MACHINE -WITH 34/4D CAPABILITY_TRANSOESOPHAGEAL (TEE) AND TRANSTHORACIC (TTE) ITEM SUPPLIED STANDARD WITH THE FOLLOWING CLINICAL APPLICATION SOFTWARES: (ADULT ECHOCARDIOGRAPHY, PAEDS ECHOCARDIOGRAPHY, STRESS ECHOCARDIOGRAPHY AND FULL CARDIAC ECHOCARDIOGRAM SOFTWARE PACKAGE), 1X SECTOR TRANSDUCER (1.5 MHZ TO 5 MHZ) , 1X SECTOR TRANSDUCER (4 MHZ TO 8 MHZ), 1X MATRIX TRANSDUCER FOR TRANSTHORACIC 4D / LIVE 3D ECHO, 1X MATRIX TRANESOPHAGEAL TRANSDUCER, 1X LINEAR CAROTID TRANSDUCER PROBE,1X COMPLETE ECG CABLE, PRINTER WITH PRINTING PAPER, MOBILE TROLLEY AND TWO FULL OFF-LINE WORK STATIONS WITH FULL REPORTING SYSTEMS	TOSHIBA APLIO I-700	R 4 126 615.39	R 4 126 615.39
66.02	A6 100 X SHEETS OF PRINTING PAPER		R 2 753.22	R 2 753.22
66.04	NON-IMAGING PENCIL PROBE		R 35 999.34	R 35 999.34
66.05	VAGINAL PROBE		R 107 260.27	R 107 260.27
66.06	OBSTETRIC PROBE		R 100 279.01	R 100 279.01

*In the event that an incorrect contract price adjustment was made during calculation, the State reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect contract price adjustment will be dealt with by the supplier and the relevant State Institution.



Brenda Mashifane

ICT & Security Services

For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

Date: 17 AUGUST 2021