



**Enquiries:** Nancy Ravhandalala **Ref:** RT274-2017 **Tel:** 012 406 9072 **email:** [transversal.contracting2@treasury.gov.za](mailto:transversal.contracting2@treasury.gov.za)

**ADDENDUM 6: - TO ALL PARTICIPANTS**

**TRANSVERSAL CONTRACT RT274-2017: SUPPLY AND DELIVERY OF HEARING AIDS EQUIPMENTS TO THE STATE.**

Audio Medi Hi-Tec prices have been adjusted on the following items effective 1 June 2020:

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-00056	Hearing aid, digitally programmable, analogue, behind the ear, for severe-profound hearing loss (70-90db), mpo: 131-140db, gain 60-80db, capacity for omnidirectionality, complete with mould, pack of 6 appropriately sized zinc air batteries with drying cup	R 1 815,79	R 2 405,46
42182419-00068	Hearing aids, ear level, each, mild trimmer digital	R 1 815,79	R 2 405,46
42182419-00084	Hearing aid, behind the ear, trimmer controlled digital, for moderate-severe hearing loss (40-70db), mpo: 121-130db, gain 51-65db, 1 program, excluding telecoil, 2 channels complete with mould or slim tube and dome, pack of 6 appropriately sized zinc air batteries with drying cup and capsule	R 1 815,79	R 2 405,46
42182419-00087	Hearing aid, behind the ear, trimmer controlled digital, for severe-profound hearing loss (70-90db), mpo: 130-140db, gain 66-80db, 1 programs, excluding telecoil, 2 channels complete with mould, pack of 6 appropriately sized zinc air batteries with drying cup and capsule	R 1 866,23	R 2 472,28
42182419-00081	Hearing aid, behind the ear, trimmer controlled digital, for mild-moderate hearing loss (25-55db), mpo: 100-120db gain 45-56db, 1 programs, excluding telecoil, 2 channels complete with mould or slim tube and dome, pack of 6 appropriately sized zinc air batteries with drying and cansule	R 2 017,54	R 2 672,73

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-00472	Hearing aid, behind the ear, digital, for moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 1 programme and 6 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 421,05	R 3 207,28
42182419-00480	Hearing aid, behind the ear, digital, for moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 2 programmes and 4 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 421,05	R 3 207,28
42182419-00482	Hearing aid, behind the ear, digital, for moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 2 programmes and 6 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 421,05	R 3 207,28
42182419-00470	Hearing aid, behind the ear, digital, for moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 1 programme and 4 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 421,05	R 3 207,28
42182419-00473	Hearing aid, behind the ear, digital, for moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 1 programme and 7 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 572,37	R 3 407,74
42182419-00176	Hearing aid, receiver in canal, digital, for mild moderate loss (25-55db), mpo 80-120, gain 45-56db, at least 2 programmes, excluding telecoil, 8 -10 channels, adaptive directionality with volume control and feedback management system, phasic system preferred) complete wit ric receiver of appropriately strenght and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax gaurd kit	R 2 804,39	R 3 715,11
42182419-00203	Hearing aid, in the ear/in the canal, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db, at least 2	R 3 026,32	R 4 009,11

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	programs, excluding telecoil 8-10 channels volume control, or option of disabling volume control, with speech enhancing/noise reduction (not overall gain reduction) algorithm. Feedback management system (phasic system preferred). Complete with a pack of 6 appropriately sized zinc air batteries, wax guard and dry aid kit		
42182419-00780	Hearing aid, behind the ear, digital, for mild to moderate hearing loss, (25-55db), mpo 112-120 spl, gain 45-56db with linear compression, with 1 programme and 2 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit	R 2 444,24	R 3 238,00
42182419-00105	Hearing aid, hearing aid, behind the ear, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db, at least 2 programs, excluding telecoil, 3-4 channels, no volume control, or option of disabling volume control, omni directionality and feedback management system (phasic system preferred). Complete with mould or slim tube and dome, a pack of 6 appropriate sized zinc air batteries and dry kit	R 2 774,12	R 3 675,01
42182419-00228	Hearing aid, behind the ear, digital, hearing aid with tinnitus retrainer for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db with volume control and with feedback management system, phasic system preferred complete with a pack of 6 appropriately sized zinc air batteries, dry aid and mould	R 3 412,68	R 4 520,94
42182419-009247	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, no wireless capabilities, without tinnitus management, with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 4 258,03	R 5 640,82
42182419-00485	Hearing aid, behind the ear, digital, for	R 4 196,49	R 5 559,30

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	moderate to severe hearing loss (40-70db), mpo 121-130db, gain 55-60db with agc , with 2 programmes and 10 channels, complete with mould and pack of 6 appropriately sized zinc-air batteries and dry aid kit		
42182419-00927	Digital BTE for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, no wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 5 570,44	R 7 379,44
42182419-009263	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, no wireless capabilities, without tinnitus management, with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 5 021,67	R 6 652,45
42182419009261	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, no wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit	R 5 844,82	R 7 742,92
42182419-00107	Hearing aid, behind the ear, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db, at least 2 programs, excluding telecoil, 3-4 channels, no volume control, or option of disabling volume control, adaptive directionality and feedback management system (phasic system preferred). Complete with mould or slim tube and dome, a pack of 6 appropriate sized zinc air batteries and dry kit.	R 2 301,01	R 3 048,26

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-00142	Hearing aid, behind the ear, digital, for severe-profound hearing loss (71-90db), mpo: 130-140db, gain 66-80db, at least 2 programs, excluding telecoil, 3-4 channels, adaptive directionality, volume control and feedback management system, (phasic system preferred). Complete with , a pack of 6 appropriately sized zinc air batteries and dry kit and mould	R 2 301,01	R 3 048,26
42182419-00201	Hearing aid, in the ear/in the canal, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db at least 2 programs, excluding telecoil 3-4 channels volume control, or option of disabling volume control adaptive directionality feedback management system. (phasic system preferred). Complete with a pack of 6 appropriately sized zinc air batteries, wax guard and dry aid kit	R 2 301,01	R 3 048,26
42182419-00973	Digital BTE for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 2 893,16	R 3 832,71
42182419-00202	Hearing aid, in the ear/in the canal, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db at least 2 programs, excluding telecoil, 5-7 channels volume control, or option of disabling volume control, with speech enhancing/noise reduction (not overall gain reduction) algorithm. Feedback management system . (phasic system preferred). Complete with a pack of 6 appropriately sized zinc air batteries, wax guard and dry aid kit	R 2 893,16	R 3 832,71
42182419-009266	Digital ITE/ITC for moderate-severe hearing loss (56-70db), MPO: 121-130db gain 51-65db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, with	R 2 893,16	R 3 832,71

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.		
42182419-009268	Digital ITE/ITC for moderate-severe hearing loss (56-70db), MPO: 121-130db gain 51-65db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, without tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 2 893,16	R 3 832,71
42182419-009234	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 2 893,16	R 3 832,71
42182419-009209	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit	R 4 120,83	R 5 459,07
42182419-009210	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit.	R 4 120,83	R 5 459,07

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-009211	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, without tinnitus management, with frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit	R 4 120,83	R 5 459,07
42182419-009212	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, without tinnitus management and no frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit.	R 4 120,83	R 5 459,07
42182419-009241	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 3 411,67	R 4 519,61
42182419-009242	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 3 411,67	R 4 519,61
42182419-009233	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding	R 3 411,67	R 4 519,61

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.		
42182419-009244	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, without tinnitus management, with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 3 411,67	R 4 519,61
42182419-009265	Digital ITE/ITC for moderate-severe hearing loss (56-70db), MPO: 121-130db gain 51-65db, at least 2 programs (excluding telecoil), 5-9 channels, IP 57 classification, feedback management, noise reduction / speech enhancement, singleband adaptive directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 3 411,67	R 4 519,61
42182419-00931	Digital BTE for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 4 302,41	R 5 699,61
42182419-00898	Hearing aid, behind the ear, digital, wireless, size 13 battery, for moderate - severe hearing loss (56-70dbhl), mpo:110-130db, gain up to 65db, 10-11 adjustable channels, at least 4 (four) programs, volume control, option of disabling volume control and program button, adaptive directionality, with feedback management system, phasic system preferred, with frequency shifting	R 4 302,41	R 5 699,61



ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	algorithm, that can be turned off, complete with mould, a pack of 6 (six) approximately sized		
42182419-009257	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 4 302,41	R 5 699,61
42182419-009258	Digital ITE/ITC for mild-moderate hearing loss (25-55db), MPO: 80-120db gain 45-56db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with mould or slim tube and dome, a pack of 6 appropriately sized zinc air batteries and dry aid kit.	R 4 302,41	R 5 699,61
42182419-009225	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and with frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit.	R 5 011,58	R 6 639,09
42182419-009226	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, with tinnitus management and no frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit	R 5 011,58	R 6 639,09

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-009227	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, without tinnitus management, with frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit.	R 5 011,58	R 6 639,09
42182419-009228	Digital RIC for severe-profound hearing loss (71-90db), MPO: 130-140db, gain 66-80db, at least 2 programs (excluding telecoil), 10+ channels, IP 57 classification, feedback management, noise reduction / speech enhancement, multiband directionality, wireless capabilities, without tinnitus management and no frequency-lowering. Complete with RIC Receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit	R 5 011,58	R 6 639,09
42182419-00118	Hearing aid, behind the ear, digital, for mild-moderate hearing loss (25-55db), mpo: 80-120db gain 45-56db, at least 2 programs, excluding telecoil, more than 10 channels, with volume control, speech enhancing/noise reduction (not overall gain reduction) algorithm and feedback management system (phasic system preferred). Complete with mould or slim tube and dome, a pack of 6 appropriate sized zinc air batteries and dry kit	R 7 342,85	R 9 727,44
42182419-00189	Hearing aid, receiver in canal, digital, for severe - profound hearing loss (71-90db), mpo 120-140, gain 66-80db, at least 2 programmes, excluding telecoil, more than 10 channels, adaptive directionality with volume control and feedback management system, phasic system preferred) complete with ric receiver of appropriate strength and open or closed dome, pack of 6 appropriately sized zinc air batteries, dry aid kit and wax guard kit	R 8 052,02	R 10 666,91
42182419-00233	Hearing aid, cross fitting, for contra lateral routing of signal, used to fit asymmetreceiver in canal, hearing loss complete with suitable batteries, earmould,	R 7 061,40	R 9 354,59

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	dry aid kit, cord and receiver		
42182419-00234	Hearing aid, bi- cross fitting, for contra lateral routing of signal, used to fit asymmetreceiver in canal, hearing loss complete with suitable batteries, earmould, dry aid kit, cord and receiver	R 7 061,40	R 9 354,59
42143521-0000	Adult tone hook replacement of adult sized hard curved plastic hook that connects the earmould to the hearing aid. (series)	R 50,44	R 66,82
42143521-0001	Earhook, behind the ear, each, for hearing aid	R 50,44	R 66,82
42143521-0003	Hook, adult tone, with damper replacement of adult sized hardcurved plastic hook with damper that connects the earmould to the hearing aid. (series)	R 50,44	R 66,82
42143521-0004	Hook, paediatric tone, replacement of paediatric, sized hard curved plastic hook that connects the earmould to the hearing aid. (series) must be compatible with item 42143521-0002 to 42143521-0000 and 0003	R 50,44	R 66,82
42182419-00271	Clip, metal, paediatric, that attaches to the hearing aid to ensure that the hearing aid does not get lost	R 141,23	R 187,09
42143504-00000	Earmold, micro, each, for hearing aid	R 232,02	R 307,36
42143504-00001	Earmold, silicon, each, for hearing aid	R 232,02	R 307,36
42143504-00002	Earmold, skeleton, hard acrylic, each, for hearing aid. Item 42143504-00002 to 42143504-00004 must be awarded as a series	R 232,02	R 307,36
42182419-00257	Earmoulds, each, hard acrylic, for hearing aid	R 232,02	R 307,36
42182419-00692	Mould, open canal, each, for hearing aid	R 232,02	R 307,36
42182419-00693	Mould, soft silicone, for hearing aid	R 232,02	R 307,36
42182419-00063	Wax guards, product specific, small plastic attachment for in-the-ear, in-the-canal and complete-in-canal hearing instruments for the prevention of wax blockages pack of 6	R 64,56	R 85,52

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-00198	Wax, guard kit, set, to fit receiver in canal	R 64,56	R 85,52
42182419-00190	Receiver, 35-45db, receiver in canal	R 825,18	R 1 093,15
42182419-00191	Receiver, 46-55db, receiver in canal	R 825,18	R 1 093,15
42182419-00192	Receiver, 56-65db, receiver in canal	R 825,18	R 1 093,15
42182419-00193	Receiver, 66 -70db, receiver in canal	R 825,18	R 1 093,15
42182419-00255	Dome, pack of 10, to fit slim tube, for hearing aid	R 240,08	R 318,04
42182419-00256	Dome, pack of 10 to fit receiver in canal, for hearing aid	R 240,08	R 318,04
42182419-00755	Dome, pack of 10, for open fit aid, for hearing aid	R 240,09	R 318,05
421824-00269		R 171,49	R 227,18
42182419-00760	Drying cup, capsule, set, for hearing aids	R 118,03	R 156,36
42182419-00762	Blower air, egg shaped, each, for hearing aids	R 136,18	R 180,4045
42182419-00905	Remote control, for digital wireless, behind the ear, hearing aid, each, volume and programme adjustment	R 1 284,17	R 1 701,20
42182419-00906	Assistive device, wireless, one device that includes the following: must connect hearing aid via bluetooth to cellphone, must make adjustments to volume and programmes on wireless hearing aid, must have microphone function for assisting user in noisy envi	R 1 711,89	R 2 267,82
42182419-00330	Hi pro box (usb): programmer for hearing aid serial com port rs232c, 9-pole, d range male (dte) connection, 1200 (default) 2400, 4800, 9600 or 19200 baud rate, 50/60 hz ac, 115v (88v - 132v) fuse, t100ma l/250 v: (176 -264v) fuse: t50ma l/250v, 40degc temperature, 90% relative humidity, power cable (2m,9-pole with 0-morderm), hardware installation guide and assistand must be provided	R 11 298,25	R 14 967,36
26111701-00016	Batteries, size, 675, each, for hearing aid	R 17,25	R 22,85
26111701-00017	Batteries, size, 13, each, for hearing aid	R 17,25	R 22,85
26111701-00018	Batteries, size, 312, each, for hearing aid	R 17,25	R 22,85

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
26111701-00019	Batteries, size, 10, each, for hearing aid	R 17,25	R 22,85
42182419-009330	One-channel portable audiometer capable of performing unmasked puretone air and bone conduction testing. Must come with earphones, bone conductor, response button and carrycase. Must test 125-8000Hz from 0-100db in increments of 5db. Must come with instruction manual. Multiple award, supplier must state power source and additional features and options.	R 40 149,12	R 53 187,55
42182419-009339	Hand-held tympanometry and acoustic reflex screener. Must have standard 226hz probe tone and must test reflexes at 250, 1000, 2000 and 4000Hz. Must include an internal printer, probe assembly, two rolls of paper, memory for at least 12 tests, carry case, instruction manual and box of eartips of at least six different sizes, with	R 60 021,93	R 79 514,07
42182419-009349	A hand-held portable unit capable of conducting screening dpoaes and automated abrs. Must consist of the hand-held screening unit, probe, system cables (USB to connect system to computer; ABR cable; power cable, charger unit and power cord, carry case, instruction manual, data management software CD and eartip accessory box, including probe replacement filters and 50 eartips of various sizes, including for babies. Must store at least 50 tests and have a built-in normative databases to	R 120 750,00	R 159 963,59
42182409-00010	Eartips, tympanometer, eartip kit 7-14mm kit containing a set of soft ear tips for insertion into the ear canal for immittance & ipsilateral reflex testing suitable for most tympanometers dimensions: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm , 25-30 durometer. Packing requirements: pack of 32 (4 of each size)	R 2 612,72	R 3 461,20
42182409-00011	Eartips, tympanometer, eartip kit 6-17mm kit containing a set of soft ear tips for insertion into the ear canal for immittance & contralateral reflex testing suitable for most tympanometers dimensions: 6mm, 8mm, 11mm, 13mm, 15mm, 17mm , 25-35 durometer package requirements: pack of 12 (2 of each size)	R 2 612,72	R 3 461,20

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-00064	Eartips, assorted sizes, for tympanometers	R 2 612,72	R 3 461,20
42182419-009371	Box of 50 reusable eartips in at least six different sizes, for testing baby to adult-sized ears. Must be compatible with awarded middle-ear analyser and tympanometer units. Multiple award	R 2 612,72	R 3 461,20
42182419-009383	Box of 50 reusable eartips in at least six different sizes, for testing baby to adult-sized ears. Must be compatible with awarded middle-ear analyser and tympanometer units. Multiple award	R 2 612,72	R 3 461,20
42182419-009360	Pair of 90db wall-mountable speakers with cable to connect to audiometer. Multiple award, must be compatible with awarded audiometers	R 16 644,72	R 22 050,09
42182419-009361	Adjustable earphone headset that complies with the requirements of ANSI S3.6 – 2010 and ISO389-1 section 4.3. Must have less than 1% harmonic distortion at 120db at 1000Hz. Must be compatible with awarded audiometers. Multiple award	R 9 734,65	R 12 895,98
42182419-009362	Paired insert earphones, compatible with awarded audiometer, ASSR, AEP or REM. Must consist of earphones, two replacement cables, 50 disposable eartips of various sizes and 213cm (7') cord with dual (left and right) 1/4" mono colour-coded phono plugs. Velcro clip, lanyard and neck loop must be provided for earphones for use with audiometer and REM. Multiple award	R 12 811,40	R 16 971,90
42182419-009364	Flexible metal headband with bone conductor and cable compatible with awarded audiometer or AEP on one end. Bone conductor must meet ANSI/ASA S3.6-2010 standard	R 9 200,00	R 12 187,70
42182419-009366	Roll of thermal paper for printing results of tympanometry testing. Multiple award, must be compatible with awarded tympanometers and tympanometer-combination machines	R 2 124,47	R 2 814,39
42182419-009372	Of thermal paper for printing results of real ear measurement. Multiple award, must be compatible with awarded hearing aid analyzer/ real ear measurement	R 2 124,47	R 2 814,39

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-009367	Packet of 500 mouldable foam inserts for insert phones. Must be available in small, medium and large sizes. Multiple award, must be compatible with audiometers	R 10 440,79	R 13 831,43
42182419-009378	Packet of 500 mouldable foam inserts for insert phones. Must be available in small, medium and large sizes. Multiple award, must be compatible with audiometers	R 10 440,79	R 13 831,43
42182419-009373	Printer compatible with awarded audiometer, to print patient test record. Must include spare printer cartridge, power cable and connection cable to audiometer. Multiple award	R 15 182,02	R 20 112,38
42182419-009374	Printer compatible with middle-ear analyser, to print results. Must include three rolls of thermal paper (if the printer uses this), spare printer cartridge (if it doesn't use thermal paper), connection cable and power cable. Multiple award	R 15 182,02	R 20 112,38
42182419-009376	Colour printer compatible with awarded REM and hearing aid analyser, to print test results. Must include spare printer cartridge, connection cable and power cable. Multiple award	R 3 530,70	R 4 677,29
42182409-00012	Eartips for oae machines. Otoacoustic emission (oae) probe tip kit for paediatric patients. Kit containing a set of probe tips for insertion into the ear canal for oae testing.	R 2 612,72	R 3 461,20
42182409-00013	Eartips for oae machines. Otoacoustic emission (oae) probe tip kit for adult patients. Kit containing a set of probe tips for insertion into the ear canal for oae testing	R 2 612,72	R 3 461,20
42182419-00066	Eartips, assorted sizes, for abr/assr machines	R 2 612,72	R 3 461,20
42182409-00019	Eartip, disposable, polyurethane foam, for use with tubal insert earphones & all evoked potential systems dimensions: 10mm packaging: 100	R 1 926,75	R 2 552,46
42182409-00020	Eartip, disposable, polyurethane foam, for use with tubal insert earphones & all evoked potential systems dimensions: 13mm packaging: 100	R 4 125,88	R 5 465,76

ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
42182419-009369	Packet of 50 soft eartips in assorted sizes for preterm and newborn babies and babies under 1 year of age. Must be compatible with awarded OAE units. Multiple award	R 1 260,96	R 1 670,45
42182419-009370	Of 50 soft eartips in assorted sizes for preterm and newborn babies and babies under 1 year of age. Must be compatible with awarded aep units. Multiple award	R 1 260,96	R 1 670,45
42182419-009379	Of 50 soft eartips in assorted sizes for preterm and newborn babies and babies under 1 year of age. Must be compatible with awarded oae units. Multiple award	R 1 260,96	R 1 670,45
42182419-009380	Packet of 50 soft eartips in assorted sizes for children and adults. Must be compatible with awarded OAE units. Multiple award	R 1 260,96	R 1 670,45
42182419-009381	Packet of 50 soft eartips in assorted sizes for preterm and newborn babies and babies under 1 year of age. Must be compatible with awarded AEP units. Multiple award	R 1 260,96	R 1 670,45
42182419-009382	Packet of 50 soft eartips in assorted sizes for children and adults. Must be compatible with awarded AEP/ASSR units. Multiple award	R 1 260,96	R 1 670,45
42182409-00023	Electrodes, disposable snap, for electrophysiologic testing diagnostic pack of 5	R 4 287,28	R 5 679,57
42182409-00024	Electrodes, disposable snap, for electrophysiologic testing screening abr pack of 3	R 1 543,42	R 2 044,64
42182409-00026	Electrodes, eeg cup, reusable, adult, electrodes & lead wires are durable electrode cup has consistent thickness & surface area easy to hold hub cup & hub interface design provides stability during recordings lead wires are tangle free, flexible, kink-resistant & strong. Dimensions 1m lead wire, 10m diameter cup silver of 87 durometer. Packaged as single unit	R 4 287,28	R 5 679,57
42182409-00027	Electrodes, eeg cup, reusable paediatric, electrodes & lead wires are durable electrode cup has consistent thickness & surface area easy to hold hub cup & hub interface design provides stability during	R 4 287,28	R 5 679,57



ITEM NUMBER	ITEM DESCRIPTION	OLD PRICE	NEW PRICE
	recordings lead wires are tangle free, flexible, kink-resistant & strong. Dimesnsions: 1m lead wire, 6mm diametere cup silver of 87 durometer. Packaged as a single unit.		
42182409-00025	Electrodes, disposable ep/eng snap, wet gel, pack of 20	R 1 462,72	R 1 937,73
42182419-009368	Pack of 100 disposable self-adhesive electrodes, either clip-on or snap-on, must be compatible with ABR and ASSR unit/module	R 1 462,72	R 1 937,73
42182419-009375	Colour printer compatible with OAE, AEP and ASSR, to print test results. Must include spare printer cartridge, connection cable and power cable. Multiple award	R 3 530,70	R 4 677,29

\*In the event that an incorrect contract price adjustment was made during calculation, the State reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect contract price adjustment will be dealt with by the supplier and the relevant State Institution.



**Nancy Ravhandalala**  
**ICT & Security Services**  
**For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING**  
**Date: 7 July 2020**