Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

12 February 2021

National Treasury
RT57-2019
Re: McCarthy (Pty) Ltd T/A Bidvest McCarthy Isuzu Converter pricing

No	RT57 Item Number	Description	Model	Converter Name	Pricing incl. VAT
82	RT57-03-00-01	Up to 1.5 Ton payload Platform LCV, Single or Extended cab. Fitted with a petrol/diesel engine, capacity up to 3,000cm³. Drop side load body.	NLR 150 (M110N87)	Saufewa Trading	34,408.00
83	RT57-03-00-02	Up to 1.5 Ton payload Platform LCV, Double cab. Fitted with a petrol/diesel engine, capacity up to 3,000cm³. (Petrol/Diesel) Drop side load body	NMR 250 CREW CAB AMT (M110N93)	Saufewa Trading	34,408.00
84	RT57-03-01-01	2 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3000cm3 and developing not less than 60kW (DIN). Drop side steel load body at least 3800 mm long.	NMR 250 (M110N88)	Saufewa Trading	51,635.00
85	RT57-03-01-02	3 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 77kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/001, (4,200mm x 2,000 x 380 mm)	NPR 300 (M110N94)	Saufewa Trading	53,799.30
85	RT57-03-01-02	3 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 77kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/001, (4,200mm x 2,000 x 380 mm)	NPR 300 (M110N94)	Kanu	52,305.45
85	RT57-03-01-02	3 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 77kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/001, (4,200mm x 2,000 x 380 mm)	Kuzer RKE 150	Saufewa Trading	53,799.30
86	RT57-03-01-03	4 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 90kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/002, (4,800mmx 2,000mm x 380mm)With the option of a crew cab.	NPR 400 (M110N98)	TFM	58,535.00
86	RT57-03-01-03	4 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 90kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/002, (4,800mmx 2,000mm x 380mm)With the option of a crew cab.	NPR 400 (M110N98)	Kanu	57,107.85
86	RT57-03-01-03	4 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4000cm3 and developing not less than 90kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/002, (4,800mmx 2,000mm x 380mm)With the option of a crew cab.	Kuzer RKE 150	TFM	58,535.00
87	RT57-03-01-04	5 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5000cm3 and developing not less than 110kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/003, (4,800mmx 2,300mm x 380mm) With the option of a crew cab	NQR 500 (M110NA1)	TFM	57,960.00
87	RT57-03-01-04	5 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5000cm3 and developing not less than 110kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/003, (4,800mmx 2,300mm x 380mm) With the option of a crew cab	Kuzer RKE 150	TFM	57,960.00

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

88	RT57-03-01-05	7 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/004, (6,400mmx 2,300mm x 460mm) With the option of a crew cab and/or Hydraulic Crane to be supplied by manufacturer	FSR 800 (M08FE9)	TFM	71,530.00
88	RT57-03-01-05	7 Ton payload Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/004, (6,400mmx 2,300mm x 460mm) With the option of a crew cab and/or Hydraulic Crane to be supplied by manufacturer	Kroner LKE 210 (H41)	TFM	71,530.00
89	RT57-03-01-06	10 Ton payload Platform Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11000cm3 and developing not less than 200kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/005, (7,200mmx 2,300mm x 460mm) With option of a crew cab and/or Hydraulic Crane to be supplied by manufacturer	FVZ 1400 (M080FH8/FI1)	TFM	71,530.00
89	RT57-03-01-06	10 Ton payload Platform Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11000cm3 and developing not less than 200kW (DIN). Drop side steel load body with four corner posts to specification SMV/90/HCV/005, (7,200mmx 2,300mm x 460mm) With option of a crew cab and/or Hydraulic Crane to be supplied by manufacturer	Quester CWE 330 (E24)	TFM	71,530.00
90	RT57-03-01-07	5 Ton payload Platform Truck 4x4, with dual rear wheels. Fitted with a diesel engine, capacity of 7900cm3 and developing not less than150kW (DIN) and 603N/m torque @1500rpm. Drop side steel load body with four corner posts to specification SMV/90/HCV/003,(4800mmx2300mmx380mm).With the option of a crew cab.	FTS 750 4X4 (M080FG6)	Saufewa Trading	64,078.00
91	RT57-03-01-08	7 Ton payload Platform Truck 4x4, with dual rear wheels. Fitted with a diesel engine, capacity of 7900cm3 and developing not less than150kW (DIN) and 603 N/m torque @1500rpm. Drop side steel load body with four corner post to specification SMV/90/HCV/004, (6,400mm x 2,300mm x 460mm) With the option of a crew cab.	FTS 750 4X4 (M080FG6)	Saufewa Trading	129,964.95
92	RT57-03-01-09	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with single cab and/or crew cab as per drawing.	NPR 400 (M110N98)	Smith Capital Equipment	518,017.50
92	RT57-03-01-09	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with single cab and/or crew cab as per drawing.	NPR 400 (M110N98)	Hyva	502,550.00
92	RT57-03-01-09	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with single cab and/or crew cab as per drawing.	Kuzer RKE 150	Smith Capital Equipment	518,017.50
92	RT57-03-01-09	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with single cab and/or crew cab as per drawing.	Kuzer RKE 150	Hyva	502,550.00
93	RT57-03-01-10	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with double cab, no crew cab.	NPR 400 CREW AMT (M110NA0)	Smith Capital Equipment	518,017.50
93	RT57-03-01-10	4 Ton payload Areal Platform Truck with dual rear wheels. Fitted with a diesel engine, capacity of 3800cm3 and developing not less than 90kW (DIN). 12 Meter reach, with double cab, no crew cab.	NPR 400 CREW AMT (M110NA0)	Hyva	506,000.00

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

94	RT57-03-02-01	7 Ton payload, 3.8m3 capacity Tipper Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN). 4,000m Long Steel Tipper load body to specification SMV/90/HCV/006. With optional electric hydraulic system to be supplied by manufacturer	FSR 800 SWB (M080FF0)	TFM	184,000.00
94	RT57-03-02-01	7 Ton payload, 3.8m3 capacity Tipper Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN). 4,000m Long Steel Tipper load body to specification SMV/90/HCV/006. With optional electric hydraulic system to be supplied by manufacturer	Kroner MKE 210 (H22)	TFM	184,000.00
95	RT57-03-02-02	8 Ton payload, 5.0m3 capacity Tipper Truck with dual rear wheels. Fitted with a diesel engine, capacity of 7900cm3 and developing not less than 170kW (DIN). 4,000m Long Steel Tipper load body to specification SMV/90/HCV/006.With optional electric hydraulic system to be supplied by manufacturer	FSR 800 SWB (M080FF0)	TFM	194,580.00
95	RT57-03-02-02	8 Ton payload, 5.0m3 capacity Tipper Truck with dual rear wheels. Fitted with a diesel engine, capacity of 7900cm3 and developing not less than 170kW (DIN). 4,000m Long Steel Tipper load body to specification SMV/90/HCV/006.With optional electric hydraulic system to be supplied by manufacturer	FSR 800 SWB (M080FF0)	Ticaserv	169,050.00
95	RT57-03-02-02	8 Ton payload, 5.0m3 capacity Tipper Truck with dual rear wheels. Fitted with a diesel engine, capacity of 7900cm3 and developing not less than 170kW (DIN). 4,000m Long Steel Tipper load body to specification SMV/90/HCV/006.With optional electric hydraulic system to be supplied by manufacturer	PKE 250 (H28)	TFM	169,280.00
96	RT57-03-02-03	10 Ton payload, 10.0m3 capacity Tipper Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11000cm3 and developing not less than 200kW (DIN). 5,000m Long Steel Tipper load body to specification SMV/90/HCV/006. With optional electric hydraulic system to be supplied by manufacturer	FVZ 1400 SWB (M080FH9/FI2)	TFM	256,795.00
96	RT57-03-02-03	10 Ton payload, 10.0m3 capacity Tipper Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11000cm3 and developing not less than 200kW (DIN). 5,000m Long Steel Tipper load body to specification SMV/90/HCV/006. With optional electric hydraulic system to be supplied by manufacturer	FVZ 1400 SWB (M080FH9/FI2)	Ticaserv	236,612.50
96	RT57-03-02-03	10 Ton payload, 10.0m3 capacity Tipper Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11000cm3 and developing not less than 200kW (DIN). 5,000m Long Steel Tipper load body to specification SMV/90/HCV/006. With optional electric hydraulic system to be supplied by manufacturer	Quester CWE 330 Dump (E23)	TFM	237,245.00
97	RT57-03-03-01	6,000 litre Water Tanker with dual rear wheels. Fitted with diesel engine, capacity of 5,600cm3 and developing not less than 150kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	FSR 800 (M08FE9)	TFM	272,435.00
97	RT57-03-03-01	6,000 litre Water Tanker with dual rear wheels. Fitted with diesel engine, capacity of 5,600cm3 and developing not less than 150kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	FSR 800 (M08FE9)	Ticaserv	228,763.75
97	RT57-03-03-01	6,000 litre Water Tanker with dual rear wheels. Fitted with diesel engine, capacity of 5,600cm3 and developing not less than 150kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	Kroner LKE 210 (H41)	TFM	272,435.00
98	RT57-03-03-02	12,000 litre Water Tanker with dual rear wheels on tandem axles. Fitted with diesel engine, capacity of 11,000cm3 and developing not less than 200kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	FVZ 1400 (M080FH8/FI1)	TFM	341,550.00
98	RT57-03-03-02	12,000 litre Water Tanker with dual rear wheels on tandem axles. Fitted with diesel engine, capacity of 11,000cm3 and developing not less than 200kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	FVZ 1400 (M080FH8/FI1)	Ticaserv	297,953.50

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

98	RT57-03-03-02	12,000 litre Water Tanker with dual rear wheels on tandem axles. Fitted with diesel engine, capacity of 11,000cm3 and developing not less than 200kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	FYH-33-360 TIPPER (M180FD8)	TFM	341,550.00
98	RT57-03-03-02	12,000 litre Water Tanker with dual rear wheels on tandem axles. Fitted with diesel engine, capacity of 11,000cm3 and developing not less than 200kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/008	Quester CWE 370 FC (E26)	TFM	316,250.00
99	RT57-03-03-03	18000 litre Water Tanker with dual rear wheels on tandem axles. Fitted with a diesel engine capacity of 12,500cm3 and developing not less than 300kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/009	FYH-33-360 TIPPER (M180FD8)	TFM	364,550.00
100	RT57-03-03-04	6000 litre Vacuum Sewerage Tanker with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/0013	FSR 800 (M08FE9)	TFM	349,600.00
100	RT57-03-03-04	6000 litre Vacuum Sewerage Tanker with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Elliptical tank manufactured to specification SMV/90/HCV/0013	Kroner LKE 210 (H41)	TFM	349,600.00
101	RT57-03-03-05	2000 litre, 4 Ton Payload, Refueling Tanker with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN). Tank manufactured to specification SMV/90/HCV/008	NPR 400 (M110N98)	TFM	342,700.00
101	RT57-03-03-05	2000 litre, 4 Ton Payload, Refueling Tanker with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN). Tank manufactured to specification SMV/90/HCV/008	Kuzer RKE 150	Saufewa Trading	342,700.00
102	RT57-03-03-06	6000 litre, Diesel Refueling Tanker with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Tank manufactured to specification SMV/90/HCV/008	FSR 800 (M08FE9)	TFM	381,558.50
102	RT57-03-03-06	6000 litre, Diesel Refueling Tanker with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Tank manufactured to specification SMV/90/HCV/008	Kroner LKE 210 (H41)	TFM	381,558.50
103	RT57-03-04-01	2.5 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 3900cm3 and developing not less than 77kW (DIN). Steel body manufactured to specification SMV/90/HCV/009	NPR 300 (M110N94)	Saufewa Trading	107,929.80
103	RT57-03-04-01	2.5 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 3900cm3 and developing not less than 77kW (DIN). Steel body manufactured to specification SMV/90/HCV/009	Kuzer RKE 150	Saufewa Trading	107,929.80
104	RT57-03-04-02	5 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 130kW (DIN). Steel body manufactured to specification SMV/90/HCV/010	NQR 500 (M110NA1)	TFM	125,350.00
104	RT57-03-04-02	5 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 130kW (DIN). Steel body manufactured to specification SMV/90/HCV/010	Kroner LKE 210 (H41)	TFM	125,350.00
105	RT57-03-04-03	7 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Steel body manufactured to specification SMV/90/HCV/011	FSR 800 (M08FE9)	TFM	138,138.00
105	RT57-03-04-03	7 Ton payload Laundry Van with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Steel body manufactured to specification SMV/90/HCV/011	Kroner LKE 210 (H41)	TFM	138,138.00
106	RT57-03-05-01	4 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN).	NPR 400 (M110N98)	Icecold Bodies	112,700.00

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

106	RT57-03-05-01	4 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN).	Kuzer RKE 150	Icecold Bodies	112,700.00
107	RT57-03-05-02	5 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 110kW (DIN).	NQR 500 (M110NA1)	Icecold Bodies	129,720.00
107	RT57-03-05-02	5 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 110kW (DIN).	Kroner LKE 210 (H41)	Icecold Bodies	129,720.00
108	RT57-03-05-03	7 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 130kW (DIN).	FSR 800 (M08FE9)	Icecold Bodies	145,130.00
108	RT57-03-05-03	7 Ton payload Refrigeration Truck with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 130kW (DIN).	Kroner LKE 210 (H41)	Icecold Bodies	145,130.00
109	RT57-03-06-01	5 Ton payload Rollback Truck with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 150kW (DIN). Steel load body to specification SMV/90/HCV/003	NQR 500 (M110NA1)	Saufewa Trading	319,834.55
109	RT57-03-06-01	5 Ton payload Rollback Truck with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 150kW (DIN). Steel load body to specification SMV/90/HCV/003	NQR 500 (M110NA1)	Kanu	299,000.00
109	RT57-03-06-01	5 Ton payload Rollback Truck with dual rear wheels. Fitted with a diesel engine capacity of 5000cm3 and developing not less than 150kW (DIN). Steel load body to specification SMV/90/HCV/003	Kroner LKE 210 (H41)	Saufewa Trading	319,834.55
110	RT57-03-06-02	10 Ton payload Rollback Truck with dual rear wheels on tandem axles. Fitted with a diesel engine capacity of 11000cm3 and developing not less than 200kW (DIN). Steel load body to specification SMV/90/HCV/005	FVZ 1400 - 6x4 (M080FH8/FI1)	Saufewa Trading	386,400.00
110	RT57-03-06-02	10 Ton payload Rollback Truck with dual rear wheels on tandem axles. Fitted with a diesel engine capacity of 11000cm3 and developing not less than 200kW (DIN). Steel load body to specification SMV/90/HCV/005	Quester CWE 330 (E24)	Saufewa Trading	386,400.00
111	RT57-03-07-01	3 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 77kW (DIN) and 285Nm @ 1900 rpm. Steel body manufactured to specification 803/00 and drawing number 1/008/91	NPR 300 (M110N94)	Saufewa Trading	164,906.55
111	RT57-03-07-01	3 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 77kW (DIN) and 285Nm @ 1900 rpm. Steel body manufactured to specification 803/00 and drawing number 1/008/91	Kuzer RKE 150	Saufewa Trading	178,250.00
112	RT57-03-07-02	3 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 77kW (DIN) and 285Nm @ 1900 rpm. 3 Compartment Steel body manufactured to specification 803/00 and drawing number 1/008/92	NPR 300 (M110N94)	Saufewa Trading	226,590.25
112	RT57-03-07-02	3 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 77kW (DIN) and 285Nm @ 1900 rpm. 3 Compartment Steel body manufactured to specification 803/00 and drawing number 1/008/92	Kuzer RKE 150	Saufewa Trading	238,090.25
113	RT57-03-07-03	4 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN) and 329Nm @ 1600 rpm. Steel body manufactured to specification 803/00 and drawing number 1/008/91	NPR 400 (M110N98)	Saufewa Trading	180,215.35
113	RT57-03-07-03	4 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN) and 329Nm @ 1600 rpm. Steel body manufactured to specification 803/00 and drawing number 1/008/91	Kuzer RKE 150	Saufewa Trading	191,715.35

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

114	RT57-03-07-04	4 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN) and 329Nm @ 1600 rpm. 3 Compartment Steel body manufactured to specification 803/00 and drawing number 1/008/92	NPR 400 (M110N98)	Saufewa Trading	226,590.25
114	RT57-03-07-04	4 Ton payload Riot Truck with dual rear wheels. Fitted with a diesel engine capacity of 3800cm3 and developing not less than 90kW (DIN) and 329Nm @ 1600 rpm. 3 Compartment Steel body manufactured to specification 803/00 and drawing number 1/008/92	Kuzer RKE 150	Saufewa Trading	238,090.25
115	RT57-03-07-05	7 Ton payload Prison Van with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Corrugated aluminium body manufactured to specification SMV/90/HCV/012	FSR 800 (M08FE9)	TFM	335,225.00
115	RT57-03-07-05	7 Ton payload Prison Van with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 150kW (DIN). Corrugated aluminium body manufactured to specification SMV/90/HCV/012	Kroner LKE 210 (H41)	TFM	335,225.00
116	RT57-03-08-01	4 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine, capacity of 3,800cm³ and developing not less than 90kW (DIN), automatic transmission.	NPR 400 AMT (M110N99/B2)	Saufewa Trading	164,862.85
116	RT57-03-08-01	4 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine, capacity of 3,800cm³ and developing not less than 90kW (DIN), automatic transmission.	NPR 400 AMT (M110N99/B2)	Kanu	199,743.50
116	RT57-03-08-01	4 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine, capacity of 3,800cm³ and developing not less than 90kW (DIN), automatic transmission.	FTR 850 (M080FH5)	Hyva	825,125.00
116	RT57-03-08-01	4 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine, capacity of 3,800cm³ and developing not less than 90kW (DIN), automatic transmission.	Kroner LKE 210 (H44)	Saufewa Trading	182,850.00
117	RT57-03-08-02	5 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine, capacity of 5,000cm³ and developing not less than 110kW (DIN), automatic transmission.	NQR 500 AMT (M110NA2)	Saufewa Trading	185,066.05
118	RT57-03-08-03	7 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 130kW (DIN). automatic transmission.	FTR 850 AMT (M080FH6)	Saufewa Trading	271,103.30
118	RT57-03-08-03	7 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 130kW (DIN). automatic transmission.	FTR 850 (M080FH5)	Hyva	810,175.00
118	RT57-03-08-03	7 Ton payload Refuse Truck single or double cab, with dual rear wheels. Fitted with a diesel engine capacity of 5600cm3 and developing not less than 130kW (DIN). automatic transmission.	Kroner PKE 250 (H37)	Saufewa Trading	271,103.30
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	FXZ 26-360 Auto (M180FC1)	TFM	715,875.00
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	FXZ 26-360 Auto (M180FC1)	Hyva	692,875.00
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	Quester CWE 330 (E44)	TFM	715,875.00
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	Quester CWE 330 (E44)	Hyva	692,875.00
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	FVZ 1400 Auto - 6x4 (M080FI0)	TFM	715,875.00
119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	FVZ 1400 Auto - 6x4 (M080FI0)	Hyva	692,875.00

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

119	RT57-03-08-04	10 Ton payload Refuse Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission.	FXZ 28-360 Compactor Auto (M180FE7)	TFM	1,248,499.80
120	RT57-03-09-01	7 Ton payload Hook Lift Truck, with dual rear wheels. Fitted with a diesel engine, capacity of 5,600cm³ and developing not less than 130kW (DIN), manual or automatic transmission, with roll–on–off option.	FTR 850 (M080FH5)	TFM	376,625.00
120	RT57-03-09-01	7 Ton payload Hook Lift Truck, with dual rear wheels. Fitted with a diesel engine, capacity of 5,600cm³ and developing not less than 130kW (DIN), manual or automatic transmission, with roll–on–off option.	Kroner PKE 250 (H30)	TFM	363,975.00
121	RT57-03-09-02	10 Ton payload Hook Lift Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission, with roll–on–off option.	FVZ 1400 Auto - 6x4 (M080FI0)	TFM	459,425.00
121	RT57-03-09-02	10 Ton payload Hook Lift Truck, with dual rear wheels on tandem axles (6x4). Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN), automatic transmission, with roll–on–off option.	Quester CWE 330 (E44)	TFM	459,425.00
122	RT57-03-10-01	20 Ton Truck Tractor, no sleeper cab, with dual rear wheels on single axle. Fitted with a diesel engine, developing not less than 230kW (DIN). GCM equal to or not less than 45,500kg	GXR 40-360 (M180FC4)	N/A	0.00
124	RT57-03-10-03	30 Ton Truck Tractor, no sleeper cab, with dual rear wheels on tandem axles. Fitted with a diesel engine, developing not less than 320kW (DIN). GCM equal to or not less than 57,000kg.	Quester GWE 440 (E54)	N/A	0.00
130	RT57-03-11-01	10 Ton payload, 6.0m³ capacity Concrete Mixer Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN).	FXZ 26 360 Mixer (M180FD2)	TFM	473,225.00
131	RT57-03-12-01	4 Ton payload Chassis Cab Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4,000cm³ and developing not less than 90kW (DIN).	NPR 400 (M110N98)	N/A	0.00
131	RT57-03-12-01	4 Ton payload Chassis Cab Truck with dual rear wheels. Fitted with a diesel engine, capacity of 4,000cm³ and developing not less than 90kW (DIN).	NPR 400 CREW AMT (M110NA0)	N/A	0.00
132	RT57-03-12-02	5 Ton payload Chassis Cab Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5,000cm³ and developing not less than 110kW (DIN). Single or double cab	NQR 500 (M110NA1)	N/A	0.00
133	RT57-03-12-03	7 Ton payload, Chassis Cab Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN)	FSR 800 (M08FE9)	N/A	0.00
133	RT57-03-12-03	7 Ton payload, Chassis Cab Truck with dual rear wheels. Fitted with a diesel engine, capacity of 5600cm3 and developing not less than 130kW (DIN)	FTR 850 (M080FH5)	N/A	0.00
134	RT57-03-12-04	10 Ton payload Chassis Cab Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN).	FVM 1200 - 6x2 (M080FH4)	N/A	0.00
134	RT57-03-12-04	10 Ton payload Chassis Cab Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN).	FVZ 1400 - 6x4 (M080FH8/FI1)	N/A	0.00
134	RT57-03-12-04	10 Ton payload Chassis Cab Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN).	FYH-33-360 TIPPER (M180FD8)	N/A	0.00
134	RT57-03-12-04	10 Ton payload Chassis Cab Truck with dual rear wheels on tandem axles. Fitted with a diesel engine, capacity of 11,000cm³ and developing not less than 200kW (DIN).	FXZ 26-360 (M180FB5/6)	N/A	0.00
168	RT57-05-50-35	Bus, 32 - 35 seater, (Diesel) , 110KW Minimum	NQR 500 (M110NB4/M110NA1)	Busmark	Complete Bus from Isuzu Motors

Bidvest McCarthy Isuzu
1991/003245/07

N4 Gateway Industrial Park
17 Amatole Road
Pretoria East
Tel: (012) 003 3092
www.mccarthyisuzutrucks.co.za

168	RT57-05-50-35	Bus, 32 - 35 seater, (Diesel) , 110KW Minimum	NQR 500 AMT	Busmark	Complete Bus from Isuzu Motors
169	RT57-05-50-50	Bus, 48 - 50 seater, (Diesel) 170KW Minimum	FSR 800 (M080FE9)	Busmark	Complete Bus from Isuzu Motors
169	RT57-05-50-50	Bus, 48 - 50 seater, (Diesel) 170KW Minimum	FSR 800 AMT (M080FF8))	Busmark	Complete Bus from Isuzu Motors
170	RT57-05-50-51	Luxury Bus, 45 - 50 seater, (Diesel) 180KW Minimum, including air conditioner	FTR 850	Busmark	Complete Bus from Isuzu Motors
170	RT57-05-50-51	Luxury Bus, 45 - 50 seater, (Diesel) 180KW Minimum, including air conditioner	FTR 850 AMT	Busmark	Complete Bus from Isuzu Motors
171	RT57-05-50-60	Bus, 60 seater, (Diesel) 180KW Minimum	FTR 850	Busmark	Complete Bus from Isuzu Motors
171	RT57-05-50-60	Bus, 60 seater, (Diesel) 180KW Minimum	FTR 850 AMT	Busmark	Complete Bus from Isuzu Motors
173	RT57-05-50-62	Bus, 61-65 seater, (Diesel) 180kW minimum	FVR 900	Busmark	Complete Bus from Isuzu Motors