

Item Code	Item Description	Supplier	Quantity	End-user	Cost of B, F & A	Cost of Valve	Brand
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop

25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Eastern Cape Province	Fitting & Balancing= R228.00	N/A	Apollo
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Northern Cape Province	Fitting & Balancing= R228.01	N/A	Apollo
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Northern Cape Province	Fitting & Balancing= R228.02	N/A	Apollo
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Free State Province	Fitting & Balancing= R228.03	N/A	Apollo

25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Western Cape Province	Fitting & Balancing= R228.04	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R228.05	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R228.06	N/A	Apollo
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Northern Cape Province	Fitting & Balancing= R171.00	N/A	Apollo

25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg

25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Gauteng Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting Only= R912	R114.00 per Rubber Valve	General
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting Only= R912	R114.00 per Rubber Valve	General
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL, DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo

25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Mpumalanga Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop

25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Kwazulu-Natal Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R228	R114.00 per Rubber Valve	1
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL,DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL,DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL,DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo

25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Limpopo Province	Fitting & Balancing=R228.00	N/A	Apollo

25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R228.01	N/A	Apollo
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	1
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Mpumalanga Province	Fitting only= R399	R114.00 per Rubber Valve	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo

25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL,DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL,DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL,DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo

25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Gauteng Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R228.00	N/A	Apollo

25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Free State Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	North West Province	N/A	N/A	N/A
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Northern Cape Province	N/A	N/A	N/A
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Limpopo Province	N/A	N/A	N/A
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	North West Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo

25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL, DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	North West Province	Fitting & Balancing=R228.00	N/A	Apollo
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00030	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING H/V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00023	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R228	R114.00 per Rubber Valve	Apollo

25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting Only= R912	R114.00 per Rubber Valve	General
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL, DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00127	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 245/70, SPEED RATING T, STEEL RADIAL, DIAMETER 16, LOAD RATING 111/109, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Northern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00080	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Eastern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00124	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Eastern Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00072	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop

25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00066	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00029	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING T, STEEL RADIAL, DIAMETER 15, LOAD RATING 88, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Eastern Cape Province	N/A	N/A	N/A
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00004	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00006	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00015	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Northern Cape Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Free State Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting only=R228	R114.00 per Rubber Valve	Apollo

25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting only=R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Kwazulu-Natal Province	Fitting only=R228	R114.00 per Rubber Valve	Trelleborg
25172503-00135	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting only=R228	R114.00 per Rubber Valve	Trelleborg
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo

25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting only=R399	R114.00 per Rubber Valve	Apollo
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00114	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 245/75, SPEED RATING S, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	MALAS	1	Western Cape Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R228.00	N/A	Apollo

25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Western Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Mpumalanga Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear

25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00017	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Dunlop
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00024	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00028	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING V/H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Mpumalanga Province	N/A	N/A	N/A
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Free State Province	N/A	N/A	N/A
25172509-00042	TUBE, EARTMOVER, 14.5/15 TR78A	MALAS	1	Kwazulu-Natal Province	N/A	N/A	N/A
25172504-00031	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	North West Province	Fitting & Balancing=R228	R114.00 per Rubber Valve	Dunlop

25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Eastern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	MALAS	1	Limpopo Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Gauteng Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Kwazulu-Natal Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00181	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Western Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172504-00005	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 83, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	MALAS	1	Limpopo Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo

25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R171.00	N/A	Apollo

25172503-00123	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 380/55, CROSSPLY, DIAMETER 17, PLY 8, LOAD RATING 146/143, UTILISATION OFF-ROAD	MALAS	1	Gauteng Province	Fitting Only= R228	R114.00 per Rubber Valve	Trelleborg
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Free State Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	Mpumalanga Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	MALAS	1	North West Province	Fitting Only= R399	R114.00 per Rubber Valve	Apollo
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing=R228.00	N/A	Apollo

25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	North West Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	MALAS	1	Limpopo Province	Fitting & Balancing=R228.00	N/A	Apollo
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 16, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing=R228.00	N/A	Apollo
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Mpumalanga Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00106	TYRE, PASSENGER, CONVENTIONAL, WIDTH 265/65, SPEED RATING T, STEEL RADIAL, DIAMETER 17, LOAD RATING 112, UTILISATION HIGHWAY	MALAS	1	Western Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00121	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 106/104, UTILISATION HIGHWAY	MALAS	1	Limpopo Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava

25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00122	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 109/107, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Goodyear
25172504-00073	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.01	R12.00 per Rubber Valve	Sava
25172504-00075	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 94, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.02	R12.00 per Rubber Valve	Sava
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00034	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 13, LOAD RATING , UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Eastern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava

25172504-00035	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Gauteng Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Free State Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	MALAS	1	Kwazulu-Natal Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava
25172504-00046	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/50, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 82, UTILISATION HIGHWAY	MALAS	1	Northern Cape Province	Fitting & Balancing= R69.00 per tyre & Alignment= R285.00	R12.00 per Rubber Valve	Sava