

Item Code	Item Description	Supplier	Quantity	Amount	End-user	Cost of B, F & A	Cost of V	Brand
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 439.13	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 439.13	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 537.03	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 022.27	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 6 001.27	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 582.51	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 582.51	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 419.55	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00025	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12.5, SPEED RATING G, STEEL RADIAL, DIAMETER 20, PLY 16, LOAD RATING 139, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	RETRIC TRADING	1	R 3 103.43	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 859.12	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 728.57	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 3 916.00	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 840.52	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 938.42	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 2 036.32	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 713.25	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 577.61	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 587.40	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 587.40	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 3 916.00	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 3 916.00	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 2 036.32	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 867.87	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 867.87	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 609.67	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 707.57	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 707.57	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 630.67	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 630.67	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 6 001.27	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 341.23	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 3 945.37	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 3 945.37	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL,DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 076.90	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 272.70	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 370.60	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00025	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12.5, SPEED RATING G, STEEL RADIAL, DIAMETER 20, PLY 16, LOAD RATING 139, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	RETRIC TRADING	1	R 3 103.43	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 713.25	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 805.47	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 826.47	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 630.67	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 903.37	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 903.37	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 022.27	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 3 945.37	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00049	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1100, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 150, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	RETRIC TRADING	1	R 489.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00025	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12.5, SPEED RATING G, STEEL RADIAL, DIAMETER 20, PLY 16, LOAD RATING 139, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	RETRIC TRADING	1	R 3 103.43	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 054.92	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00089	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 225/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00089	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 225/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 076.90	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 577.61	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 805.47	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 609.67	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 707.57	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 778.31	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 341.23	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 4 728.57	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 6 001.27	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 734.44	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 538.64	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 636.54	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 636.54	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 957.02	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 272.70	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 419.55	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 609.67	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 826.47	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 728.57	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 3 916.00	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 938.42	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 903.37	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 734.44	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 734.44	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00123	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 255/65, SPEED RATING H/T, STEEL RADIAL, DIAMETER 17, LOAD RATING 110, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 370.60	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00089	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 225/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 979.00	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 979.00	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 076.90	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 965.77	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 965.77	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00143	TYRE, GRADER, CONVENTIONAL, WIDTH 17.5/G3, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	RETRIC TRADING	1	R 6 735.52	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 840.52	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 537.03	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 537.03	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00099	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 36, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 022.27	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 4 728.57	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 636.54	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 054.92	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 859.12	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 957.02	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 054.92	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING ZW, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 979.00	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING VW, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00099	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING V/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00173	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 013.90	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 769.97	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 867.87	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 582.51	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 4 538.64	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 859.12	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00028	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION STEER, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 957.02	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00087	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 251.70	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00098	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING V/W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 160.12	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00083	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 713.25	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00085	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 99, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00158	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 26.5, CROSSPLY, DIAMETER 25, PLY 40 LOAD RATING 152/148,	RETRIC TRADING	1	R 5 805.47	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	RETRIC TRADING	1	R 4 728.57	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00174	TYRE, MILITARY, RUN FLAT, WIDTH 1400R20 M, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION BUSH	RETRIC TRADING	1	R 4 111.80	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00143	TYRE, GRADER, CONVENTIONAL, WIDTH 17.5/G3, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	RETRIC TRADING	1	R 6 735.52	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 840.52	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 2 036.32	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00147	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 152/148, UTILISATION LUG (SWU)	RETRIC TRADING	1	R 1 938.42	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 965.77	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	RETRIC TRADING	1	R 30 769.97	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00109	TYRE, CONVENTIONAL, WIDTH 1800/25, CROSSPLY, DIAMETER , PLY 16, LOAD RATING 152/148, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 5 805.47	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL,DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 778.31	Eastern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL,DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 778.31	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00129	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 205/70, SPEED RATING R, STEEL RADIAL, DIAMETER 15, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	Kwazulu-Natal Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00130	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195, SPEED RATING N/S, STEEL RADIAL, DIAMETER 14, PLY 6, LOAD RATING 106/104, UTILISATION HIGHWAY	RETRIC TRADING	1	R 680.41	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 341.23	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00090	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 1 439.13	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172503-00100	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 38, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	RETRIC TRADING	1	R 4 728.57	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 468.50	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00101	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 664.30	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00102	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00103	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00104	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/45, SPEED RATING Z/Y, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 478.29	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 674.09	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00105	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 576.19	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 958.00	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00086	TYRE, PASSENGER, CONVENTIONAL, WIDTH 275/35, SPEED RATING Y, STEEL RADIAL, DIAMETER 20, LOAD RATING 102, UTILISATION HIGHWAY	RETRIC TRADING	1	R 2 349.60	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00091	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 174.80	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00092	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00093	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Northern Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00094	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING V, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 783.20	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00095	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/50, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 89, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 685.30	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00096	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING Z/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 881.10	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 577.61	Gauteng Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00097	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 85, UTILISATION HIGHWAY	RETRIC TRADING	1	R 587.40	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00100	TYRE, PASSENGER, CONVENTIONAL, WIDTH 255/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 88, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 566.40	Free State Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 419.55	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 517.45	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00071	TYRE, PASSENGER, RUN FLAT, WIDTH 255/45, SPEED RATING W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 615.35	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	North West Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 062.22	Mpumalanga Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	RETRIC TRADING	1	R 1 258.02	Western Cape Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone
25172504-00058	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 285/45, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 111, UTILISATION HIGHWAY	RETRIC TRADING	1	R 489.50	Limpopo Province	R820	R 70	Firestone/Sava/General/Goodyear/Yokohama/Bridgestone

B=Balancing
A=Alignment
F=Fitment

V=Valve