

Item Number	Item Description	Supplier	Quantity	Ordering Amount	End-user	Cost of B, F &	Cost of Valve	Brand
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 4 173.00	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop
25172503-00072	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 2 812.88	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172503-00073	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 12.4/11, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 3 534.38	Eastern Cape Province	Balancing=R57.00, Fitment=R57.00 & Alignment=R250.00	N/A	Dunlop
22101536-00002	O RING, 25.5/25	ALICE TYRE CENTRE	1	R 55.58	Eastern Cape Province	N/A	N/A	Dunlop
25172504-00002	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING 69, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 570.38	Eastern Cape Province	Balancing=R57.00, Fitment=R57.00 & Alignment R250	R11.40	Dunlop
25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	ALICE TYRE CENTRE	1	R 7 210.13	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172503-00020	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 4 338.75	Eastern Cape Province	Fitting= R171.00	N/A	Dunlop

25172503-00007	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, STEEL RADIAL, DIAMETER 20, PLY 12, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 3 592.88	Eastern Cape Province	Fitting= R171.00	N/A	Dunlop
25172504-00070	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/45, SPEED RATING V/W, STEEL RADIAL, DIAMETER 17, LOAD RATING 98, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 970.13	Eastern Cape Province	Balancing=R57.00, Fitment=R57.00 & Aignment= R250	N/A	Sumitomo
25172503-00141	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G3, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, CHEVRON, UTILISATION ROAD	ALICE TYRE CENTRE	1	R 7 502.63	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172503-00142	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G3, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	ALICE TYRE CENTRE	1	R 7 502.63	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop
25172503-00083	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 3 168.75	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172503-00088	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 6 459.38	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 7 405.13	Eastern Cape Province	Fitment=R250.00	N/A	Apollo

25172503-00078	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 4 533.75	Eastern Cape Province	Fitment= R250	N/A	Apollo
25172503-00008	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, STEEL RADIAL, DIAMETER 20, PLY 14, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 3 592.88	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 1 413.75	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop
25172503-00062	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 1 428.38	Eastern Cape Province	Fitting=R57.00	N/A	Apollo
25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 570.38	Eastern Cape Province	Balancing=R57.00, Fitment=R57.00 & Alignment R250	R11.40	Dunlop
25172503-00139	TYRE, GRADER, CONVENTIONAL, WIDTH 1300/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	ALICE TYRE CENTRE	1	R 6 337.50	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 1 413.75	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop

25172503-00075	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 3 826.88	Eastern Cape Province	Fitment=R250.00	N/A	Apollo
25172504-00047	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 15, LOAD RATING 93, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 828.75	Eastern Cape Province	Balancing=R57.00, Fitment=R57.00 & Alignment R250	R11.40	Dunlop
25172503-00055	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, STEEL RADIAL, DIAMETER 22.5, LOAD RATING 144/142, AXLE POSITION, UTILISATION OFF-ROAD	ALICE TYRE CENTRE	1	R 4 177.88	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	ALICE TYRE CENTRE	1	R 2 242.50	Eastern Cape Province	Fitment=R171.00	N/A	Dunlop

B=Balancing V=Valve
F=Fitment
Alignment