

Item Code	Item Description	Supplier	Quantity	Amount	End-user	Cost of B, F & A	Cost of V	Brand
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 760.50	Eastern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 760.50	Northern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 741.00	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 750.75	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 750.75	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	R 2 145.00	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRIS E	1	R 5 947.50	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 588.35	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 588.35	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	NZEMENI TRADING ENTERPRISE	1	R 989.63	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00009	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/80, SPEED RATING T, STEEL RADIAL, DIAMETER 14, REINFORCED, LOAD RATING 102/100, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00156	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION LUG (SWU)	NZEMENI TRADING ENTERPRISE	1	R 3 461.25	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 760.50</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 750.75</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 741.00</b>	North West Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 760.50</b>	Western Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00047	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 385/65, SPEED RATING K, STEEL RADIAL, DIAMETER 22, PLY 10, LOAD RATING 160, AXLE POSITION STEER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 588.35</b>	Gauteng Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 2 242.50</b>	North West Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	<b>R 6 045.00</b>	Eastern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	NZEMENI TRADING ENTERPRISE	1	<b>R 989.63</b>	Mpumalanga Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	<b>R 4 783.35</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 783.35</b>	Western Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	NZEMENI TRADING ENTERPRISE	1	<b>R 128.70</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 783.35</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 685.85</b>	Limpopo Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 685.85</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00045	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00047	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 385/65, SPEED RATING K, STEEL RADIAL, DIAMETER 22, PLY 10, LOAD RATING 160, AXLE POSITION STEER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 588.35	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 741.00	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 735.50	Eastern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 716.00	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 725.75	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 5 947.50	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 828.75	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00161	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4, LOAD RATING 141/137, STEEL RADIAL, DIAMETER 34	NZEMENI TRADING ENTERPRISE	1	R 2 145.00	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 588.35	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 741.00	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 735.50	Northern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 725.75	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 725.75	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 735.50	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 760.50	Northern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 750.75	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 5 850.00	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 2 145.00	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 828.75	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172504-00009	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/80, SPEED RATING T, STEEL RADIAL, DIAMETER 14, REINFORCED, LOAD RATING 102/100, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 4 784.33	Eastern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 4 588.35	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 783.35	Eastern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	Gauteng Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 750.75	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 750.75	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone



25172503-00047	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 385/65, SPEED RATING K, STEEL RADIAL, DIAMETER 22, PLY 10, LOAD RATING 160, AXLE POSITION STEER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 5 947.50	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 6 045.00	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 2 145.00	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 2 145.00	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 2 437.50	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 633.75	Mpumalanga Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 633.75	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 633.75	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 828.75	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 731.25	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 750.75	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 760.50	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	R 5 947.50	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirelli/Yokohama/Bridgestone/Goodyear/Firestone

25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 2 437.50	Eastern Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Free State Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Western Cape Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00047	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 385/65, SPEED RATING K, STEEL RADIAL, DIAMETER 22, PLY 10, LOAD RATING 160, AXLE POSITION STEER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Limpopo Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00047	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 385/65, SPEED RATING K, STEEL RADIAL, DIAMETER 22, PLY 10, LOAD RATING 160, AXLE POSITION STEER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 4 685.85	Kwazulu-Natal Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	R 1 901.25	North West Province	R 820	R 70.00	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 760.50</b>	Eastern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 741.00</b>	Free State Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 741.00</b>	Western Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 741.00</b>	Gauteng Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00058	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 750.75</b>	Mpumalanga Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 1 716.00</b>	North West Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00059	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 9, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRIS E	1	<b>R 1 725.75</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	<b>R 6 045.00</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 828.75</b>	Mpumalanga Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00165	TYRE, MILITARY, CONVENTIONAL, WIDTH 1400, STEEL RADIAL, DIAMETER 20, PLY 18, LOAD RATING 141/137, UTILISATION DUAL PURPOSE	NZEMENI TRADING ENTERPRISE	1	<b>R 4 685.85</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00171	TYRE, MILITARY, CONVENTIONAL, WIDTH 335/80, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 147, AXLE POSITION ALL, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 783.35</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	NZEMENI TRADING ENTERPRISE	1	<b>R 989.63</b>	Free State Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	NZEMENI TRADING ENTERPRISE	1	<b>R 989.63</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 741.00</b>	Mpumalanga Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00057	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 195/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 107/105, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 741.00</b>	Kwazulu-Natal Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

25172503-00060	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 141/137, AXLE POSITION TRAILER, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 760.50</b>	Eastern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 4 783.35</b>	Eastern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172503-00023	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 14.5, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION MULTI PURPOSE	NZEMENI TRADING ENTERPRISE	1	<b>R 5 850.00</b>	North West Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 2 242.50</b>	Gauteng Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00057	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 255/50, SPEED RATING R, STEEL RADIAL, DIAMETER 19, LOAD RATING 103, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 2 437.50</b>	Northern Cape Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone
25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	NZEMENI TRADING ENTERPRISE	1	<b>R 633.75</b>	Free State Province	R 820	<b>R 70.00</b>	Dunlop/Continental/General/Pirrelli/Yokohama/Bridgestone/Goodyear/Firestone

B=Balancing      V=Valve  
F=Fitment  
A=Alignment