



# **national treasury**

Department:  
National Treasury  
REPUBLIC OF SOUTH AFRICA

**Enquiries:** Ngwato Nkuna **Tel:** 012 315 5802 **Fax:** 012 315 5058 ; **Email:** [Ngwato.nkuna@treasury.gov.za](mailto:Ngwato.nkuna@treasury.gov.za)

## **PHILEZA TYRES VAT INCREASE**

**CONTRACT RT69-2016: SUPPLY, DELIVERY, FITMENT AND BALANCING OF TYRES AND TUBES TO THE STATE FOR PERIOD ENDING 30 JUNE 2018**

**VALUE ADDED TAX (VAT) ADJUSTMENT TO 15%**

**The effective date is 01 April 2018**

The Minister of Finance in his 2018 budget speech has introduced tax proposals designed to generate additional tax revenue for 2018/19 financial year. One of the tax proposals is an increase in the value-added tax (VAT) rate from 14% to 15%.

The National Treasury has therefore adjusted contract prices with the latest VAT value of 15% accordingly.

In the event that an incorrect price adjustment was made during the calculation of the contract price adjustment to take into account the new rate of 15%, the state reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect adjustment will be dealt with by the supplier and the relevant end-user department.

Yours faithfully

**NGWATO NKUNA**  
**For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING**  
**OFFICE OF THE CHIEF PROCUREMENT OFFICER**

DATE: 2018-04-24

PHILEZA TYRES VAT INCREASE RT69-2016

Item Code	Item Description	Quantity	End-user	Old Price	New Price
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Limpopo Province	R 4 294.39	R 4 332.06
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Eastern Cape Province	R 1 138.38	R 1 148.37
25172503-00083	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Kwazulu-Natal Province	R 3 207.14	R 3 235.27
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Kwazulu-Natal Province	R 7 514.51	R 7 580.43
25172509-00052	FLAP, INNER TUBE, COMMERCIAL, 24	1	Free State Province	R 105.64	R 106.57
25172509-00052	FLAP, INNER TUBE, COMMERCIAL, 24	1	Limpopo Province	R 105.64	R 106.57
25172509-00066	TUBE, IMPLEMENT, 600/16	1	Eastern Cape Province	R 74.92	R 75.58
25172509-00066	TUBE, IMPLEMENT, 600/16	1	Gauteng Province	R 74.92	R 75.58
25172509-00066	TUBE, IMPLEMENT, 600/16	1	Free State Province	R 74.92	R 75.58
25172503-00055	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, STEEL RADIAL, DIAMETER 22.5, LOAD RATING 144/142, AXLE POSITION, UTILISATION OFF-ROAD	1	Free State Province	R 4 294.39	R 4 332.06
25172503-00061	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	1	Western Cape Province	R 1 094.56	R 1 104.16
25172503-00075	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	North West Province	R 3 882.65	R 3 916.71
25172503-00075	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Mpumalanga Province	R 3 882.65	R 3 916.71
25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Western Cape Province	R 4 591.44	R 4 631.72
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Northern Cape Province	R 66.75	R 67.34
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Mpumalanga Province	R 66.75	R 67.34
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Free State Province	R 66.75	R 67.34
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Limpopo Province	R 66.75	R 67.34
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	1	Eastern Cape Province	R 879.34	R 887.05
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Eastern Cape Province	R 66.75	R 67.34
25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Free State Province	R 2 666.97	R 2 690.36
25172503-00010	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Eastern Cape Province	R 2 666.97	R 2 690.36
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Western Cape Province	R 66.75	R 67.34
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Free State Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Western Cape Province	R 2 666.97	R 2 690.36
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Eastern Cape Province	R 66.75	R 67.34
25172503-00012	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Eastern Cape Province	R 2 666.97	R 2 690.36
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Mpumalanga Province	R 66.75	R 67.34
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Kwazulu-Natal Province	R 66.75	R 67.34
25172503-00020	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Mpumalanga Province	R 4 370.21	R 4 408.55

25172503-00005	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 131/126, AXLE POSITION TRAILER, UTILISATION HIGHWAY	1	Free State Province	R 2 371.60	R 2 392.40
25172503-00079	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Western Cape Province	R 5 159.46	R 5 204.72
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	North West Province	R 1 138.38	R 1 148.37
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Western Cape Province	R 1 138.38	R 1 148.37
25172503-00083	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Western Cape Province	R 3 207.14	R 3 235.27
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Northern Cape Province	R 7 514.51	R 7 580.43
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Limpopo Province	R 7 514.51	R 7 580.43
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Western Cape Province	R 66.75	R 67.34
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	Western Cape Province	R 66.75	R 67.34
25172503-00075	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Kwazulu-Natal Province	R 3 882.65	R 3 916.71
25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	North West Province	R 4 591.44	R 4 631.72
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Limpopo Province	R 66.75	R 67.34
25172503-00012	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	North West Province	R 2 666.97	R 2 690.36
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Eastern Cape Province	R 2 666.76	R 2 690.15
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Mpumalanga Province	R 2 666.76	R 2 690.15
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	North West Province	R 4 294.39	R 4 332.06
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Northern Cape Province	R 4 294.39	R 4 332.06
22101536-00001	O RING, 20.5/25	1	Eastern Cape Province	R 31.36	R 31.64
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	North West Province	R 725.06	R 731.42
25172503-00005	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 131/126, AXLE POSITION TRAILER, UTILISATION HIGHWAY	1	Eastern Cape Province	R 2 371.60	R 2 392.40
22101536-00001	O RING, 20.5/25	1	Kwazulu-Natal Province	R 31.36	R 31.64
25172509-00052	FLAP, INNER TUBE, COMMERCIAL, 24	1	Western Cape Province	R 105.64	R 106.57
25172509-00057	TUBE, IMPLEMENT, 700/12	1	North West Province	R 92.63	R 93.44
25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	1	Limpopo Province	R 607.62	R 612.95
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	1	North West Province	R 438.93	R 442.78
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	1	Free State Province	R 438.93	R 442.78
25172503-00152	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 15.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	Northern Cape Province	R 6 361.57	R 6 417.37
25172503-00153	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 17.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	Western Cape Province	R 8 362.64	R 8 436.00
25172504-00002	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING 69, UTILISATION HIGHWAY	1	North West Province	R 607.62	R 612.95
25172504-00002	TYRE, PASSENGER, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING 69, UTILISATION HIGHWAY	1	Western Cape Province	R 607.62	R 612.95
25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	1	Northern Cape Province	R 607.62	R 612.95
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	1	Free State Province	R 2 552.68	R 2 575.07
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	1	Western Cape Province	R 2 552.68	R 2 575.07

25172509-00066	TUBE, IMPLEMENT, 600/16	1	Mpumalanga Province	R 74.92	R 75.58
25172504-00013	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/65, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 77, UTILISATION HIGHWAY	1	Western Cape Province	R 515.12	R 519.64
25172504-00018	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	1	Northern Cape Province	R 750.09	R 756.67
22101536-00005	O RING, 29.5/25	1	North West Province	R 46.06	R 46.46
25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	1	North West Province	R 607.62	R 612.95
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	1	Mpumalanga Province	R 438.93	R 442.78
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	1	Limpopo Province	R 438.93	R 442.78
25172503-00151	TYRE, MINING, CONVENTIONAL, WIDTH 11, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 152/148, UTILISATION SMOOTH	1	Eastern Cape Province	R 4 903.28	R 4 946.29
25172503-00152	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 15.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	North West Province	R 6 361.57	R 6 417.37
25172503-00152	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 15.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	Free State Province	R 6 361.57	R 6 417.37
22101536-00004	O RING, 1800/25	1	Mpumalanga Province	R 46.06	R 46.46
25172503-00148	TYRE, MINING, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 24, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	1	Mpumalanga Province	R 6 126.00	R 6 179.74
22101536-00001	O RING, 20.5/25	1	North West Province	R 31.36	R 31.64
22101536-00004	O RING, 1800/25	1	Northern Cape Province	R 46.06	R 46.46
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	1	North West Province	R 2 552.68	R 2 575.07
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	1	Northern Cape Province	R 2 552.68	R 2 575.07
22101536-00003	O RING, 17.5/25	1	Western Cape Province	R 38.22	R 38.56
22101536-00003	O RING, 17.5/25	1	Free State Province	R 38.22	R 38.56
25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Limpopo Province	R 4 591.44	R 4 631.72
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Gauteng Province	R 1 138.38	R 1 148.37
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Limpopo Province	R 1 138.38	R 1 148.37
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Western Cape Province	R 2 666.76	R 2 690.15
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 4 294.39	R 4 332.06
25172503-00020	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Limpopo Province	R 4 370.21	R 4 408.55
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	Northern Cape Province	R 66.75	R 67.34
25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Eastern Cape Province	R 2 666.97	R 2 690.36
25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Mpumalanga Province	R 2 666.97	R 2 690.36
25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Western Cape Province	R 2 666.97	R 2 690.36
25172503-00010	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Western Cape Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	North West Province	R 2 666.97	R 2 690.36
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Gauteng Province	R 66.75	R 67.34
25172509-00007	TUBE, COMMERCIAL, 6.5/7, 16 TR150	1	Northern Cape Province	R 66.75	R 67.34
25172504-00032	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 768.74	R 775.48

25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Kwazulu-Natal Province	R 4 591.44	R 4 631.72
25172503-00079	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Eastern Cape Province	R 5 159.46	R 5 204.72
22101536-00003	O RING, 17.5/25	1	Northern Cape Province	R 38.22	R 38.56
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Free State Province	R 2 666.76	R 2 690.15
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Limpopo Province	R 2 666.76	R 2 690.15
25172503-00046	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Kwazulu-Natal Province	R 2 666.76	R 2 690.15
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Mpumalanga Province	R 4 294.39	R 4 332.06
25172503-00055	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, STEEL RADIAL, DIAMETER 22.5, LOAD RATING 144/142, AXLE POSITION, UTILISATION OFF-ROAD	1	Northern Cape Province	R 4 294.39	R 4 332.06
25172503-00020	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 4 370.21	R 4 408.55
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	Eastern Cape Province	R 66.75	R 67.34
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	North West Province	R 66.75	R 67.34
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Northern Cape Province	R 66.75	R 67.34
25172503-00010	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Mpumalanga Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Eastern Cape Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Northern Cape Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Mpumalanga Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Limpopo Province	R 2 666.97	R 2 690.36
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Gauteng Province	R 66.75	R 67.34
25172504-00032	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Eastern Cape Province	R 768.74	R 775.48
25172504-00033	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Free State Province	R 801.52	R 808.55
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	Northern Cape Province	R 725.06	R 731.42
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	Western Cape Province	R 725.06	R 731.42
25172504-00047	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING V/W, STEEL RADIAL, DIAMETER 15, LOAD RATING 93, UTILISATION HIGHWAY	1	Limpopo Province	R 837.03	R 844.37
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Eastern Cape Province	R 1 142.90	R 1 152.93
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Free State Province	R 1 142.90	R 1 152.93
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Limpopo Province	R 1 142.90	R 1 152.93
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Western Cape Province	R 1 142.90	R 1 152.93
25172509-00052	FLAP, INNER TUBE, COMMERCIAL, 24	1	Northern Cape Province	R 105.64	R 106.57
25172509-00057	TUBE, IMPLEMENT, 700/12	1	Northern Cape Province	R 92.63	R 93.44
25172509-00057	TUBE, IMPLEMENT, 700/12	1	Free State Province	R 92.63	R 93.44
25172509-00057	TUBE, IMPLEMENT, 700/12	1	Kwazulu-Natal Province	R 92.63	R 93.44
25172509-00066	TUBE, IMPLEMENT, 600/16	1	Northern Cape Province	R 74.92	R 75.58
22101536-00004	O RING, 1800/25	1	Western Cape Province	R 46.06	R 46.46

25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	1	Free State Province	R 607.62	R 612.95
22101536-00005	O RING, 29.5/25	1	Limpopo Province	R 46.06	R 46.46
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	1	Eastern Cape Province	R 438.93	R 442.78
25172504-00013	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/65, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 77, UTILISATION HIGHWAY	1	Mpumalanga Province	R 515.12	R 519.64
25172504-00013	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/65, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 77, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 515.12	R 519.64
25172504-00018	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	1	Mpumalanga Province	R 750.09	R 756.67
25172503-00151	TYRE, MINING, CONVENTIONAL, WIDTH 11, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 152/148, UTILISATION SMOOTH	1	Northern Cape Province	R 4 903.28	R 4 946.29
25172503-00151	TYRE, MINING, CONVENTIONAL, WIDTH 11, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 152/148, UTILISATION SMOOTH	1	Limpopo Province	R 4 903.28	R 4 946.29
25172503-00153	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 17.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	Mpumalanga Province	R 8 362.64	R 8 436.00
25172503-00153	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 17.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	1	Kwazulu-Natal Province	R 8 362.64	R 8 436.00
25172503-00005	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 131/126, AXLE POSITION TRAILER, UTILISATION HIGHWAY	1	Northern Cape Province	R 2 371.60	R 2 392.40
22101536-00004	O RING, 1800/25	1	Free State Province	R 46.06	R 46.46
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 2 552.68	R 2 575.07
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Western Cape Province	R 7 514.51	R 7 580.43
25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Mpumalanga Province	R 4 591.44	R 4 631.72
25172503-00082	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 23.1/18, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Mpumalanga Province	R 1 138.38	R 1 148.37
25172503-00083	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	1	Free State Province	R 3 207.14	R 3 235.27
25172503-00055	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, STEEL RADIAL, DIAMETER 22.5, LOAD RATING 144/142, AXLE POSITION, UTILISATION OFF-ROAD	1	Limpopo Province	R 4 294.39	R 4 332.06
25172503-00061	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	1	North West Province	R 1 094.56	R 1 104.16
25172503-00061	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	1	Kwazulu-Natal Province	R 1 094.56	R 1 104.16
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Mpumalanga Province	R 66.75	R 67.34
25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Northern Cape Province	R 2 666.97	R 2 690.36
25172503-00010	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Limpopo Province	R 2 666.97	R 2 690.36
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Kwazulu-Natal Province	R 2 666.97	R 2 690.36
25172509-00006	TUBE, COMMERCIAL, 6.5/7, 16 TR75A	1	Gauteng Province	R 66.75	R 67.34
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Western Cape Province	R 66.75	R 67.34
25172504-00060	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	1	Western Cape Province	R 879.34	R 887.05
25172504-00032	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	North West Province	R 768.74	R 775.48
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Gauteng Province	R 1 142.90	R 1 152.93
25172504-00018	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/60, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	1	Eastern Cape Province	R 750.09	R 756.67
22101536-00001	O RING, 20.5/25	1	Free State Province	R 31.36	R 31.64
25172509-00052	FLAP, INNER TUBE, COMMERCIAL, 24	1	North West Province	R 105.64	R 106.57
25172509-00057	TUBE, IMPLEMENT, 700/12	1	Gauteng Province	R 92.63	R 93.44

25172503-00012	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	1	Western Cape Province	R 2 666.97	R 2 690.36
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	Gauteng Province	R 66.75	R 67.34
25172509-00008	TUBE, COMMERCIAL, 6.5/7, 16 TR177A	1	Mpumalanga Province	R 66.75	R 67.34
25172509-00005	TUBE, COMMERCIAL, 6.5/7, 16 TR15	1	Kwazulu-Natal Province	R 66.75	R 67.34
25172504-00032	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Mpumalanga Province	R 768.74	R 775.48
25172504-00033	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 801.52	R 808.55
25172504-00033	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	1	Western Cape Province	R 801.52	R 808.55
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	Eastern Cape Province	R 725.06	R 731.42
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	Free State Province	R 725.06	R 731.42
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 725.06	R 731.42
25172504-00047	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/50, SPEED RATING VW, STEEL RADIAL, DIAMETER 15, LOAD RATING 93, UTILISATION HIGHWAY	1	Western Cape Province	R 837.03	R 844.37
25172504-00048	TYRE, PASSENGER, CONVENTIONAL, WIDTH 225/50, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 92, UTILISATION HIGHWAY	1	Kwazulu-Natal Province	R 1 142.90	R 1 152.93