



national treasury

Department:
National Treasury
REPUBLIC OF SOUTH AFRICA

Enquiries: Ngwato Nkuna **Tel:** 012 315 5802 **Fax:** 012 315 5058 ; **Email:** Ngwato.nkuna@treasury.gov.za

SPECTRA TYRE SERVICES VAT INCREASE

CONTRACT RT69-2016: SUPPLY, DELIVERY, FITMENT AND BALANCING OF TYRES AND TUBES TO THE STATE FOR PERIOD ENDING 30 JUNE 2018

VALUE ADDED TAX (VAT) ADJUSTMENT TO 15%

The effective date is 01 April 2018

The Minister of Finance in his 2018 budget speech has introduced tax proposals designed to generate additional tax revenue for 2018/19 financial year. One of the tax proposals is an increase in the value-added tax (VAT) rate from 14% to 15%.

The National Treasury has therefore adjusted contract prices with the latest VAT value of 15% accordingly.

In the event that an incorrect price adjustment was made during the calculation of the contract price adjustment to take into account the new rate of 15%, the state reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect adjustment will be dealt with by the supplier and the relevant end-user department.

Yours faithfully,

NGWATO NKUNA
For **CHIEF DIRECTOR: TRANSVERSAL CONTRACTING**
OFFICE OF THE CHIEF PROCUREMENT OFFICER

DATE: 2018-04-24

SPECTRA TYRES SERVICES VAT INCREASE RT69-2016

Item Code	Item Description	End-user	Brand	Quantity	Amount		Cost of B, A & F		Cost of V
25172509-00048	FLAP, INNER TUBE , COMMERCIAL, 15	Gauteng Province	N/A	1	R 66.55	R 67.13	N/A	#VALUE!	#VALUE!
25172509-00060	TUBE, IMPLEMENT, 480/70.34	Gauteng Province	N/A	1	R 524.12	R 528.72	N/A	#VALUE!	#VALUE!
25172503-00077	TYRE, INDUSTRIAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo	1	R 3 896.42	R 4 031.48	R100	R 100.88	R 101.76
25172503-00012	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargomiler. E	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88
25172503-00024	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, SPEED RATING L, STEEL RADIAL, DIAMETER 20, PLY 14, LOAD RATING 104/137, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler. E	1	R 2 496.40	R 2 518.30	R100	R 100.88	R 101.76
25172504-00018	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/80, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 86, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 46	1	R 864.42	R 869.37	R92.50	R 93.31	R 94.13
25172503-00140	TYRE, GRADER, CONVENTIONAL, WIDTH 1400/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	Gauteng Province	Apollo ARG 217 TL. E	1	R 5 826.70	R 5 877.81	R250	R 252.19	R 254.41
25172504-00036	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 84, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac	1	R 519.24	R 523.79	R100	R 100.88	R 101.76
25172504-00145	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargorib	1	R 1 197.36	R 1 207.88	R50	R 50.44	R 50.88
25172503-00121	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 12.5/80, CROSSPLY, DIAMETER 18, PLY 12, LOAD RATING 148/143, UTILISATION OFF-ROAD	Gauteng Province	Apollo AIT L26 TL - E	1	R 3 132.95	R 3 160.43	R100	R 100.88	R 101.76
25172509-00061	TUBE, IMPLEMENT, 320/65.24	Gauteng Province	N/A	1	R 243.64	R 245.78	N/A	#VALUE!	#VALUE!
25172504-00010	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 79, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazer	1	R 382.07	R 385.42	R92.50	R 93.31	R 94.13
25172504-00021	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/60, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 46	1	R 669.10	R 674.97	R92.50	R 93.31	R 94.13
22101536-00005	O RING, 29.5/25	Gauteng Province	N/A	1	R 26.50	R 26.73	N/A	#VALUE!	#VALUE!
25172503-00150	TYRE, MINING, CONVENTIONAL, WIDTH 23.1, CROSSPLY, DIAMETER 26, PLY 10, LOAD RATING 152/148, UTILISATION COMPACTOR	Gauteng Province	Apollo ARC 317 TL- E	1	R 9 913.14	R 10 000.10	R250	R 252.19	R 254.41
25172503-00152	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 15.5, CROSSPLY, DIAMETER 25, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	Gauteng Province	Apollo AWL 812 TL- E(L2)	1	R 5 537.18	R 5 585.75	R150	R 151.32	R 152.64
25172504-00149	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargorib	1	R 966.52	R 975.00	R50	R 50.44	R 50.88
25172503-00005	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, SPEED RATING J, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 131/126, AXLE POSITION TRAILER, UTILISATION HIGHWAY	Gauteng Province	Apollo	1	R 1 653.49	R 1 667.99	R92.50	R 93.31	R 94.13
25172503-00139	TYRE, GRADER, CONVENTIONAL, WIDTH 1300/G2, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION ROAD	Gauteng Province	Apollo ARG 217 TL. E(L2)	1	R 4 874.27	R 4 917.03	R250	R 252.19	R 254.41
25172504-00116	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 30/9.5, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 104, UTILISATION OFF-ROAD	Gauteng Province	Goodyear Wrangler ATSA	1	R 1 325.19	R 1 338.81	R92.50	R 93.31	R 94.13
25172504-00120	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 185, SPEED RATING Q, STEEL RADIAL, DIAMETER 14, PLY 8, LOAD RATING 102/100, UTILISATION HIGHWAY	Gauteng Province	Continental Vanco	1	R 843.60	R 851.00	R92.50	R 93.31	R 94.13
25172503-00067	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 9.5/9, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 2 015.25	R 2 032.93	R50	R 50.44	R 50.88
25172503-00071	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 2 378.29	R 2 399.15	R100	R 100.88	R 101.76
25172503-00075	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 379.49	R 3 409.13	R92.50	R 93.31	R 94.13
25172503-00008	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, STEEL RADIAL, DIAMETER 20, PLY 14, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88

25172503-00009	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88
25172503-00019	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 225/70, SPEED RATING R, RADIAL, DIAMETER 15, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Apterra A7	1	R 1 081.92	R 1 091.41	R105	R 105.92	R 106.85
25172503-00044	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION DRIVE, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 802.31	R 3 835.66	R100	R 100.88	R 101.76
22101536-00003	O RING, 17.5/25	Gauteng Province	N/A	1	R 18.97	R 19.14	N/A	#VALUE!	#VALUE!
22101536-00002	O RING, 25.5/25	Gauteng Province	N/A	1	R 26.50	R 26.73	N/A	#VALUE!	#VALUE!
25172504-00044	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING ZW, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 46	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING W, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	Gauteng Province	Apollo Aspire TL-E	1	R 1 025.75	R 1 034.75	R92.50	R 93.31	R 94.13
25172503-00137	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	Gauteng Province	Vredestein. AW	1	R 824.28	R 831.51	R50	R 50.44	R 50.88
25172504-00152	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, SPEED RATING L, STEEL RADIAL, DIAMETER 16, PLY 12, LOAD RATING 117/116, AXLE POSITION ALL POSITIONS, UTILISATION HIGHWAY	Gauteng Province	12PR Apollo Cargo Rib E	1	R 1 197.36	R 1 207.86	R100	R 100.88	R 101.76
25172504-00153	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, SPEED RATING L, STEEL RADIAL, DIAMETER 16, PLY 8, LOAD RATING 117/116, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Duramilla-E	1	R 1 511.55	R 1 524.81	R100	R 100.88	R 101.76
25172504-00156	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700-16, CROSSPLY, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Duramilla-E	1	R 1 511.55	R 1 524.81	R100	R 100.88	R 101.76
25172504-00022	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/60, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo AMAG 46	1	R 689.10	R 674.97	R92.50	R 93.31	R 94.13
25172504-00027	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 92, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazer 3C Maxx	1	R 551.38	R 556.22	R92.50	R 93.31	R 94.13
25172503-00119	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 146/143, UTILISATION OFF-ROAD	Gauteng Province	BKT Implement	1	R 1 426.21	R 1 438.72	R50	R 50.44	R 50.88
25172503-00126	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 900/18, CROSSPLY, LOAD RATING 141/137, UTILISATION OFF-ROAD	Gauteng Province	Apollo Multi Rille	1	R 2 425.18	R 2 446.45	R100	R 100.88	R 101.76
25172503-00131	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 10/80, CROSSPLY, DIAMETER 12, LOAD RATING 141/137, UTILISATION OFF-ROAD	Gauteng Province	BKT Implement	1	R 1 723.34	R 1 738.46	R50	R 50.44	R 50.88
25172503-00117	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 18, PLY 6, TRACTION, LOAD RATING 148/143, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Premium	1	R 952.74	R 961.10	R50	R 50.44	R 50.88
25172503-00094	TYRE, INDUSTRIAL, CONVENTIONAL, WIDTH 18.4/15, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 146/143, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Super HC-E	1	R 6 508.58	R 6 565.67	R200	R 201.75	R 203.52
25172503-00081	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Premium	1	R 952.73	R 961.09	R50	R 50.44	R 50.88
25172503-00017	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1100, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 243.23	R 3 271.68	R50	R 50.44	R 50.88
25172504-00033	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING V, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	Gauteng Province	Aeolus HN08	1	R 639.87	R 645.48	R100	R 100.88	R 101.76
25172509-00040	TUBE, EARTMOVER, 13/14/24 TR220A	Gauteng Province	N/A	1	R 366.06	R 369.27	N/A	#VALUE!	#VALUE!
25172509-00041	TUBE, EARTMOVER, 14/24 TR220A	Gauteng Province	N/A	1	R 419.54	R 423.22	N/A	#VALUE!	#VALUE!
25172504-00016	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/70, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 75, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazer L.G	1	R 402.58	R 406.11	R95.20	R 96.04	R 96.88
25172503-00179	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600/T3, CROSSPLY, DIAMETER 13, LOAD RATING 141/137, AXLE POSITION ALL POSITION, UTILISATION IMPLEMENT	Gauteng Province	Apollo Amazer 3G	1	R 385.15	R 398.62	R92.50	R 93.31	R 94.13
25172509-00029	TUBE, EARTMOVER, 7.5/18 TR15	Gauteng Province	N/A	1	R 114.09	R 115.09	N/A	#VALUE!	#VALUE!
25172504-00003	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 155/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING, UTILISATION HIGHWAY	Gauteng Province	Dunlop SP22	1	R 528.89	R 533.53	R92.50	R 93.31	R 94.13

25172503-00154	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 17.5, CROSSPLY, DIAMETER 24, PLY 12, LOAD RATING 152/148, UTILISATION LUG (SWU)	Gauteng Province	Taishan L3	1	R 8 985.14	R 9 063.96	R250	R 252.19	R 254.41
25172503-00118	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, TRACTION, LOAD RATING 148/143, UTILISATION OFF-ROAD	Gauteng Province	BKT Implement	1	R 1 426.21	R 1 438.72	R50	R 50.44	R 50.88
25172503-00089	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 30, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Premium	1	R 6 540.88	R 6 598.05	R200	R 201.75	R 203.52
25172503-00074	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, PLY 4, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 379.49	R 3 409.13	R100	R 100.88	R 101.76
25172503-00084	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 12.4/11, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 366.62	R 3 396.15	R100	R 100.88	R 101.76
25172503-00043	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION STEER, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 802.31	R 3 835.66	R100	R 100.88	R 101.76
22101536-00001	O RING, 20.5/25	Gauteng Province	N/A	1	R 18.97	R 19.14	N/A	#VALUE!	#VALUE!
25172503-00013	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiller	1	R 2 496.40	R 2 518.30	R50	R 50.44	R 50.88
25172503-00015	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 14, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargomiller	1	R 2 496.40	R 2 518.30	R50	R 50.44	R 50.88
25172504-00039	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/70, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac	1	R 653.92	R 659.66	R92.50	R 93.31	R 94.13
25172504-00059	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/56, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4G	1	R 668.61	R 674.48	R92.50	R 93.31	R 94.13
25172504-00062	TYRE, PASSENGER, RUN FLAT, WIDTH 205/55, SPEED RATING HV, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo 91H ALNAC 4G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172509-00037	TUBE, EARTHMOVER, 20.8/38 TR218A	Gauteng Province	N/A	1	R 379.13	R 382.46	N/A	#VALUE!	#VALUE!
25172509-00068	TUBE, AGRICULTURAL, 13.6/12,24	Gauteng Province	N/A	1	R 216.89	R 218.79	N/A	#VALUE!	#VALUE!
25172504-00002	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/80, SPEED RATING T, STEEL RADIAL, DIAMETER 12, LOAD RATING 69, UTILISATION HIGHWAY	Gauteng Province	Dunlop SP22	1	R 528.89	R 533.53	R92.50	R 93.31	R 94.13
25172504-00013	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/65, SPEED RATING T, STEEL RADIAL, DIAMETER 13, LOAD RATING 77, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazon 3G	1	R 448.38	R 452.31	R92.50	R 93.31	R 94.13
25172503-00124	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 9.5, CROSSPLY, DIAMETER 15, LOAD RATING 141/137, UTILISATION OFF-ROAD	Gauteng Province	BKT H Farm	1	R 1 280.16	R 1 301.48	R100	R 100.88	R 101.76
25172504-00136	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 750, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 110, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargorib	1	R 1 499.43	R 1 512.58	R100	R 100.88	R 101.76
25172504-00138	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, UTILISATION HIGHWAY	Gauteng Province	Apollo Amar Deluxe-E	1	R 1 604.49	R 1 618.56	R100	R 100.88	R 101.76
25172504-00142	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo DHRUV SDC	1	R 1 232.31	R 1 243.12	R50	R 50.44	R 50.88
25172504-00146	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 700, SPEED RATING L, STEEL RADIAL, DIAMETER 16, LOAD RATING 117/116, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Duramile	1	R 1 511.56	R 1 524.82	R50	R 50.44	R 50.88
25172504-00147	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, SPEED RATING N, STEEL RADIAL, DIAMETER 16, LOAD RATING 108/107, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargo Rib	1	R 966.25	R 974.73	R50	R 50.44	R 50.88
25172503-00116	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 6, CROSSPLY, DIAMETER 16, PLY 6, RIB, LOAD RATING 148/143, AXLE POSITION, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Premium	1	R 952.74	R 961.10	R50	R 50.44	R 50.88
25172503-00083	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515	1	R 2 791.51	R 2 816.00	R100	R 100.88	R 101.76
25172503-00087	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 26, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Premium	1	R 5 704.06	R 5 754.10	R200	R 201.75	R 203.52
25172503-00072	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 2 378.29	R 2 399.15	R100	R 100.88	R 101.76

25172503-00078	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515	1	R 3 998.42	R 4 031.48	R100	R 100.88	R 101.76
25172504-00118	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 31/10.5, SPEED RATING S, STEEL RADIAL, DIAMETER 15, LOAD RATING 109, UTILISATION OFF-ROAD	Gauteng Province	Goodyear Wrangler ATSA	1	R 1 562.88	R 1 576.59	R92.50	R 93.31	R 94.13
25172503-00007	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, STEEL RADIAL, DIAMETER 20, PLY 12, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88
25172503-00010	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 10, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88
25172503-00014	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargomiler	1	R 2 496.40	R 2 516.30	R50	R 50.44	R 50.88
25172503-00016	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1000, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo AT Rib	1	R 2 947.25	R 2 973.10	R50	R 50.44	R 50.88
25172503-00018	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1100, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 243.23	R 3 271.88	R50	R 50.44	R 50.88
25172504-00081	TYRE, PASSENGER, RUN FLAT, WIDTH 245/40, SPEED RATING W/Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 93, UTILISATION HIGHWAY	Gauteng Province	Apollo Aspire TL-E	1	R 1 025.75	R 1 034.75	R92.50	R 93.31	R 94.13
25172504-00080	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 87, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4 G	1	R 688.61	R 674.48	R92.50	R 93.31	R 94.13
25172504-00037	TYRE, PASSENGER, CONVENTIONAL, WIDTH 175/70, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 84, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac	1	R 519.24	R 523.79	R92.50	R 93.31	R 94.13
25172504-00038	TYRE, PASSENGER, CONVENTIONAL, WIDTH 195/70, SPEED RATING H, STEEL RADIAL, DIAMETER 14, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac	1	R 653.92	R 659.66	R92.50	R 93.31	R 94.13
25172504-00043	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4 G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172504-00045	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4 G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172504-00150	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 8.5, CROSSPLY, DIAMETER 16, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargo Rib	1	R 966.53	R 975.01	R50	R 50.44	R 50.88
25172504-00137	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 750, CROSSPLY, DIAMETER 18, PLY 8, LOAD RATING 110, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargo Rib	1	R 1 499.43	R 1 512.58	R100	R 100.88	R 101.76
25172504-00139	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 16, PLY 14, LOAD RATING 110, UTILISATION HIGHWAY	Gauteng Province	Apollo Amar Deluxe-E	1	R 1 604.49	R 1 618.56	R100	R 100.88	R 101.76
25172504-00141	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 6, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargorb. E	1	R 654.45	R 660.19	R92.50	R 93.31	R 94.13
22101538-00004	O RING, 1800/25	Gauteng Province	N/A	1	R 18.97	R 19.14	N/A	#VALUE!	#VALUE!
25172503-00088	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 28, PLY 10, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province		1	R 5 704.33	R 5 754.37		R 0.00	R 0.00
25172503-00045	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 12, SPEED RATING K, STEEL RADIAL, DIAMETER 20, LOAD RATING 154/150, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 802.31	R 3 835.66	R100	R 100.88	R 101.76
25172503-00048	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 8, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo Cargomiler- E	1	R 2 074.39	R 2 092.59	R50	R 50.44	R 50.88
25172503-00054	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, SPEED RATING L, RADIAL, DIAMETER 22.5, PLY 4, LOAD RATING 144/142, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler- E	1	R 4 178.10	R 4 214.75	R100	R 100.88	R 101.76
25172503-00055	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 10, STEEL RADIAL, DIAMETER 22.5, LOAD RATING 144/142, AXLE POSITION, UTILISATION OFF-ROAD	Gauteng Province	Continental HSR	1	R 4 178.09	R 4 214.74	R180 & R500	#VALUE!	#VALUE!
25172503-00056	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 235/65, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 115/113, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Goodyear Cargo Marathon	1	R 1 895.67	R 1 912.30	R92.50	R 93.31	R 94.13
25172503-00011	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 825, CROSSPLY, DIAMETER 20, PLY 12, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Apollo	1	R 2 074.42	R 2 092.62	R50	R 50.44	R 50.88

25172504-00082	TYRE, PASSENGER, CONVENTIONAL, WIDTH 245/40, SPEED RATING Y, STEEL RADIAL, DIAMETER 18, LOAD RATING 97, UTILISATION HIGHWAY	Gauteng Province	Apollo Aspire TL-E	1	R 1 025.75	R 1 034.75	R92.50	R 93.31	R 94.13
25172502-00007	TUBE, PASSENGER, 15/20	Gauteng Province	N/A	1	R 74.08	R 74.73	N/A	#VALUE!	#VALUE!
25172509-00053	TUBE, IMPLEMENT, 27/15	Gauteng Province	N/A	1	R 102.20	R 103.10	N/A	#VALUE!	#VALUE!
25172504-00014	TYRE, PASSENGER, CONVENTIONAL, WIDTH 165/65, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 79, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazer L.G	1	R 450.40	R 454.35	R92.50	R 93.31	R 94.13
25172503-00157	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 23.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION SEMI-SLICK	Gauteng Province	Triangle NE3	1	R 14 262.13	R 14 387.24	R200	R 201.75	R 203.52
25172503-00160	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 11.2/10, LOAD RATING 141/137, CROSSPLY, DIAMETER 24, PLY 4	Gauteng Province	Apollo FX515-E	1	R 2 378.28	R 2 399.14	R80	R 80.70	R 81.41
25172503-00130	TYRE, IMPLEMENT, CONVENTIONAL, WIDTH 16/650, CROSSPLY, DIAMETER 8, LOAD RATING 141/137, UTILISATION OFF-ROAD	Gauteng Province	Kendak500 Turf	1	R 434.51	R 438.32	R50	R 50.44	R 50.88
25172504-00151	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 8.25, SPEED RATING L, STEEL RADIAL, DIAMETER 16, LOAD RATING 128/128, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Duramile	1	R 2 178.96	R 2 196.06	R100	R 100.88	R 101.76
25172504-00140	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 900, CROSSPLY, DIAMETER 16, PLY 10, LOAD RATING 110, UTILISATION HIGHWAY	Gauteng Province	Apollo DHRUV SDC	1	R 2 226.81	R 2 246.34	R50	R 50.44	R 50.88
25172503-00081	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 18.4/85, CROSSPLY, DIAMETER 26, PLY 12, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo A17 L16 TL-E	1	R 7 154.63	R 7 217.39	R200	R 201.75	R 203.52
25172504-00112	TYRE, RECREATIONAL, CONVENTIONAL, WIDTH 215/15, SPEED RATING C, STEEL RADIAL, DIAMETER 15, PLY 8, LOAD RATING 109/107, UTILISATION OFF-ROAD	Gauteng Province	Dunlop SP Trackgrip	1	R 881.93	R 970.37	R92.50	R 93.31	R 94.13
25172503-00020	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 1200, CROSSPLY, DIAMETER 20, PLY 18, LOAD RATING 112/110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Cargomiler	1	R 3 802.31	R 3 835.66	R50	R 50.44	R 50.88
25172504-00032	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/65, SPEED RATING H, STEEL RADIAL, DIAMETER 15, LOAD RATING 94, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4 G	1	R 639.87	R 645.48	R92.50	R 93.31	R 94.13
25172509-00042	TUBE, EARTHMOVER, 14.5/15 TR78A	Gauteng Province	N/A	1	R 237.70	R 239.79	N/A	#VALUE!	#VALUE!
25172504-00011	TYRE, PASSENGER, CONVENTIONAL, WIDTH 185/70, SPEED RATING T, STEEL RADIAL, DIAMETER 14, LOAD RATING 88, UTILISATION HIGHWAY	Gauteng Province	Apollo Amazer 3G	1	R 555.86	R 560.53	R92.50	R 93.31	R 94.13
25172503-00155	TYRE, EARTHMOVER, CONVENTIONAL, WIDTH 20.5, CROSSPLY, DIAMETER 25, PLY 16, LOAD RATING 152/148, UTILISATION LUG (SWU)	Gauteng Province	Taishan E3	1	R 12 164.41	R 12 271.12	R200	R 201.75	R 203.52
25172509-00022	TUBE, COMMERCIAL, 12.5/20 TR218A	Gauteng Province	N/A	1	R 234.13	R 236.18	N/A	#VALUE!	#VALUE!
25172504-00181	TYRE, PASSENGER, CONVENTIONAL, WIDTH 215/75, SPEED RATING R, STEEL RADIAL, DIAMETER 16, LOAD RATING 113/111, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Apollo Quantum TL-E	1	R 1 160.72	R 1 170.90	R100	R 100.88	R 101.76
25172504-00143	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 600, CROSSPLY, DIAMETER 14, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION DUAL PURPOSE	Gauteng Province	Cargo Rib Apollo	1	R 654.45	R 660.19	R250	R 252.19	R 254.41
25172504-00148	TYRE, COMMERCIAL, CONVENTIONAL, WIDTH 6.5, CROSSPLY, DIAMETER 16, PLY 8, LOAD RATING 110, AXLE POSITION ALL POSITION, UTILISATION HIGHWAY	Gauteng Province	Cargo Rib Apollo	1	R 966.52	R 975.00	R50	R 50.44	R 50.88
25172503-00108	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 24, LOAD RATING 148/143, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 379.49	R 3 409.13	R100	R 100.88	R 101.76
25172503-00085	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 13.6/12, CROSSPLY, DIAMETER 28, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 4 163.65	R 4 200.17	R100	R 100.88	R 101.76
25172503-00093	TYRE, INDUSTRIAL, CONVENTIONAL, WIDTH 18.4/15, CROSSPLY, DIAMETER 30, PLY 8, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Super HC-E	1	R 6 508.58	R 6 565.67	R200	R 201.75	R 203.52
25172503-00062	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 7.5, CROSSPLY, DIAMETER 16, PLY 6, LOAD RATING 141/137, AXLE POSITION FRONT, UTILISATION OFF-ROAD	Gauteng Province	Apollo Krishak Super HC-E	1	R 1 207.40	R 1 217.99	R50	R 50.44	R 50.88
25172503-00073	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 12.4/11, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 115.93	R 3 143.26	R100	R 100.88	R 101.76
25172503-00076	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 14.9/13, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 3 996.42	R 4 031.48	R100	R 100.88	R 101.76
25172503-00079	TYRE, AGRICULTURAL, CONVENTIONAL, WIDTH 16.9/14, CROSSPLY, DIAMETER 24, PLY 6, LOAD RATING 141/137, AXLE POSITION REAR, UTILISATION OFF-ROAD	Gauteng Province	Apollo FX515-E	1	R 4 490.83	R 4 530.22	R150	R 151.32	R 152.64

25172504-00063	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/55, SPEED RATING V, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo 91H ALNAC 4G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172504-00064	TYRE, PASSENGER, RUN FLAT, WIDTH WIDTH 205/55, SPEED RATING W, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo 91H ALNAC 4G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13
25172504-00042	TYRE, PASSENGER, CONVENTIONAL, WIDTH 205/55, SPEED RATING H, STEEL RADIAL, DIAMETER 16, LOAD RATING 91, UTILISATION HIGHWAY	Gauteng Province	Apollo Alnac 4G	1	R 632.13	R 637.68	R92.50	R 93.31	R 94.13

B=Balancing
F=Fitment
A=Alignment

V=Valve