



national treasury

Department:
National Treasury
REPUBLIC OF SOUTH AFRICA

Private Bag X 115, 240 Madiba Street, Pretoria, 0001

Enquiries: Ngwato Nkuna, Tel: 012 315 5802, Email: Transversal.contracting5@treasury.gov.za

ADDENDUM 05

CONTRACT RT70-2021: SUPPLY AND DELIVERY OF PETROL, AUTOMOTIVE DIESEL FUEL, ILLUMINATING PARAFIN, MARINE GAS OIL, HEAVY FURNANCE OIL, POLAR DIESEL AND AVIATION FUEL TO THE STATE FOR THE PERIOD 01 JUNE 2021 TO 31 MAY 2026.

DKK Global Resources (Pty) Ltd has adjusted their monthly price as issued by the Department of Energy for the products mentioned on the table below:

The effective date is 30 June 2021 to 06 July 2021

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Fort Beaufort (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Gatyana Willowvale (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Gcuwa Butterworth (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	George (03A)	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	George (03A)	15001 >	SASOL	R13,66

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	George (03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Goodwood (01A)	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Goodwood (01A)	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hankey (03A)	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hankey (03A)	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hankey (03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Heidelberg(W.Cape) (04A)	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hermanus (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hewu (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hlabisa (05A)	1000 - 6000	SASOL	R13,82

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Hopefield (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Humansdorp (03B)	1000 - 6000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Humansdorp (03B)	15001 >	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Humansdorp (03B)	6001 -15000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Idutywa (05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Impendle (05B)	1000 - 6000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Impendle (05B)	15001 >	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Impendle (05B)	6001 -15000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Inanda (01A)	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Inanda (01A)	6001 -15000	SASOL	R13,55

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ixopo (04A)	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Jansenville(07B)	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Jansenville(07B)	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Jansenville(07B)	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Joubertina(07B)	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Joubertina(07B)	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Joubertina(07B)	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Keiskammahoek(04A)	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	King Williams Town (03A)	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	King Williams Town (03A)	15001 >	SASOL	R13,66

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	King Williams Town (03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kirkwood(03A)	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kirkwood(03A)	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kirkwood(03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Knysna(04A)	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Komga(03A)	1000 - 6000	SASOL	R13,65
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Komga(03A)	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Komga(03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kranskop(05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kuilsrivier(01A)	1000 - 6000	SASOL	R13,55

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Kuilsrivier(01A)	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342: By road tanker in rands per litre.	Ladismith Cape(06B)	1000 - 6000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ladismith Cape(06B)	15001 >	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ladismith Cape(06B)	6001 -15000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Laingsburg(07B)	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Laingsburg(07B)	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Laingsburg(07B)	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lions River(03B)	1000 - 6000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lions River(03B)	15001 >	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lions River(03B)	6001 -15000	SASOL	R13,73

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lower Tugela(03A)	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lower Tugela(03A)	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lower Tugela(03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Lower Umfolozi(05A)	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Malmesbury(01A) South	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Malmesbury(01A) South	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Malmesbury(03A) North	1000 - 6000	SASOL	R13,65
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Malmesbury(03A) North	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Malmesbury(03A) North	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mapumulo(03A)	1000 - 6000	SASOL	R13,66

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mapumulo(03A)	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mapumulo(03A)	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mdantsane(01A)	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mdantsane(01A)	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Middledrift 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mitchels Plain 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mitchels Plain 01A	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Montagu 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Moorivier 05B	1000 - 6000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Moorivier 05B	15001 >	SASOL	R13,86

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Moorivier 05B	6001 -15000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Moorreesburg 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mossel Bay 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mossel Bay 01A	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mpofu(Stockenstroom) 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Msinga 05B	1000 - 6000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Msinga 05B	15001 >	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Msinga 05B	6001 -15000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mtonjaneni 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Mtunzini 04A	1000 - 6000	SASOL	R13,72

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ndwedwe 02A	1000 - 6000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ndwedwe 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Ndwedwe 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	New Hanover 03B	1000 - 6000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	New Hanover 03B	15001 >	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	New Hanover 03B	6001 -15000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Nkandla 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Nqamakwe 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Oudtshoorn 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Paarl 02A	1000 - 6000	SASOL	R13,61

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Paarl 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Paarl 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Peddie(Ciskei) 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Peddie(Ciskei) 04A	6001 -15000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Pietermaritzburg 03B	1000 - 6000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Pietermaritzburg 03B	6001 -15000	SASOL	R13,73
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Piketberg 06B	1000 - 6000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Piketberg 06B	6001 -15000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Pinetown 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Pinetown 01A	6001 -15000	SASOL	R11,27

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Polela 05B	1000 - 6000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Polela 05B	6001 -15000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Port Elizabeth 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Port Elizabeth 01A	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Port Shepstone 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Port Shepstone 04A	6001 -15000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Prince Albert 07B	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Queenstown 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Richmond(KZN) 03A	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Richmond(KZN) 03A	15001 >	SASOL	R13,66

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Richmond(KZN) 03A	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Riversdale 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Riversdale 04A	6001 -15000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Robertson 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Simonstown 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Simonstown 01A	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset East 07B	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset East 07B	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset East 07B	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset West 02A	1000 - 6000	SASOL	R13,61

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset West 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Somerset West 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Stellenbosch 02A	1000 - 6000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Stellenbosch 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Stellenbosch 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Sterkstroom 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Steytlerville 07B	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Steytlerville 07B	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Steytlerville 07B	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Strand 02A	1000 - 6000	SASOL	R13,61

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Strand 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Strand 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Stutterheim 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Swellendam 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Tarka 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Tsomo 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Tulbagh 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uitenhage 02A	1000 - 6000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uitenhage 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uitenhage 02A	6001 -15000	SASOL	R13,61


Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umbumbulu 02A	1000 - 6000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umbumbulu 02A	15001 >	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umbumbulu 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umlazi 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umlazi 01A	6001 -15000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umvoti 05B	1000 - 6000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umvoti 05B	15001 >	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umvoti 05B	6001 -15000	SASOL	R13,86
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umzimkulu 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umzinto 03A	1000 - 6000	SASOL	R13,66

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umzinto 03A	15001 >	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Umzinto 03A	6001 -15000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Underberg 05B	1000 - 6000	SASOL	R13,85
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Underberg 05B	15001 >	SASOL	R13,85
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Underberg 05B	6001 -15000	SASOL	R13,85
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uniondale 06B	1000 - 6000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uniondale 06B	15001 >	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Uniondale 06B	6001 -15000	SASOL	R13,79
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Victoria East 04A	1000 - 6000	SASOL	R13,72
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Vredenburg 05A	1000 - 6000	SASOL	R13,82

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Weenen 05B	1000 - 6000	SASOL	R13,85
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Weenen 05B	6001 -15000	SASOL	R13,85
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Wellington 02A	1000 - 6000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Wellington 02A	6001 -15000	SASOL	R13,61
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Willowmore 07B	1000 - 6000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Willowmore 07B	15001 >	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Willowmore 07B	6001 -15000	SASOL	R13,90
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Worcester 05A	1000 - 6000	SASOL	R13,82
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Wynberg 01A	1000 - 6000	SASOL	R13,55
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Wynberg 01A	6001 -15000	SASOL	R13,55

Item Number	Item Description	Zones	Minimum Order Quantity	Brand	Order Price
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Zwelitsha 03A	1000 - 6000	SASOL	R13,66
RT70-02-001	Automotive Diesel Fuel Oil, grade 50 ppm in accordance with the latest issue of SANS specification 342. By road tanker in rands per litre.	Zwelitsha 03A	6001 -15000	SASOL	R13,66
RT70-08-004	Helicopter Fuel grade JP5 (AVCAT) in accordance with the latest issue of specification NATO F-44/DERD 2498, 6A MI MIL-T-5624L. To be delivered as indicated by road tanker.	Cape Town	Minimum Order Quantity not applicable	TOTAL SA	R7,84
RT70-08-004	Helicopter Fuel grade JP5 (AVCAT) in accordance with the latest issue of specification NATO F-44/DERD 2498, 6A MI MIL-T-5624L. To be delivered as indicated by road tanker.	Durban	Minimum Order Quantity not applicable	TOTAL SA	R7,94
RT70-08-004	Helicopter Fuel grade JP5 (AVCAT) in accordance with the latest issue of specification NATO F-44/DERD 2498, 6A MI MIL-T-5624L. To be delivered as indicated by road tanker.	Simon's Town	Minimum Order Quantity not applicable	TOTAL SA	R7,84

**In the event that an incorrect price adjustment was made during the calculation of the contract price adjustment, the state reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect price adjustment will be dealt with by the supplier and the relevant end-user department.*



MOTHUSHI MOIFO
OFFICE OF THE CHIEF PROCUREMENT OFFICER
FOR CHIEF DIRECTOR: TRANSVERSAL CONTRACTING
DATE: 30 JUNE 2021

