national treasury

Department:
National Treasury
REPUBLIC OF SOUTH AFRICA

Private Bag X115, Pretoria, 0001 - Tel: (+27 12) 315 5111
Enquiries: Lebogang Mosuwe **Tel:** (012) 406-9022 **E-mail:** Lebogang.Mosuwe@treasury.gov.za

Ref: RT74-2020

ADDENDUM 1

BID RT 74-2020

SUPPLY, DELIVERY AND INSTALLATION OF PREFABRICATED ADJUSTABLE SHELVING, STEEL RACKING, DESIGNING OF MEZZANINE FLOORING, HIGH DENSITY MOBILE FILING SYSTEMS TO THE STATE FOR THE PERIOD 1 JUNE 2020 TO 31 MAY 2023

1. The above tender was advertised on 06 March 2020 on Government Tender Bulletin, National Treasury and e-Tenders website.

2. The Office has identified that the Pricing Schedule was advertised with **Category B** as highlighted below:

ITEM CODE	PRODUCT DESCRIPTION	ITEM DESCRIPTION
43211613-00002	**TABLET CHARGING TROLLEYS**	**20 BAY TABLET CHARGING TROLLEY,** 600 (w) x 550 (d) x 455 (h), 37.60kg. Framework = 1.6 mm, Doors = 1.2 mm, Mild Steel, 220 Volt AC, 5 way PVC PDU, 2 x 10 way USB Charger stations, 2 x push handles on side of unit, Softline single point swing lock handle, 2 x Single point Coin locks, 2 per trolley on sides, 4 x Lockable full-swivel castors. Numbering strips on individual buckets, 2 x 10 Bay removable buckets, with plastic handles, rubber feet and foam base, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00003	**TABLET CHARGING TROLLEYS**	**40 BAY TABLET CHARGING TROLLEY,** 600 (w) x 550 (d) x 760 (h), 55.10kg. Framework = 1.6 mm, Doors = 1.2 mm, Mild Steel, 220 Volt AC, 5 way PVC PDU,

		4 x 10 way USB Charger stations, 2 x Push handles on side of unit, Softline single point swing lock handle, 2 x Single point Coin locks, 2 per trolley on sides, 4 x Lockable full-swivel castors, Numbering strips on individual buckets, 4 x 10 Bay removable buckets, with plastic handles, rubber feet and foam base, Powder Coated(Yes), Colour (Customizable to specifications)
43211613-00004	**TABLETS OR LAPTOPS CHARGING LOCKERS**	**20 BAY SHARED, 220VOLT,** 605 (w) x 400 (d) x 2015 (h), 127.0kg, Framework = 2.0mm, Doors = 1.6mm, Mild Steel, 220 Volt AC, 1 x 3point and 1 x Shucko White sockets per bay, Single lockable slim door with 3 point locking mechanism, Single lockable slim door with 3 point locking mechanism, Heavy Duty T-Hinge, Softline swing handle, Heavy Duty T-Hinge, Air Ventilation Cut Outs On all bays, 2 x 10 Bay removable buckets, with plastic handles, rubber feet and foam base
43211613-00005	**TABLETS OR LAPTOPS CHARGING LOCKERS**	**20 BAY INDIVIDUAL, 220VOLT,** 605 (w) x 400 (d) x 2015 (h), 147.0kg, Framework = 2.0mm, Doors = 1.6mm, Mild Steel, 220 Volt AC, 1 x 3point and 1 x Shucko White sockets per bay, Individual padlock lockable doors for each, laptop/tablet bay, Single lockable slim door with 3 point locking mechanism, Heavy Duty T-Hinge, Softline swing handle, Flush mount Butt hinges, Air ventilation cut outs On all bays, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00006	**TABLETS OR LAPTOPS CHARGING LOCKERS**	**20 BAY SHARED, 220 VOLT AND SOLAR,** 805 (w) x 400 (d) x 2015 (h), 197.0kg, Framework = 2.0mm, Doors = 1.6mm, Mild Steel, Solar powered, 1 x 3point and 1 x Shucko White sockets per bay, Single lockable maxi door with 3 point, locking mechanism, Single lockable maxi door with 3 point locking mechanism, Heavy Duty T-Hinge, Softline swing handle, Heavy Duty T-Hinge, 220Volt AC / 24V & 1kVA output invertor, 2 x 12V 65A/H Cycle Batteries, 180W Mono Crystalline PV Solar module 1580x808x40mm with Mounting brackets and 2 x 10m 4mm PV black cable MC male and female, White DIN DB, 8-way surface with door and tray (fuses and breakers included), Air

		ventilation cut outs On all bays, 2 x 10 Bay removable buckets, with plastic handles, rubber feet and foam base, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00007	**TABLETS OR LAPTOPS CHARGING LOCKERS**	**40 BAY INDIVIDUAL,** 220 VOLT, 1005 (w) x 400 (d) x 2015 (h), 254.0 kg, Framework = 2.0mm, Doors = 1.6mm, Mild Steel, 220 Volt AC, 1 x 3 point and 1 x Shucko White sockets per bay, Individual padlock lockable doors for each laptop/tablet bay, Single lockable slim door with 3 point locking mechanism, Heavy Duty T-Hinge, Softline swing handle, Flush mount Butt hinges, Ventilation cut outs On all bays, Mild steel Laser cut individual numbering on all doors, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00008	**TABLETS OR LAPTOPS CHARGING LOCKERS**	**20 BAY INDIVIDUAL, 220 VOLT WITH SOLAR PANELS,** 800 (w) x 400 (d) x 2015 (h), 211.5kg, Framework = 2.0mm, Doors = 1.6mm, Mild Steel, Solar powered, 1 x 3 point and 1 x Shucko White sockets per bay, Individual padlock lockable doors for each laptop/tablet bay, Single lockable maxi door with 3 point locking mechanism, Heavy Duty T-Hinge, Softline swing handle, Flush mount Butt hinges, 220Volt AC / 24V & 1kVA output invertor 2 x 12V 65A/H Cycle Batteries, 180W Mono Crystalline PV Solar module 1580x808x40mm with Mounting brackets and 2 x 10m 4mm PV black cable MC male and female, White DIN DB, 8-way surface with door and tray (fuses and breakers included), Air ventilation cut outs On all bays, Mild steel Laser cut individual numbering on all doors, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00009	**TABLET OR LAPTOP CHARGING STORAGE SAFES**	**40 BAY TABLET STORAGE SAFE,** 670 (w) x 1145 (d) x 910 (h), 280.0 kg, Framework = 3.0mm, Inner structure = 2.0mm, Mild Steel 3 x bolt locking mechanism, Bullet hinges, Digital Fingerprint locking system with Override manual Key, 4 per safe (2 per side), 4 x 120 x 120 x 38 mm Sunon Ball bearing fan, 6U Sliding server rack, Numbering strips on individual buckets, 4 x 10 Bay removable buckets, with plastic handles,

		rubber feet and foam base, Powder Coated (Yes), Colour (Customizable to specifications)
43211613-00010	**TABLET OR LAPTOP CHARGING STORAGE SAFES**	**80 BAY TABLET STORAGE SAFE,** 670 (w) x 1145 (d) x 910 (h), 280.0 kg, Framework = 3.0mm, Inner structure = 2.0mm, Mild Steel 3 x bolt locking mechanism, Bullet hinges, Digital Fingerprint locking system with Override manual Key 4 per safe (2 per side), 4 x 120 x120 x 38 mm Sunon Ball bearing fan, 6U server rack Optional, Numbering strips on individual buckets, 8 x 10 Bay removable buckets, with plastic handles, rubber feet and foam base, Powder Coated (Yes), Colour (Customizable to specifications)

Kindly note that the above Category B was erroneously included on the Pricing Schedule. It should be noted that the above items will not be evaluated and awarded.

Yours faithfully,

Z Mkhwanazi

ZANELE MKHWANAZI
DIRECTOR: EDUCATION SECTOR
DATE: 09/03/2020