

TRANSVERSAL CONTRACTING
Enquiries: Nomphelo Chitwa

Tel: 012 3956600

Email: TCcontracts2@treasury.gov.za

Ref: RT59-2022

AMENDMENT 2

RT59-2022: SUPPLY AND DELIVERY OF FOOTWEAR AND LEATHER PRODUCTS TO THE STATE FOR THE PERIOD 1 APRIL 2023 TO 31 MARCH 2026.

Please note that **Ezemvelo KZN Wild** is a participant in the above-mentioned contract. The Contract Circular can be viewed on the National Treasury's website.

http://www.treasury.gov.za/divisions/ocpo/ostb/contracts/default.aspx

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
RT59-101	BOOT, HALF, SAFETY TOE CAP, UNISEX. SPECIFICATION: SANS 20345:2014 EDITION 2 ISO 20345:2011 EDITIONS 2. CLASSIFICATION I. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, 4 PAIR D RINGS, FULL TONGUE, POLYURETHANE MIDSOLE WITH HEAT- AND OIL- RESISTANT RUBBER, OUTER SOLE, SANS 20345:2014 EDITION 2 ISO 20345:2011 EDITION 2, SMOOTH GRAIN UPPER LEATHER, LEATHER LINED PLAIN VAMP, MILITARY TYPE OUTSIDE COUNTER, TOP BRAND, 165MM LEG, HALF-BELLOWS TONGUE. SIZES: 3M,3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8, 9, 10, 11, 12, 13 AND 14	Aludar Holdings (Pty) Ltd	500
RT59-114	BOOT, HALF, SAFETY TOE CAP, UNISEX. SPECIFICATION: SANS 20345:2014 EDITION 2 ISO 20345:2011 EDITIONS 2. CLASSIFICATION I. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, 4 PAIR D RINGS, FULL TONGUE, POLYURETHANE MIDSOLE WITH HEAT- AND OIL- RESISTANT RUBBER, OUTER SOLE, SANS 20345:2014 EDITION 2 ISO 20345:2011 EDITION 2, SMOOTH GRAIN UPPER LEATHER, LEATHER LINED PLAIN VAMP, MILITARY TYPE OUTSIDE COUNTER, TOP BRAND, 165MM LEG, HALF-BELLOWS TONGUE. SIZES: 3M,3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8, 9, 10, 11, 12, 13 AND 14	Aludar Holdings (Pty) Ltd	500
RT59-004	GLOVES, SAFETY, WELDING. SPECIFICATION: ALL LEATHER CONSTRUCTION FOR LIGHT WELDING OR METAL WORKING. FABRIC: LEATHER. SIZES: SMALL, MEDIUM, LARGE, X-LARGE. COLOUR: BLACK	STEPAHEAD MANUFACTURIN G	1000
RT59-090	BELT, LEATHER, 30 MM. SPECIFICATION: SILVER BUCKLE. FABRIC: LEATHER. SIZE: ALL. COLOUR: BLACK (CKS 129: 0930C-1996)	STEPAHEAD MANUFACTURIN G	500

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
RT59-076	BELT, LEATHER, 35 MM. SPECIFICATION: SARS 012 AUGUST 2017 VESRSION 1 WIDE CHROME TIPS AND ROLLER PIN BUCKLE. SINGLE LEATHER, 35MM WITH SILVER HORSE SHOE BUCKLE. FABRIC: LEATHER. SIZE: ALL. COLOUR (CKS 129: 0930C- 1996)	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-077	BELT, BORDER PATROL 35 MM WIDE SPECIFICATION: LEATHER OUTER AND INNER, SILVER METAL ROLLER SINGLE PRONGE BUCKLE. BASKET WEAVE PRESSED FINISH. STITCHED DOWN BILLET WITH 5 PUNCHED HOLES FOR ADJUSTMENT. STITCHED DOWN BILLET WITH BUCKLE. SIZED ACCORDING TO TROUSER SIZES - 26 TO 52 TEST REPORT NOT REQUIRED	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-078	BELT, BORDER PATROL MATERIAL: STITCHED DOUBLE LEEATHERSTYLE 50 MM WIDE, BASKET WAEVE PRESSED FINISH, STITCHED DOWN BILLET WITH FIVE PUNCHED HOLES FOR ADJUSTMENT. STITCHED DOWN BILLET WITH SILVER ROLLER BUCKLESIZES SMALL (90MM) MEDIUM (110CM) LARGE 9130CM AND X-LARGE (150CM) COLOUR: ALL	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-079	BELT CEREMONIAL GENERAL OFFICERS SPECIFICATION: SALM 028 DATED JUNE 2010	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-081	BELT, LEATHERFABRIC: LEATHER 100%BOARDER PATROLSTYLE BASKET -WEAVEN DESIGN DOUBLE LEATHER STITCHED.BRASS BUCKLE, 5CM WIDTHSIZES: COLOUR: ALL	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-086	BELT, BORDER PATROL 50 MM WIDE. SPECIFICATION: LEATHER OUTER AND INNER, SILVER METAL ROLLER SINGLE PRONGE BUCKLE. BASKET WEAVE PRESSED FINISH. STITCHED DOWN BILLET WITH 5 PUNCHED HOLES FOR ADJUSTMENT. STITCHED DOWN BILLET WITH BUCKLE. SIZED ACCORDING TO TROUSER SIZES - 26 TO 52 TEST REPORT NOT REQUIRED	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-087	BELT, 30 MM. SPECIFICATION: 30MM WIDE 3MM DEPTH SINGLE LAYER GENUINE LEATHER, BRASS SINGLE PRONG SQUARE BUCKLE	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-089	ROUNDED TIP TO BELT END	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-091	7 PUNCHED HOLES BEHIND ROUNDED TIP FOR PRONG OF BUCKLE, FITTED WITH SINGLE BELT KEEP OF MATCHING LEATHER.	. Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-092	SIZE: SMALL (90CM), MEDIUM (110CM), LARGE (130CM) AND X-LARGE (150CM).	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-093	COLOUR: DARK BROWN	Tuscany Manufacturing Enterprises (Pty) Ltd	100
RT59-094	BELT, BORDER PATROL 50 MM WIDE. SPECIFICATION: LEATHER OUTER AND INNER,	Tuscany Manufacturing	100

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
	SILVER METAL ROLLER SINGLE PRONGE BUCKLE. BASKET WEAVE PRESSED FINISH. STITCHED DOWN BILLET WITH 5 PUNCHED HOLES FOR ADJUSTMENT. STITCHED DOWN BILLET WITH BUCKLE. SIZED ACCORDING TO TROUSER SIZES - 26 TO 52 TEST REPORT NOT REQUIRED	Enterprises (Pty) Ltd	
RT59-010	SHOE, LOAFER, FEMALE. SPECIFICATION: VAMP, QUARTER INSIDE AND OUTSIDE: SOFT CALF (0.9MM/1.2MM). ELASTIC: 40CM. LINING: RIVIERA LINING (0.8MM/1.0MM), 3MM SHANK. SOLE: PVC NITRILE, WEIGHT = 0.16KG. BOTTOM STOCK: INSOLE: 2 MM LINTAFOAM/1.75MM TEXON. BACK HEIGHTS: OUTSIDE/INSIDE (SIZE4) 65MM/52MM. LASTING: PU, CLOSING: NEOPRENE, HEEL ATTACHMENT: STUCK ON PRESS. SIZES: 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, FITTING: NARROW, MEDIUM AND WIDE. PACKAGING: BOXEDCOLOUR: BLACK	"DICK WHITTINGTON SHOES	50
RT59-025	SHOE, LACE-UP, GIBSON TYPE, FEMALE, SPECIFICATION: SAPS 2752/11 VERSION 1.0 DATED SEPTEMBER 2011, SANS 1437:2003 EDITION 2, TYPE R3: TRANSLUCENT RUBBER AND RUBBER FOR SPORTS AND RUNNING SHOES, GRISTLE RUBBER OUTER SOLES AND THROUGH MIDDLE SOLES, SANS 1437:2003 EDITION 2, TYPE R4: HIGH QUALITY SILICA-FILLED RUBBER (HEIGHT OF HEELS, INCLUDING RUBBER HEEL TOP-PIECE) 25 ± 1 MM, CALF UPPER LEATHER, PLAIN VAMP, ONE PIECE QUARTER, STRAIGHT BACK STRAP, LEATHER QUARTER AND TONGUE LINING, FABRIC VAMP LINING, 4 PAIRS OF INVISIBLE EYELETS HEELS TRIMMED SQUARE TO HEEL SEAT, SIZES: ALL, PACKAGING: BOXED (BOX END LABELS AND CARTON LABELS TO INCLUDE ICN CODES AS SUPPLIED BY THE SAPS), SAPS OXFORD BLUE (CKS 129-879C-03)	"DICK WHITTINGTON SHOES	50
RT59-044	SHOE, STEP-OUT, MALE. SPECIFICATION: 05181-100-042, GOODYEAR WELTED, SIDE UPPER LEATHER, STUCK-ON AND STITCHED OUTER SOLES AND MOULDED FULL RUBBER HEELS. SIZES: 3M, 3½M,4M, 4½M,5M,5½M,6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M,3W, 3½W,4W, 4½W,5W,5½W,6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W, 14W, COLOUR: BROWN/BLACK	"DICK WHITTINGTON SHOES	50
RT59-051	SHOE, GIBSON TYPE, SERVICE DRESS, MALE. SPECIFICATION: SG/GEN/61 DATED SEPTEMBER 2008, GIBSON TYPE, WITH PLAIN VAMPS, FULL GRAIN SIDE LEATHER UPPERS, PADDED QUARTER TOP LINE, LEATHER QUARTER LININGS, FABRIC VAMP LININGS, PADDED INSOLE WITH LEATHER FOREPART COVER AND SOCK, OUTER SOLES AND MOULDED SOLID HEELS OF RUBBER. SIZES: 3N, 3½N,4N, 4½N,5N,5½N,6N, 6½N, 7N, 7½N, 8N, 8½N, 9N, 9½N, 10N, 10½N, 11N, 11½N, 12N, 12½N, 13N, 13½N, 14N, 3M, 3½M,4M, 4½M,5M,5½M,6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M,	"DICK WHITTINGTON SHOES	50
5RT59-065	SHOE, GIBSON TYPE, SERVICE DRESS, MALE. SPECIFICATION: PS1169 AUGUST 2009.PLAIN	"DICK WHITTINGTON	50

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
	VAMPS, SIDE LEATHER UPPERS, PADDED	SHOES	
	QUARTER TOPLINE, LEATHER QUARTER LININGS,		
	FABRIC VAMP LININGS, PADED INSOLE WITH		
	LEATHER FOREPART COVER AND SOCK, OUTER		
	SOLES AND MOULDED SOLID HEELS OF RUBBER.		
	SHOE SHALL BE AVAILABLE IN THREE FITTINGS:		
	NARROW, MEDIUM AND WIDE. SIZES: 240M, 240W,	•	
	,		
	247M, 247W, 255M, 255W, 262M, 262W, 270M, 270W,	•	
DTC ATA	277M, 277W. COLOUR BROWN	WD LOLC	50
RT59-072	SHOE, MALE. SPECIFICATION: SANS 421:2010	"DICK	50
	EDITION 5.1 THE PRODUCTION OF MALE'S SHOES,	WHITTINGTON	
	GOODYEAR WELTED WITH STITCHED, OR STUCK-	SHOES	
	ON OUTER SOLES, CAPPED TOE, LEATHER		
	LININGS. SIZES: 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M,		1
	6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M,		
	11½M, 12M, 12½M, 13M, 13½M, 14M, 6W, 6½W, 7W,		
	7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W,		
	12W, 121/2W, 13W, 131/2W, 14W, COLOUR: BLACK.		
	SPECIAL SIZES TO BE CATERED FOR SMALL OR BIG		<u> </u>
RT59-095	BOOT, COMBAT. UNISEX SPECIFICATION: 05181-	"DICK	50
	100-115 DATED AUGUST 2013, SALM 469 VERSION	WHITTINGTON	
	03.0 DATED MARCH 2015, GOODYEAR WELTED,	SHOES"	
	PRINTED FULL GRAIN UPPER LEATHER PADDED		
	COLLAR, STUCK-ON AND STITCHED RUBBER		1
	OUTER SOLES, SOLID RUBBER HEELS. SIZES:		
,	3M,3½M, 4M, 4½M, 5M,5½M, 6M, 6½M, 7M, 7½M, 8M,		
	8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M,		
•	13M, 131/2M, 3W, 31/2W, 4W, 41/2W, 5W, 51/2W, 6W, 61/2W,		
	7W, 7½W, 8W, 8½W 9W, 9½W, 10W, 10½W, 11W,		
	11½W, 12W, 12½W, 13W, 13½W. COLOUR: BLACK		
RT59-096	BOOT, COMBAT, UNISEX, COLOUR BLACK, REF	"DICK	50
17179-090	SARSCB,001 DATED OCTOBER 2017 UNISEX HIGH-	WHITTINGTON	00
	LEG BOOT OF GIBSON STYLE WITH FABRIC AND	SHOES"	
		SHOES	
	LEATHER UPPERS, FULL OUTER SOLE AND HEEL		
	UNIT OF RUBBER, AND THAT ARE MADE IN	•	
	ACCORDANCE WITH THE STCUCK ON AND STICKED		
	PRINCIPLE, SIZES 3M,4M,5M,51/2M,6M,		
	7M,8M,9M,10M,11M,12M,13M,3W,4W,5W,51/2W,6W,6/		
	12W,7W,8W,9W,10W,11W,12W,13W, COLOUR: BLACK		
	(SANS 1091:2004, EDITION 2, TABLE B1, B01),		
	SAMPLE MUST BE SUMBITTED		70
RT59-111	BOOT, TACTICAL. SPECIFICATION: PS 1170,	"DICK	50
	VERSION 010 DATED MARCH 2012, SIZES: 2M,21/2M,	WHITTINGTON	
	3M,3½M, 4M, 4½M, 5M,5½M, 6M, 6½M, 7M, 7½M, 8M,	SHOES"	
	8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M,		
	13M, 13½M, 14M,2W, 2½W, 3W, 4W, 4½W, 5W, 5½W		
	6W, 6½W,7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W,		
	11W, 11½W, 12W, 12½W, 13W, 13½W, 14W,		
	COLOUR: BROWN		
RT59-120	BOOTS LEATHER BLACK IN ACCORDANCE WITH	"DICK	50
	SPECIFICATION SAPS 3183/16, VERSION 01.0	WHITTINGTON	
	JANUARY 2017COLOUR: BLACK AND BAR CODED	SHOES"	
	LABELS SPEC SAPS 10/2008 VERSION 02,0 MARCH	5,1020	
	2013		
RT59-121	BOOT, MALE, CHELSEA. SPECIFICATION: SALM	"DICK	50
K 109-121	· · ·	WHITTINGTON	50
	372/MKS12/96, GOODYEAR WELTED, ELASTIC-SIDED		
-	WITH LOOPS, 150 MM LEG. SIZES: 3M,3½M, 4M,	SHOES"	
	4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M,		
	9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M,		
	13½M, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W,		

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
<u> </u>	7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W. COLOUR: BLACK		
RT59-134-C	MEN'S PARATROOPER BOOTS: KMG6111 DATED NOV 1994, COVER MEN'S LEATHER-LINED, PLAIN VAMP, DERB STYLE BOOT WITH STITCHED-IN ANKLE REINFOCEMENT, 255MM LEG AND CLEATED RUBBER OUTER-SOLE-HEEL UNIT. SIZE 232 (4), 240 (5), 247 (6), 255 (7),262 (8), 270 (9), 277 (10), 285 (11), 292 (12), 300 (13), 315 (14) COLOUR: BROWN/ BLACK	"DICK WHITTINGTON SHOES"	50
RT59-009	SHOE, COURT, FEMALE. SPECIFICATION: VAMP, QUARTER INSIDE & OUTSIDE: SOFT CALF (09MM/1.2MM), SOCK: LEATHER, ARCH SUPPORT AND FORE-PART LATEX. BOTTOM STOCK: INSOLE 2 MM LINTRAFOAM/1.75, TEXON/3MM SHANK. SOLE 2.7 MM BOOT STRIP. HEEL: POLISH SPRAYED STACK. BACK HEIGHTS: OUTSIDE/INSIDE 65 MM/52MM. LASTING: PU. CLOSING: NEOPRENE. HEEL ATTACHMENT: NAILS 6X22MM. SIZES: 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, FITTING: NARROW, MEDIUM AND WIDE. PACKAGING: BOXED. COLOUR: BLACK	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	100
RT59-010	SHOE, LOAFER, FEMALE. SPECIFICATION: VAMP, QUARTER INSIDE AND OUTSIDE: SOFT CALF (0.9MM/1.2MM). ELASTIC: 40CM. LINING: RIVIERA LINING (0.8MM/1.0MM), 3MM SHANK. SOLE: PVC NITRILE, WEIGHT = 0.16KG. BOTTOM STOCK: INSOLE: 2 MM LINTAFOAM/1.75MM TEXON. BACK HEIGHTS: OUTSIDE/INSIDE (SIZE4) 65MM/52MM. LASTING: PU, CLOSING: NEOPRENE, HEEL ATTACHMENT: STUCK ON PRESS. SIZES: 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, FITTING: NARROW, MEDIUM AND WIDE. PACKAGING: BOXEDCOLOUR: BLACK	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	100
RT59-011	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0,9MM AND SHALL NOT EXCEED 1,2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0,7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	100

ITEM CODE	DESCRIPTION	SUPPLIER	QUANTITY
	SHANK BOARD WITH A SHANK, A LATEX FOAM		
	SHALL BE LAMINATED TO THE WEARING SURFACE		
	OF THE INSOLE. SOLING MATERIAL SHALL BE OF		
	BROWN TPR SOLING MATERIAL AND SHALL		
	CONSIST OF A STRIP IN THE FOREPART TO		
	PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S		
	SHALL BE FITTED WITH A FULL LEATHER SOCK,		
	AND SHALL HAVE A FOAM LAMINATED TO THE		
	SOCK FROM THE SEAT TO THE FOREPART WITH		
	PUNCH HOLES IN THE FOREPART AND WAIST OF		
	THE INNER SOCK. THE FOREPART OF THE INNER-		
	SOCK SHALL BE STITCHED AROUND THE EDGE OF		
	THE FOAM FORMING A CIRCLE AT THE BALL OF	İ	
	FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL		
	INCLUDE FULL AND HALF SIZES		

Please update your records.

Yours faithfully,

MULATEDZI RAUDZINGANA

For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

OFFICE OF THE CHIEF PROCUREMENT OFFICER

DATE: 15/08/2023

\vdash
ō
-
υ.
뭹
۵

ם	DEPARTMENT NAME: Exemvelo KZN Wildlife	velo KZN Widlife lo Mhamhala		
Ś	IAC FENSON: SHORING	Williadrilladrid		
EMA	RELEPHONE RUMBER: 033 845 1745 EMAIL ADDRESS: Sibongile.Mbambal	tet.EPHONE RUMBER: U33 843 1/45 BMAIL ADDRESS: Sibongile.Nbambalala@kznwildlife.com		
	CONTRA	opuc.	TO THE STATE FOR THE PER	IOD 1 APRIL 2023 TO 31 MARCH 2026
NO	(TEM NU	SHORT DESCRIPTION	SUPPLIER	ESTIMATED COMMENTS QUANTITIES
+	53111501 - 00017	Boot, half, safety toe cap unisex, heat and oil resistant	Aludar Holdings	52
74	RT39-101	BOOT, HALF, SAFETY TOE CAP, UNISEX, SPECIFICATION: SANS 202452014 EDITION 2 ISO 203452014 EDITIONS 2 CLASSIFICATION! PRESONAL PROTECTIVE COULINEARY SAFETY FOOTWERS, A PAIR D RINGS, FULL TONGUE, POLYNETHANE MIDGOLE WITH HEAT AND OIL RESISTANT RUBBER, QUITER SOLE, SANS 203452014 EDITION 2, SMOOTH GRANU UPPER, LEATHER, LEATHER, LINED PAIN VAMP, MILITARY TYPE OUTSIDE COUNTER, TOP BRAND, 165MM LEG, HALF-BELLOWS TONGUE, SIZES: 3M,39M, 4M, 42M, 5M, 52M, 6M, 69M, 7M, 79M, 8, 9, 10, 11, 12, 13 MD 14	Aludar Holdings (Pty) Ltd	0009
. "	R136-114	BOOT, HALF, SAFETY TOE CAP, UNISEX, SPECIFICATION: SANS 203452014 EDITION 2 ISO 203452014 EDITION 2 LOS SIFICATION BESONAL PROTECTIVE CEQUIPMENT SAFETY FOOTWEAR, 4 PAIRD BRINSS, FULL TONGUE, POLYUPETHANE MIDSOLE WITH HEAT-AND OIL, RESISTANT RUBBER, CUTTER SOLE, SANS 203452014 EDITION 2 ISO 203452011 EDITION 2 SANCOTH GRAN UPPER LEATHER, LEATHER UNED PLAIN VAMP, MULTARY TYPE OUTSIDE COUNTER, TOP BRAND, 169MR LEG, HALF-BELLOWS TONGUE, SZES: 3M,39M, 4M, 4M, 4M, 5M, 5M, 5M, 5M, 7M, 7M, 8, 9, 10, 11, 12, 13 AND 14	Auder Holdings (Pty) Lld	500
4	RT59-004	CLOVES, SAFETY, WELDING, SPECIFICATION: ALL LEATHER CONSTRUCTION FOR LIGHT WEIGHT, WREING, FABRIC: LEATHER, SIZES; SMALL, MEDIUM, LARGE, X. LARGE, COLOUR: BLACK	STEPAHEAD MANUFACTURING	1000
vo.	RT59-090	BELT, LEATHER, 30 MM. SPECIFICATION: SILVER BLOKLE. FABRIC: LEATHER, SIZE. ALL. COLOUR: BLACK (CKS 129: 0830C-1996)	STEPAHEAD MANUFACTURING	909
	RT59-076	BELT, LEATHER, 35 MM. SPECIFICATION: SARS 012 AUGUST 2017 VESRSION 1 WIDE CHROME TIPS AND ROLLER PIN BUCKLE. SINGLETBATHER, 35MM WITH SILVER HORSE SHOE BUCKLE. FABRIC: LEATHER, SIZE ALL. COLOUR. (CKS. 129: 09302-1996)	Tuscany Manufacturing Enterprises (Pty) Ltd	1000

