



NATIONAL TREASURY: OFFICE OF THE CHIEF PROCUREMENT OFFICER: TRANSVERSAL CONTRACTING

Contact person: Thato Hlatshwayo, Tel: 012-315-5949, Mobile: 060 998 5510
Fax: 086-427-2895, e-mail: TCcontracts2@treasury.gov.za

CONTRACT NUMBER: RT59-2022

RT59-2022: SUPPLY AND DELIVERY OF FOOT WEAR AND LEATHER PRODUCTS TO THE STATE FOR THE PERIOD 1 APRIL 2023 TO 31 MARCH 2026

AMENDMENT 47

QUEEN OF SHEBA

Contract Price

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-009	SHOE; COURT, FEMALE. SPECIFICATION: VAMP, QUARTER INSIDE & OUTSIDE: SOFT CALF (09MM/1.2MM), SOCK: LEATHER, ARCH SUPPORT AND FORE-PART LATEX. BOTTOM STOCK: INSOLE 2 MM LINTRAFOAM/1.75, TEXON/3MM SHANK. SOLE 2.7 MM BOOT STRIP. HEEL: POLISH SPRAYED STACK. BACK HEIGHTS: OUTSIDE/INSIDE 65 MM/52MM. LASTING: PU. CLOSING: NEOPRENE. HEEL ATTACHMENT: NAILS 6X22MM. SIZES: 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½. FITTING: NARROW, MEDIUM AND WIDE. PACKAGING: BOXED. COLOUR: BLACK	SOUTH AFRICAN REVENUE SERVICES	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,60	R703,73	R752,99

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-011	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0,9MM AND SHALL NOT EXCEED 1,2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0,7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES	SOUTH AFRICAN REVENUE SERVICES	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82
RT59-013	SHOES WO COURT BLACK SQUARE TOE SLIP ON SALM 629/2008 MARCH 2008	SOUTH AFRICAN AIRFORCE	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-015	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0.9MM AND SHALL NOT EXCEED 1.2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0.7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES	RUSTENBURG LOCAL MUNICIPALITY	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-016	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0.9MM AND SHALL NOT EXCEED 1.2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0.7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1. AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES	CITY OF JOHANNESBURG EMERGENT MANAGEMENT SERVICES - COJEMS	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82
RT59-017	SHOE, COURT, FEMALE. SPECIFICATION: SALM 629:2008 DATED MARCH 2008 - CALF UPPER LEATHER, MEDIUM HEEL. SIZES: 2N, 2½N, 3N, 3½N, 4N, 4½N, 5N, 5½N, 6N, 6½N, 7N, 7½N, 8N, 8½N, 9N, 9½N, 10N, 10½N, 11N, 11½N, 12N, 12½N, 13N, 13½N, 14N, 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W, 14W. PACKAGING: BOXED. COLOUR: BLACK	CITY OF JOHANNESBURG EMERGENT MANAGEMENT SERVICES - COJEMS	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-018	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0,9MM AND SHALL NOT EXCEED 1,2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0,7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1. AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK. A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES	LIMPOPO TRANSPOR T AND COMMUNIT Y SAFETY	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-019	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP. CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0,9MM AND SHALL NOT EXCEED 1,2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0,7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES	CORRECTI ONAL SERVICES	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-020	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM. TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BLACK AND SHALL HAVE A MINIMUM THICKNESS OF 0.9MM AND SHALL NOT EXCEED 1.2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0.7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 – 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES. PRE-PRODUCTION SAMPLE TO BE PROVIDED	BORDER MANAGEMENT AUTHORITY	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-021	FEMALE COURT SHOES SPECIFICATION: HEEL SHALL BE A PLASTIC STACKED - MEDIUM HEEL (35-45MM HEIGHT, EXCLUDING TOP-PIECE, TOP PIECE WIDTH - ±30MM, LENGTH - ±35MM) OR HIGH HEEL (55-65MM HEIGHT EXCLUDING TOP-PIECE, TOP-PIECE WIDTH ±20MM, LENGTH - ±30MM) SQUARE TOE, TWO PIECE UPPER WITH CONCEALED "V" ELASTIC INSERT IN THE THROAT OF VAMP, CLOSED FISHTAIL BACK-SEAM, TOP-LINE SHALL BE FOLDED WITH ONE ROW OF TOP-LINE STITCHING AND A "V" STITCH AROUND THE GUSSET IN THE THROAT OF VAMP. THE SHOE SHALL BE CONSTRUCTED USING THE STUCK ON METHOD. UPPER LEATHER SHALL BE OF CALF LEATHER COLOUR BROWN AND SHALL HAVE A MINIMUM THICKNESS OF 0.9MM AND SHALL NOT EXCEED 1.2MM. LEATHER SHALL HAVE A SOFT MELLOW FEEL. LINING SHALL BE OF A SYNTHETIC BREATHABLE LINING OF COLOUR ACCEPTABLE MATCH TO THE UPPER. SYNTHETIC COUNTER LINING SHALL BE OF A NON-WOVEN MATERIAL AND SHALL HAVE A THICKNESS OF NOT LESS THAN 0.7MM. THE SOCKING SHALL BE OF A SOFT LEATHER OF AN ACCEPTABLE MATCH TO THE UPPER. TOE PUFF AND STIFFENER MATERIAL SHALL COMPLY TO THE REQUIREMENTS OF SANS 1482:2010, EDITION 2.1, AMENDMENT 1. INSOLE SHALL CONSIST OF A COMBINED CELLULOSE AND SHANK BOARD WITH A SHANK, A LATEX FOAM SHALL BE LAMINATED TO THE WEARING SURFACE OF THE INSOLE. SOLING MATERIAL SHALL BE OF BROWN TPR SOLING MATERIAL AND SHALL CONSIST OF A STRIP IN THE FOREPART TO PREVENT ANY SLIPPING. EACH PAIR OF SHOE/S SHALL BE FITTED WITH A FULL LEATHER SOCK, AND SHALL HAVE A FOAM LAMINATED TO THE SOCK FROM THE SEAT TO THE FOREPART WITH PUNCH HOLES IN THE FOREPART AND WAIST OF THE INNER SOCK. THE FOREPART OF THE INNER-SOCK SHALL BE STITCHED AROUND THE EDGE OF THE FOAM FORMING A CIRCLE AT THE BALL OF FOOT. SIZE: 2 - 11 THE SIZE RANGE SHALL INCLUDE FULL AND HALF SIZES. COLOUR BROWN	CORRECTI ONAL SERVICES	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82
RT59-024	SHOE, COURT, FEMALE. SPECIFICATION: SALM 629:2008 DATED MARCH 2008 - CALF UPPER LEATHER, MEDIUM HEEL. SIZES: 2N, 2½N, 3N, 3½N, 4N, 4½N, 5N, 5½N, 6N, 6½N, 7N, 7½N, 8N, 8½N, 9N, 9½N, 10N, 10½N, 11N, 11½N, 12N, 12½N, 13N, 13½N, 14N, 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W, 14W. PACKAGING: BOXED. COLOUR: BLACK	ROAD TRAFFC MANAGEMEN T CORPORATION	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-034	SHOE, LEISURE, MALE. SPECIFICATION: SALM 182/MS005/96UPPER MATERIALS ALL BLUE WITH WHITE OVERLAY WITH THE EXCEPTION OF THE SIDE FLASH AND THE HEEL FLASH WHICH BOTH BLACK; THROUGH SOLE HAVE A WALL FROM THE FOREPART TO THE HEEL. THE COLOUR BLUE WITH OVERLAY SIZES: 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W.	SOUTH AFRICAN NAVY	2500	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R717,60	R778,60	R833,10
RT59-035	SHOE, COURT, FEMALE. SPECIFICATION: SALM 629:2008 DATED MARCH 2008 - CALF UPPER LEATHER, MEDIUM HEEL. SIZES: 2N, 2½N, 3N, 3½N, 4N, 4½N, 5N, 5½N, 6N, 6½N, 7N, 7½N, 8N, 8½N, 9N, 9½N, 10N, 10½N, 11N, 11½N, 12N, 12½N, 13N, 13½N, 14N, 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W, 14W. PACKAGING: BOXED. COLOUR: BLACK	SOUTH AFRICAN NAVY	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82
RT59-038	SHOE, COURT, FEMALE. SPECIFICATION: SALM 629:2008 DATED MARCH 2008 - MEDIUM HEEL. SIZES: 2N, 2½N, 3N, 3½N, 4N, 4½N, 5N, 5½N, 6N, 6½N, 7N, 7½N, 8N, 8½N, 9N, 9½N, 10N, 10½N, 11N, 11½N, 12N, 12½N, 13N, 13½N, 14N, 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W, 10½W, 11W, 11½W, 12W, 12½W, 13W, 13½W, 14W. PACKAGING: BOXED. COLOUR: WHITE	SOUTH AFRICAN NAVY	700	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R648,45	R703,57	R752,82
RT59-039	SHOE, SAFETY, FEMALE, METAL TOE CAP, SANS 20345:2014 CLASSIFICATION 1 EDITION 2, ISO 20345:2011 EDITION 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, UPPER SMOOTH CORRECTED GRAIN LEATHER, DOUBLE DENSITY PU, DIRECT INJECTED MOULDED, VAMP NON-WOVEN, WITH A METAL TOE CAP TO BE RESISTANT TO 200J. MEDIUM FIT AND WIDE FIT. SIZES: 2-14. COLOUR: BLACK	SOUTH AFRICAN NAVY	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R869,23	R943,11	R1 009,13

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-040	SHOE, LEISURE, MALE. SPECIFICATION: SALM 182/MS005/96UPPER MATERIALS ALL BLUE WITH WHITE OVERLAY WITH THE EXCEPTION OF THE SIDE FLASH AND THE HEEL FLASH WHICH BOTH BLACK; THROUGH SOLE HAVE A WALL FROM THE FOREPART TO THE HEEL. THE COLOUR BLUE WITH OVERLAY SIZES: 2M, 2½M, 3M, 3½M, 4M, 4½M, 5M, 5½M, 6M, 6½M, 7M, 7½M, 8M, 8½M, 9M, 9½M, 10M, 10½M, 11M, 11½M, 12M, 12½M, 13M, 13½M, 14M, 2W, 2½W, 3W, 3½W, 4W, 4½W, 5W, 5½W, 6W, 6½W, 7W, 7½W, 8W, 8½W, 9W, 9½W, 10W.	SOUTH AFRICAN NAVY	2500	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R717,60	R778,60	R833,10
RT59-053	SHOE, SAFETY, STEEL TOE-CAP, MALE. SPECIFICATION: SALM 625 VERSION 02.07 JULY 2012. SANS 20345:2014 CLASSIFICATION I EDITION 2, PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, : MODIFIED OXFORD STYLE, PLAIN VAMP, DOUBLE TONGUE, PADDED AND LINED QUARTERS, FACINGS, FOUR PAIRS OF D-RINGS, ONE PAIR OF EYELETS, NON-WOVEN VAMP LINING, STEEL TOE-CAP, OUTSIDE COUNTER, DIRECT INJECTION-MOULDED DUAL DENSITY POLYURETHANE OUTER SOLES AND HEELS. SIZES FULL SIZES	SOUTH AFRICAN AIRFORCE	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R829,72	R900,25	R1 009,13
RT59-099	BOOT, TACTICAL. SPECIFICATION: PS 1170, VERSION 010 DATED MARCH 2012, SIZE: ALL, COLOUR: ALL	RUSTENBURG LOCAL MUNICIPALITY	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R976,90	R1 059,94	R1 134,14
RT59-102	BOOT, GUM, PVC, KNEE LENGTH , STEEL TOE CAP, NON-SLIP SOLE. SPECIFICATION: SABS 1320-1* *THIS STANDARD REFERENCES OTHER STANDARDS EDITION 1.3 200.1 TYPE 1; CLASS 1 STANDARD. SANS 20345:2014 CLASSIFICATION II EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: ALL	RUSTENBURG LOCAL MUNICIPALITY	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R220,40	R239,13	R255,87
RT59-115	BOOT, GUM, PVC, KNEE LENGTH , STEEL TOE CAP, NON-SLIP SOLE. SPECIFICATION: SABS 1320-1* *THIS STANDARD REFERENCES OTHER STANDARDS EDITION 1.3 200.1 TYPE 1; CLASS 1 STANDARD. SANS 20345:2014 CLASSIFICATION II EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: ALL	JOHANNESBURG METROPOLITAN POLICE DEPARTMENT (JMPD)	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R198,50	R215,37	R230,45

ITEM CODE	ITEM DESCRIPTION	END USER	MINIMUM ORDER QUANTITY	BIDDER'S NAME	ORIGINAL BID PRICE	PREVIOUS PRICE	AMENDMENT 47, NEW PRICE WITH EFFECT 17 OCTOBER 2024
RT59-133	BOOT, GUM, PVC, KNEE LENGTH, GENERAL PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION I EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: BLACK	CORRECTI ONAL SERVICES	10	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R220,40	R239,13	R255,87
RT59-134	BOOT, GUM, RUBBER, SLIP ON SHOE. SPECIFICATION: ACID, BLOOD & FAT RESISTANT SHOE, NITRILE SOLE. SABS APPROVED, STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANCE, ULTRA-SAFE OUTBACK IDENTIFICATION: WHITE PVC SHAFT WITH GREY OR RED SOLE, SIZES: UNISEX 5 TO12, PACKAGING: BOXED, COLOUR: WHITE WITH GREY OR RED SOLE	CORRECTI ONAL SERVICES	4292	Queen of Sheba Textiles & Design (Pty) Ltd T/A QS Safety (Pty) Ltd	R237,90	R258,12	R276,19



MULATEDZI RAUPZINGANA
OFFICE OF THE CHIEF PROCUREMENT OFFICER
For CHIEF-DIRECTOR: TRANSVERSAL CONTRACTING
DATE: 16/10/2024

