

Enquiries: Brenda Mashifane Ref: RT2-1-2016 Tel: 012 315 5877 email: transversal.contracting2@treasury.gov.za

ADDENDUM 26 - TO ALL PARTICIPANTS

TRANSVERSAL CONTRACT RT2-1-2016: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND MAINTENANCE OF MEDICAL EQUIPMENT TO THE STATE FOR THE PERIOD ENDING 31 MARCH 2021

B Braun (Pty) Ltd prices have been adjusted on the following items effective 1 July 2020:

ITEM NUMBER & ACCESSORIES	BRAND NAME	INCLU UP TO	CURRENT PRICE INCLUSIVE OF VAT UP TO 30 JUNE 2020		PRICE ISIVE OF VAT CTIVE 1 JULY
42296323-00000	Aesculap	R	858 865.27	R	1 039 986.38
LAPAROSCOPE, VIDEO SYSTEM, GYNAE, C/W MONITOR, VIDEO PROCESSOR, INSUFFLATOR, CAMERA CONSOLE, DATA MANAGEMENT SYSTEM, LAPAROSCOPIC RIGID SCOPES, FIBER OPTIC LIGHT CABLE AND THE APPROPRIATE TROLLEY.		R	858 865.28	R	
TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R	23 132.86	R	28 011.21
TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 10 MM, LG 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R	23 132.86	R	28 011.12
TELESCOPE, STRAIGHT FORWARD, 0°, ENLARGED VIEW, DIA 5 MM, LG 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED.		R	10 803.20	R	13 081.42
TELESCOPE, FORWARD-OBLIQUE, 30°, ENLARGED VIEW, DIA 5MM, LG 29CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED X1.		R	21 283.26	R	25 771.56
CASE, SCOPE,		R	1 866.00	R	2 259.51
NEEDLE, VERESS PNEUMOPERITONEUM, SPRING -LOADED BLUNT STYLET, LUER-LOCK, LG 10CM.		R	558.93	R	676.80
TROCAR AND CANNULA 6MM.		R	2 490.90	R	3 016.19
TROCAR AND CANNULA 11MM		R	2 622.00	R	3 174.94
CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH		R	4 296.45	R	5 202.50

ITEM NUMBER & ACCESSORIES	BRAND	CURRENT PRICE	NEW PRICE
	NAME	INCLUSIVE OF VAT UP TO 30 JUNE 2020	INCLUSIVE OF VAT EFFECTIVE 1 JULY 2020
CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK			
CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH			
36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS			
INSERT.			
CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 4 296.45	R 5 202.50
CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT.		R 4 296.45	R 5 202.50
ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT.		R 4 696.45	R 5 686.86
ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.		R 5 485.08	R 6 641.80
LYMPH NODE GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA OUTER TUBE, INSULATED, AND FORCEPS INSERT.		R 4 899.46	R 5 932.68
GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, JAWS WITH MULTIPLE TEETH, WIDTH OF JAWS 4,8 MM, SINGLE ACTION JAWS, CONSISTING OF: 33156 PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH		R 4 208.63	R 5 096.16

ITEM NUMBER & ACCESSORIES	BRAND	CURRE	NEW PRICE		
TEM NOMBER & AGGEGGGREG	NAME		IVE OF VAT		VE OF VAT
			0 JUNE 2020		IVE 1 JULY
				2020	
LARGER CONTACT AREA 33300 OUTER					
TUBE, INSULATED 33310 ME FORCEPS INSERT.					
BABCOCK GRASPING FORCEPS, ROTATING,		R	4 296.45	R	5 202.50
WITH CONNECTOR PIN FOR UNIPOLAR					
COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH MULTIPLE					
TEETH, FENESTRATED, SINGLE ACTION					
JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH					
LARGER CONTACT AREA, OUTER TUBE,					
INSULATED AND FORCEPS INSERT.					
CLAW FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE		R	4 296.45	R	5 202.50
ACTION JAWS, CONSISTING OF: METAL					
HANDLE, WITH HEMOSTAT STYLE					
RATCHET, OUTER TUBE, INSULATED, AND FORCEPS INSERT.					
METZENBAUM SCISSORS, ROTATING,		R	6 532.54	R	7 910.15
DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-					
LOCK IRRIGATION CONNECTOR FOR					
CLEANING, DOUBLE ACTION JAWS, SPOON-					
SHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM,					
LENGTH 36 CM CONSISTING OF: PLASTIC					
HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND					
SCISSORS INSERT FOR USE WITH					
TROCARS SIZE 6 MM. BIOPSY FORCEPS, ROTATING,		R	4 654.46	R	5 636.01
DISMANTLING, INSULATED, WITH		K	4 054.40	K	5 636.01
CONNECTOR PIN FOR UNIPOLAR					
COAGULATION, WITH LUER LOCK ADAPTOR FOR CLEANING, LARGE JAWS, SINGLE					
ACTION JAWS, SIZE 5 MM, LENGTH 36 CM					
CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER SHEATH,					
INSULATED, AND FORCEPS INSERT.					
CURVED BIPOLAR GRASPING FORCEPS,		R	8 056.71	R	9 755.74
ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR					
COAGULATION, ESPECIALLY SUITABLE FOR					
DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING					
OF:PLASTIC HANDLE, WITHOUT RATCHET,					
METAL OUTER SHEATH AND FORCEPS					
INSERT FENESTRATED BIPOLAR GRASPING		R	8 056.71	R	9 755.74
FORCEPS, ROTATING, DISMANTLING, WITH			0 000	``	0.00
CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE					
ATRAUMATIC SERRATION, FENESTRATED					
JAWS, DOUBLE ACTION JAWS, SIZE 5 MM,					
LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL					
OUTER SHEATH AND FORCEPS INSERT.		1	1.00= 00		
COAGULATING AND DISSECTING ELECTRODE, SPATULA-SHEAPED, BLUNT		R	1 967.33	R	2 383.21
WITH CONNECTOR PIN FOR UNIPOLAR					
COAGULATION, SIZE 5 MM, WORKING					
LENGTH 36 CM COAGULATING AND DISSECTING		R	1 967.33	R	2 382.21
ELECTRODE, L-SHAPED, WITH CONNECTOR					

ITEM NUMBER & ACCESSORIES	BRAND	D CURRENT PRICE			NEW PRICE		
	NAME		SIVE OF VAT		SIVE OF VAT		
		UP TO	30 JUNE 2020	EFFEC 2020	TIVE 1 JULY		
PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM.				2020			
PROBE, PALPATION, VIDEO SYSTEM, LAPAROSCOPIC.		R	459.15	R	555.98		
INSTRUMENT, FIXATION, MYOMA, SCREW SHAPED, DIA 5MM.		R	0	R	0		
SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM.		R	1 354.44	R	1 640.07		
NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE RIGHT SIDE, LEFT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R	5 905.81	R	7 151.25		
NEEDLE HOLDER, ERGONOMIC AXIAL HANDLE WITH DISENGAGEABLE RATCHET, RATCHET RELEASE ON THE LEFT SIDE, RIGHT CURVED JAWS, WITH TUNGSTEN CARBIDE INSERT Ø 5 MM, LENGTH 33 CM.		R	5 180.54	R	6 273.03		
KNOT TIER; SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING.		R	826.27	R	1000.52		
FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM.		R	3 938.43	R	4 768.98		
MANIPULATOR, UTERINE, GYNAE.		R	17 911.70	R	21 688.99		
UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM.		R	827.58	R	1002.10		
BIPOLAR HIGH FREQUENCY CORD, LENGTH 300 CM.		R	2 151.00	R	2 604.61		
FIBER OPTIC LIGHT CABLE, WITH STRAIGHT CONNECTOR, DIAMETER 4.8 MM, LENGTH 300 CM.		R	8 022.28	R	9 714.05		
42296323-00000	Aesculap	R	790 399.13	R	957 081.82		
STRAIGHT FORWARD TELESCOPE 0° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R	23 335.78	R	28 256.91		
FORWARD-OBLIQUE TELESCOPE 30° ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R	23 335.78	R	28 256.91		
STRAIGHT FORWARD TELESCOPE 0°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: GREEN X1		R	12 135.19	R	14 694.31		
FORWARD-OBLIQUE TELESCOPE 30°, ENLARGED VIEW, DIAMETER 5 MM, LENGTH 29 CM, AUTOCLAVABLE, FIBER OPTIC LIGHT TRANSMISSION INCORPORATED, COLOR CODE: RED X1		R	18 669.52	R	22 606.63		
PLASTIC CONTAINER FOR STERILIZING, SUITABLE FOR STEAM, GAS, AND HYDROGEN PEROXIDE (STERRAD®) STERILIZATION AND STORAGE, PERFORATED, WITH LID, EXTERNAL DIMENSIONS (W X D X H): 321 X 90 X 45 MM FOR USE WITH TWO RIGID ENDOSCOPES		R	1 636.84	R	1 982.02		

UP TO MAX. 20 CM WORKING LENGTH X2 CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMATILING, INSULATED, WITH CONNECTOR, PIN FOR UNIPOLAR CONNECTOR, PIN FOR UNIPOLAR CONNECTOR, PIN FOR UNIPOLAR CONNECTOR, PIN FOR UNIPOLAR CONNECTOR, PIN FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 30 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED, WITH CONNECTOR, PIN FOR UNIPOLAR CORPS, ROTATING, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMATILING, INSULATED, WITH CONNECTOR, PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 30 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 30 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 30 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 30 CM, CONSISTING OF: PLASTIC HANDLE WITHOUT RATCHET, WITH LANGUAGE COAGULATION, SIZE 5 MM, LENGTH 30 CM, ATRAUMATIC, FENESTRATED, SIGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEBALE PATCHET, WITH LANGER COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEBALE PATCHET, WITH LANGER COAGULATION, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LANGER COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LANGUAGE AND FORCEPS INSERT. ATRAUMATIC DISSECTION AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATIO	ITEM NUMBER & ACCESSORIES	BRAND	CURRENT PRICE	NEW PRICE
UP TO MAX 20 CM WORKING LENGTH X2 CURYED LONG DISSECTING AND GRASPING FOCKEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURER-LOCK CONNECTOR FOR CLEANING DUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURER-LOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURER-LOCK CONNECTOR PIN FOR UNIPOLAR CONGUITING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURER-LOCK CONNECTOR PIN FOR UNIPOLAR ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. COAGULATION, WITH LURER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS ATRAUMATIC GRASPING FORCEPS ATRAUMATIC GRASPING FORCEPS ATRAUMATIC GRASPING FORCEPS ATRAUMATIC GRASPING FORCEPS WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ATRAUMATIC GRASPING FORCEPS CONSISTING OF: PLASTIC HANDLE WITH DISENGRABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH DISENGRAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR CONSIGNATION, SIZE 5 MM, LENGTH				
LUP TO MAX 20 CM WORKING LENGTH X2 CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR CONGULATION FOR CLEANING, DISHARD, CONGULATION FOR CLEANING, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL CONNECTOR PIN FOR UNIPOLAR CONGULATION, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL COUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS INSERT, ATRAUMATIC GRASPING FORCEPS INSERT, ATRAUMATIC GRASPING FORCEPS INSERT, MITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, INSERT, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, CONSISTING OF: PLASTIC HANDLE, WITH DISENGAGEABLE RATCHET, WITH LARGER CONNECTOR OF PLASTIC HANDLE, WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR FOR FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR FOR FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR FOR FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR FOR FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING,			UP TO 30 JUNE 2020	EFFECTIVE 1 JULY
CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURELOCK CONNECTOR PIN FOR CORDINARY LONG SIZE 5 MM, LENGTH SAFETH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, CORDINARY LONG SIZE 5 MM, LENGTH ACTION, JAWS, LONG, SIZE 5 MM, LENGTH ACTION, JAWS, LONG, SIZE 5 MM, LENGTH ACTION, JAWS, LONG, SIZE 5 MM, LENGTH SAFETH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION, JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF-PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION, JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF-PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF-PLASTICHANDLE, WITHOUT RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF-PLASTICHANDE WITH DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF-PLASTICHANDLE WITH DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF-PL				2020
GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND RASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, GRASPING FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS INSERT. RATRAUMATIC GRASPING FORCEPS INSERT. ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET. WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET. METAL CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL COTTON JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL CORSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, SINGLE ACTION JAWS, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LANGER CONSISTING OF: PLASTIC HANDLE WITH DI				
DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF, PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH ACTION JAWS CONSISTING OF, PLASTIC HANDLE, WITHOUT RATCHET METAL DOUBLE ACTION JAWS CONSISTING SIZE 5 MM, LENGTH CONSISTING SIZE 5 MM, LENGTH ACTION JAWS CONSISTING SIZE 5 MM, LENGTH SINSERT, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF, PLASTICHADULE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, COAGULATION, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF, PLASTICHADULE, WITH LARGER CONTACT AREA, OUTER TIME, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF, PLASTICHADE, WITH LARGER CONTACT AREA, OUTER TIME, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF, PLASTICHANDLE, WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF, PLASTICHANDLE CONSISTING OF, PLASTICHANDLE THE CONNECTOR PIN FOR UNIPOLAR COAGULATION SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE A			R 4 296.45	R 5 202.50
CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND COAGULATION, WITH LUER-LOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED, AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH SEPCIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS ROTATING, OFFLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS ROTATING, OFFLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE UNIPOLAR COAGULATION, SIZE UNIPOLAR COAGULATION, SIZE SIMPLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT! ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ROTALING OF PLASTIC HANDLE WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ROTALING OF PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ROTALING OF PLASTIC HANDLE WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND				
CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING COAGULATION, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LURELCOK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONNECTOR PIN FOR COAGULATION SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINCE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH BISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ROCKEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OP: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ROCKEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OP: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING RASPING FORCEPS, ROTATING, WITH CONNECTOR P	CONNECTOR PIN FOR UNIPOLAR			
ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF, PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTING, INSULATED, WITH CONNECTOR FIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF, PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLA EATION, JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF, PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF, PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF, PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF, PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF, PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION,				
MITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUBER, LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF; PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SINGLE ACTION JAWS, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SINGLE ACTION JAWS, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM CONSISTING OF; PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENSAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LISENSAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPI				
SHEATH, INSULATED AND FORCEPS INSERT. CURVED SHORT. DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM. LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM. LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM. LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT.				
INSERT. CURVED SHORT, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUBERLOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUBERLOCK CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUBERLOCK CONNECTOR PIN FOR CHEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, F				
GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH AG CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH				
DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, TRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH			R 4 296.45	R 5 202.50
CONNECTOR PIN FOR UNIPOLAR COAGULATION. WITH LUER-LOCK CONNECTOR FOR CLEANING. DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE. WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTICHANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENCAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION SIZE 5 MM, LENGTH 36 CM, TRAUBALTED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, TIGER-JAWS', ZX4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDL	DISMANTING INSULATED WITH			
CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LIBERITY OF PLASTIC HANDLE WITH CONNECTOR PIN FOR UNIPOLAR COMPLETED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR CONSISTING OF: PLASTIC HANDLE WITH LIBERITY OF PLASTIC HANDLE WITH LIBERIT				
36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH SPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTI				
SHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET. METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2x4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	36 CM, CONSISTING OF: PLASTIC HANDLE,			
INSERT. ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF;PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR CONSICTING OF: PLASTIC HANDLE RATCHET RETALL PART PART PART PART PART PART PART PART	· ·			
ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISSENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISSENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISSENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS, ROTATING, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGERJAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE			R 4 296.45	R 5 202.50
COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET. METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISSINGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH DISENGAGEABLE RATCHET, WITH LARGER CORTACT AREA, OUTER TUBE INSULATED AND FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
CONSISTING OF:PLASTICHANDLE, WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISSENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE				
RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT. ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE				
ATRAUMATIC GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	RATCHET, METAL OUTERSHEATH,			
ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE			D 4 707 94	P 5 900 63
LENGTH 36 CM, ATRAUMATIC, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH COA			4 / 9/.04	5 009.03
FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS", CONSISTING OF: PLASTIC-HANDLE				
CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	·			
CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, TORTH CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	· · · · · · · · · · · · · · · · · · ·			
PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	ATRAUMATIC DISSECTING AND GRASPING		R 6 252.99	R 7 571.65
MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	FENESTRATED, DOUBLE ACTION JAWS,			
INSULATED AND FORCEPS INSERT. ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	ATRAUMATIC DISSECTING AND GRASPING		R 4 797.84	R 5 809.63
MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT. GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE				
GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE	CONTACT AREA, OUTER TUBE INSULATED			
CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE			D 4.000.45	D 500054
COAGULATION, SIZE 5 MM, LENGTH 36 CM, "TIGER-JAWS", 2X4 TEETH, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC-HANDLE			4 290.45	rs 5 202.51
JAWS, CONSISTING OF: PLASTIC-HANDLE	COAGULATION, SIZE 5 MM, LENGTH 36 CM,			
	WITH DISENGAGEABLE RATCHET, WITH			

ITEM NUMBER & ACCESSORIES	IUMBER & ACCESSORIES BRAND CURRENT PRICE				
	NAME	INCLUSIVE OF VAT		NEW PRIC	
		UP TO 30	JUNE 2020	EFFECTIV	E 1 JULY
				2020	
LARGER CONTACT AREA, OUTER TUBE,					
INSULATED AND FORCEPS INSERT. BLUNT NOSE DISSECTING AND GRASPING		R	4 296.45	R	5 202.51
FORCEPS, ROTATING, WITH CONNECTOR			7 230.43		3 202.31
PIN FOR UNIPOLAR COAGULATION, SIZE 5					
MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC					
HANDLE, WITHOUT RATCHET, OUTER TUBE,					
INSULATED AND FORCEPS INSERT.					
BABCOCK GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR		R	4 296.45	R	5 202.51
COAGULATION, SIZE 5 MM, LENGTH 36 CM,					
ATRAUMATIC, JAWS WITH MULTIPLE					
TEETH, FENESTRATED, SINGLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE					
WITH DISENGAGEABLE RATCHET, WITH					
LARGER CONTACT AREA, OUTER TUBE,					
INSULATED AND FORCEPS INSERT. BABCOCK GRASPING FORCEPS, ROTATING,		R	4 296.45	R	5 202.51
WITH CONNECTOR PIN FOR UNIPOLAR			7 230.73		3 202.31
COAGULATION, SIZE 5 MM, LENGTH 36 CM,					
ATRAUMATIC, JAWS WITH MULTIPLE TEETH, FENESTRATED, SINGLE ACTION					
JAWS, CONSISTING OF: PLASTIC HANDLE					
WITH DISENGAGEABLE RATCHET, WITH					
LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1					
RIGHT ANGLED DISSECTING FORCEPS,		R	4 296.45	R	5 202.51
ROTATING, WITH CONNECTOR PIN FOR					
UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, JAWS WITH					
MULTIPLE TEETH, FENESTRATED, SINGLE					
ACTION JAWS, CONSISTING OF: PLASTIC					
HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER					
TUBE, INSULATED AND FORCEPS INSERT					
X1			4.054.40	D	5.000.04
BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS,		R	4 654.46	R	5 636.01
CONSISTING OF: METAL HANDLE, WITH					
HEMOSTAT STYLE RATCHET, OUTER TUBE,					
INSULATED AND FORCEPS INSERT X1 CLAW FORCEPS, ROTATING, SIZE 10 MM,		R	4 296.45	R	5 202.51
LENGTH 36 CM, 2 X 3 TEETH, SINGLE			. 2000		0 202.0 .
ACTION JAWS, CONSISTING OF: METAL					
HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND					
FORCEPS INSERT X1					
RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X		R	8 243.70	R	9 982.16
3 TEETH, SINGLE ACTION JAWS,					
CONSISTING OF: METAL HANDLE, OUTER					
TUBE, INSULATED AND FORCEPS INSERT					
METZENBAUM SCISSORS, ROTATING,		R	3 723.55	R	4 508.79
DISMANTLING, INSULATED, WITH					
CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK					
CONNECTOR FOR CLEANING, DOUBLE					
ACTION JAWS, CURVED, LENGTH OF					
BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE,					
INSULATED, WITHOUT RATCHET METAL					
OUTER SHEATH, INSULATED AND					

NAME	ITEM NUMBER & ACCESSORIES	BRAND	CURRE	NEW PRICE		
SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1 SCISSORS INSERT METZENBAUM SCISSORS OF METATION OF BLADES SCISSORS OF METATION						
SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM XI			UP TO 3	30 JUNE 2020		
TROCARS SIZE 6 MM X1					2020	
SCISSORS INSERT, METZENBAUM R						
SCISSORS, CURVED, LENGTH OF BLADES 12 MM, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 STRAIGHT SCISSORS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT, STRAIGHT, CLICK LINE SCISSORS INSERT X1 CLICK LINE SCISSORS INSERT, STRAIGHT, COUNTECTON JAWS, SIZE 5 MM, LENGTH 36 CM X1 CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATION AND DISSECTING CLASSING CHARLES AND AND DISSECTION COAGULATION, WITH CHANNEL, L-SHAPED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION AND IRRIGATION AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR SUCTION AND IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPPOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPPOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 37 CM, FOR SUCCIONANCE IN THE COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 37 CM, FOR SUCCIONANCE NOR AND AND SIZE 5 MM, LENGTH 38 CM, FOR SUCCIONANCE NOR AND AND SIZE 5 MM, LENGTH 30 CM, FOR SUCCIONANCE NOR AND AND SIZE 5 MM, LENGTH 30 CM, FOR SUCCIONANCE NO				5 700 54	5	2 222 22
12 MM, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1			K	5 /28.54	R	6 936.60
STRAIGHT SCISSORS, ROTATING, WITH CONNECTOR PIN FOR UNIPICIAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT X1 CLICK LINE SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY SIND ACTION FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH FORCEPS MM X1 SUCTION OR IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH PLAFFIEL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR R 826.27 R 1000.51 EXTRACORPOREAL KNOTTING X1 FRASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCEOUS LICATURE OF TROCAR NOT THE SIZE 5 MM, LENGTH 16 CM X2 BIPOLAR CABLE X1 R 1636.84 R 1982.02 BIPOLAR CABLE X1 R 1636.84 R 1982.02 BIPOLAR CABLE X1 R 1636.84 R 1982.02						
CONNECTOR PIN FOR UNIFOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY SUITABLE FOR DISSECTION, BOUNDE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING COAGULATING AND DISSECTING RICHARDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, WILL WITH TWOWAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 PLASTIC NEEDLE, LUER-LOCK, DIAMETER IA, 6 MM, SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM X1 RNOTTINER, SIZE 5 MM, LENGTH 36 CM	LENGTH 36 CM X1					
COAGULATION, SIZE 5 MM, LENGTH 36 CM, STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT, XI CLICK LINE SCISSORS INSERT, XI CLICK LINE SCISSORS INSERT, XI TOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, XI CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, XI CONTINUE, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATTAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH AND FORCEPS INSERT XI COAGULATION, WITH ESPECIALLY FINE ATTAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET METAL XIOUTER SHEATH AND FORCEPS INSERT XI COAGULATION, FOR USE WITH SUCTION AND IRRIGATION FOR USE WITH SUCTION AND RIRIGATION HANDLES XI HANDLE WITH TRUMPET VALVE, FOR SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION SUCTION TUBES SIZE 5 MM XI SUCTION OR IRRIGATION SUCTION TUBE, LITE HOLD, AND RIRIGATION SUCTION TUBE, SIZE 5 MM, LENGTH 36 CM XI SUCTION OR IRRIGATION SUCTION TUBE, LITE HOLD, SIZE 5 MM, LENGTH 36 CM XI SUCTION AND IRRIGATION SUCTION TUBE, SIZE 5 MM, LENGTH 36 CM XI PUNCTURE NEEDLE, LUER-LOCK, R 489.39 R 592.59 DIAGREE 1.0 MM, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONTROL, SIZE 5 MM, LENGTH 36 CM XI PUNCTURE NIEDLE, LUER-LOCK, R 489.39 R 592.59 DIAGREE 1.0 MM, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONTROL, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONTROL, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONTROL, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONTROL, SIZE 5 MM, LENGTH 36 CM XI SUCTION GREAT REPORT AND CONT			R	4 296.45	R	5 202.51
STRAIGHT, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CUCK LINE SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 COTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FOR SIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FOR SIPOLAR COAGULATION, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR SWE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR SUCTION OR IRRIGATION, SUCTION TUBES SIZE 5 MM X1 SUCTION OR IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR R 3935.13 LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 MINERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 BUCCITOR OF SIGNED HAND CONTROL SIZE SIZE SIMM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 BUCCITOR OF SIZE 25 MM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 BUCCITOR OF SIZE 25 MM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 BUCCITOR OF SIZE SIMM, LENGTH 36 CM, FOR R 3938.43 R 4768.98 BUCCITOR OF SIZE SIMM, L						
WITHOUT RATCHET. METAL OUTER SHEATH, SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CURVED BIPOLAR GRASPING FORCEPS, COTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FOR BIPOLAR COAGULATION, WITH CHANNEL, L-SHAPED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE WITH LATCHAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOUS KIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTIANCOUS X1 BIPOLAR COBLEX WITH A UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM X2 BIPOLAR CABLE X1 BIPOLAR CABLE X1 BIPOLAR CABLE X1 R 1 636.84 R 1 982.02 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LIGHT, INSTRUMENTS,						
SHEATH, SCISSORS INSERT, X1 CURK LINE SCISSORS INSERT, STRAIGHT, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, X1 CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY SUITABLE FOR DISSECTION JOUNG SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF- PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES XI HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 76 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 RNOT TIER, SIZE 5 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 RNOT TIER, SIZE 5 MM, LENGTH 30 CM AND 36 CM CLICK LILIE, INSERWEMENTS,	·					
CLICK LINE SCISSORS INSERT, STRAIGHT. JOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CURVED BIPOLAR GRASPING FORCEPS. ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF PLASTIC HANDLE WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, YO TUDECK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACOPROPEAL KNOTTING X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTIAN OR SIZE 5 MM, LENGTH 36 CM, X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOVER LIGHTURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 36 CM, X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOVER LIGHTURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 36 CM, X1 LENGTH 36 CM, X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOVER LIGHTURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM, X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM, X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LUINE. INSTRUMENTS,						
DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1 CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATTACHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATTACHMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X1.0UTER SHEATH AND FORCEPS INSERT X1. COAGULATING AND DISSECTING CLOSED SIZES 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWOWAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACOPROPOREAL KNOTTING X1 SUCTION OF IRRIGATION TUBE, WITH TOWWAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACOPROPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR R 3 938.43 R 4768.98 SUBCUTANDOUS LIGATURE OF TROCAR R 3 938.43 R 4768.98 SUBCUTANDOUS LIGATURE OF TROCAR R 3 936.84 R 1 982.02 BIPOLAR CABLE X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER OF TROCAR R 3 938.43 R 4768.98 SUBCUTANDOUS LIGATURE OF TROCAR R 3 938.43 R 4768.98 SUBCUTANDOUS LIGATURE FOR STERILIZING AND R 1636.84 R 1 982.02 STORAGE, PERFORATED, WITH 11D, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK UILINE INSERVI			R	1 624 34	R	1 966 89
CURVED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL XIOUTER SHEATH AND FORCEPS INSERT XI COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR SINGER WITH SUCTION AND IRRIGATION HANDLES XI HANDLE WITH CHANNEL, L-SHAPED SIZE SIMM, LENGTH 36 CM, FOR SINGER TO SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM XI SUCTION AND IRRIGATION TUBE. WITH LOAGULATION SUCTION TUBES SIZE 5 MM, SUT SUCTION AND IRRIGATION TUBE. WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, XI PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, XI RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING XI RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING XI RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING XI RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING XI RNOT TIER, SIZE 5 MM, LENGTH 17 CM XI UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUC, LENGTH 30 CM X2 BIPOLAR CABLE XI PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLUCK LINE. INSUMEMENTS,				1 02 1.0 1		1 000.00
ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES XI HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION OR IRRIGATION JAUTOCLAVABLE, FOR SUCTION AND IRRIGATION TUBE, WITH TUBEN SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 16 MM, SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANGOUS LIGHT FOR CARREN SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO CM AND 36 CM CLICK LINE- INSRUMENTS,						
CONNECTOR PIN FOR BIPOLAR COAGULATION, ESPECIALTY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION ON RIRIGATION HANDLES X1 HANDLE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LICATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 7C M, X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MR PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSERUMENTS,	· ·		R	8 056.71	R	9 755.74
COAGULATION, ESPECIALLY SUITABLE FOR DISSECTION, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES XI HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTAL SUBCUTANCOUS INSTRUMENT FOR SUCTION SIZE 5 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOUS INSTRUMENT FOR SUBCUTANCOUS LIGATURE OF TROCAR INCISIONS, SIZE 28 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 37 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR RATCHER SUBCUTANCOUS LIGATURE OF TROCAR INCISIONS, SIZE 28 MM, LENGTH 36 CM X1 RNOT TIER, SIZE 5 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE. INSRUMENTS,						
MM, LENGTH 36 CM, CONSISTING OF:PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT XI FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES XI HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR RESEARCH AND TIRRIGATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR RESEARCH AND TIRRIGATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM, FOR RESEARCH AND TIRRIGATION TUBE, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, FOR RESEARCH AND TIRRIGATION SUCTION TUBE, WITH THE SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 36 CM, FOR RESEARCH AND TIRRIGATION SUCTION TO RESEARCH AND TIRRIGATION SUCTION SUBCURANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 RESEARCH AND TIRRIGATION AND CARD TO RESEARCH AND CORD, WITH 4 RESEARCH AND CORD, WITH AND CORD, W						
OF-PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION AND IRRIGATION AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, LENGTH 36 CM X1 LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 FUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR R 826.27 R 1000.51 EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND R 1 636.84 R 1 982.02 STORAGE, PERFORATED, WITH LID, FOR TWO LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE INSTRUMENTS,						
METAL OUTER SHEATH AND FORCEPS INSERT X1 FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR SUBCUTANEOUS LIGATURE OF TROCAR INCIDENCE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 EXTRACORPOREAL KNOTTING X1 INIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM X2 BIPOLAR COORDINATE OF STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
INSERT X1 FENESTRATED BIPOLAR GRASPING R 8 056.71 R 9 755.74 FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING RELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION AND IRRIGATION AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR SUCTION AND IRRIGATION TUBE, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM, X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR R 826.27 R 1000.51 EXTRACORPOREAL KNOTTING X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR R 826.27 R 1000.51 EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH 10, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
FENESTRATED BIPOLAR GRASPING FORCEPS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION ORON RIRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH TWO-WAY STOPCOK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOUS LIGATURE OF TROCAR SUBCUTANCOUS LIGATURE OF TROCAR SUSCUTANCOUS LIGATURE OF TROCAR SUBCUTANCOUS LIGATURE OF TROCAR SUB						
CONNECTOR PIN FOR BIPOLAR COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR SUCSIONS, SIZE 2.8 MM, LENGTH 30 CM, X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,	FENESTRATED BIPOLAR GRASPING		R	8 056.71	R	9 755.74
COAGULATION, WITH ESPECIALLY FINE ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X1OUTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
ATRAUMATIC SERRATION, FENESTRATED JAWS, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING GLECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM, X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.5 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 30 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH 100.						
HANDLE, WITHOUT RATCHET METAL X10UTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH RESIZE 5 MM X1 LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH 100 CM AND 36 CM CLICK LINE- INSRUMENTS,	JAWS, DOUBLE ACTION JAWS, SIZE 5 MM,					
X1OUTER SHEATH AND FORCEPS INSERT X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH 11D, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
X1 COAGULATING AND DISSECTING ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM, X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 1 935.13 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH 1D, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
ELECTRODE, WITH CHANNEL, L-SHAPED SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM, X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MR PLUG, LENGTH 300 CM, X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, Y1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			R	1 725.61	R	2 089.51
SUCTION AND IRRIGATION HANDLES X1 HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, Y1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
HANDLE WITH TRUMPET VALVE, FOR SUCTION OR IRRIGATION, AUTOCLAVABLE, FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANCOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
FOR USE WITH COAGULATION SUCTION TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			R	1 188.11	R	1 438.66
TUBES SIZE 5 MM X1 SUCTION AND IRRIGATION TUBE, WITH						
SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
LATERAL HOLES, WITH TWO-WAY STOPCOCK FOR SINGLE-HAND CONTROL, SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 300 CM AND 36 CM CLICK LINE- INSRUMENTS,			R	772 27	R	935 13
SIZE 5 MM, LENGTH 36 CM X1 PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						000.10
PUNCTURE NEEDLE, LUER-LOCK, DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
DIAMETER 1.6 MM, SIZE 5 MM, LENGTH 36 CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			l D	490.30	D	F02 F0
CM X1 KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			K	469.39	K	592.59
EXTRACORPOREAL KNOTTING X1 FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,	, , , , , , , , , , , , , , , , , , , ,		R	826.27	R	1000.51
SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			K	3 938.43	K	4 /68.98
UNIPOLAR HIGH FREQUENCY CORD, WITH 4 R 827.58 R 1 002.10 MM PLUG, LENGTH 300 CM X2 BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,						
BIPOLAR CABLE X1 R 2 150.99 R 2 604.61 PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			R	827.58	R	1 002.10
PLASTIC CONTAINER FOR STERILIZING AND STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,	·					
STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,	BIPOLAR CABLE X1		R	2 150.99	R	2 604.61
TWO-LEVEL STORAGE, FOR USE WITH 30 CM AND 36 CM CLICK LINE- INSRUMENTS,			R	1 636.84	R	1 982.02
CM AND 36 CM CLICK LINE- INSRUMENTS,						
	EXTERNAL DIMENSIONS (W X D X H): 600					

ITEM NUMBER & ACCESSORIES	BRAND	CURRI	ENT PRICE	NEW PRICE		
	NAME	INCLU	INCLUSIVE OF VAT		SIVE OF VAT	
		UP TO	30 JUNE 2020	EFFEC 2020	TIVE 1 JULY	
MM X 145 MM X 260 MM (X1)						
42296323-00000	Aesculap	R	780 396.65	R	944 969.97	
STRAIGHT FORWARD TELESCOPE 0°		R	14 997.67	R	18 160.44	
ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER						
OPTIC LIGHT TRANSMISSION						
INCORPORATED X1						
FORWARD-OBLIQUE TELESCOPE 30°		R	23 335.76	R	28 256.91	
ENLARGED VIEW, DIAMETER 10 MM, LENGTH 31 CM, AUTOCLAVABLE, FIBER						
OPTIC LIGHT TRANSMISSION						
INCORPORATED X1						
PLASTIC CONTAINER FOR STERILIZING AND		R	1 636.84	R	1 982.02	
STORAGE, PERFORATED, WITH LID, FOR TWO-LEVEL STORAGE, FOR USE WITH 30						
CM AND 36 CM INTRUMENTS , EXTERNAL						
DIMENSIONS (WXDXH): 600 MM X 145						
MM X 260 MM X1 LAPAROSCOPIC NEEDLE HOLDER X1		D	F 190 F4	D	6 272 02	
LAPAROSCOPIC NEEDLE HOLDER X1		R	5 180.54	R	6 273.03	
VERESS PNEUMOPERITONEUM NEEDLE,		R	490.29	R	593.68	
WITH SPRING -LOADED BLUNT STYLET, LUER-LOCK, LENGTH 10CM X1						
TROCAR SIZE, 11MM,WITH INSUFFLATION		R	3 162.50	R	3 829.42	
STOPCOCK, CANNULA WITH THREAD,			0 .02.00		0 0202	
LENGTH 100MM(MAX 110MM) X2						
TROCAR SIZE, 6MM,WITH INSUFFLATION STOPCOCK, CANNULA WITH THREAD,		R	3 162.50	R	3 829.42	
LENGTH 100MM(MAX 110MM) X2						
ATRAUMATIC DISSECTING AND GRASPING		R	6 252.99	R	7 571.65	
FORCEPS, ROTATING, WITH CONNECTOR						
PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC,						
FENESTRATED, DOUBLE ACTION JAWS,						
CONSISTING OF: PLASTIC HANDLE WITH						
DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED						
AND FORCEPS INSERT X2						
COAGULATING AND DISSECTING		R	1 725.72	R	2 089.65	
ELECTRODE, L-SHAPED, WITH CONNECTOR						
PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, WORKING LENGTH 36 CM X1						
CLAW FORCEPS, ROTATING, SIZE 5MM,		R	4 296.45	R	5 202.51	
LENGTH 36 CM, 2 X 3 TEETH, SINGLE						
ACTION JAWS, CONSISTING OF HANDLE WITH RATCHET, OUTER TUBE, INSULATED,						
AND FORCEPS INSERT X1						
SUCTION AND IRRIGATION TUBE, WITH		R	1 188.11	R	1 438.66	
LATERAL HOLES, SIZE 5 MM, LENGTH 36						
CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1						
SUCTION IRRIGATION HANDLE X1		R	1 886.09	R	2 283	
FASCIAL CLOSURE INSTRUMENT FOR		R	3 938.43	R	4 768.98	
SUBCUTANEOUS LIGATURE OF TROCAR						
INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1 UNIPOLAR HIGH FREQUENCY CORD, WITH 8	1	R	827.58	R	1 002.10	
MM PLUG, LENGTH 300 CM X1			027.30	'`	1 002.10	
CURVED LONG, DISSECTING AND		R	4 296.45	R	5 202.51	
GRASPING FORCEPS, ROTATING,						
DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR						
COAGULATION, WITH LUER-LOCK						

ITEM NUMBER & ACCESSORIES	DDAND	CURRENT PRICE	NEW DDICE
ITEM NUMBER & ACCESSORIES	BRAND	CURRENT PRICE INCLUSIVE OF VAT	NEW PRICE INCLUSIVE OF VAT
	NAME		
		UP TO 30 JUNE 2020	EFFECTIVE 1 JULY 2020
CONNECTOR FOR CLEANING, DOUBLE			2020
ACTION JAWS, LONG, SIZE 5 MM, LENGTH			
36 CM, CONSISTING OF: PLASTIC HANDLE,			
WITHOUT RATCHET METAL OUTER			
SHEATH, INSULATED AND FORCEPS INSERT X1 OR			
METZENBAUM SCISSORS, ROTATING,		R 3 723.55	R 4 508.79
DISMANTLING, WITH CONNECTOR PIN FOR			
UNIPOLAR COAGULATION, WITH LUER-			
LOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOON-			
SHAPED JAWS, SERRATED, CURVED,			
LENGTH OF JAWS 20 MM, SIZE 5 MM,			
LENGTH 36 CM CONSISTING OF: PLASTIC			
HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND			
SCISSORS INSERT, FOR USE WITH			
TROCARS SIZE 6 MM X1			
ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR		R 6 252.99	R 7 571.65
PIN FOR UNIPOLAR COAGULATION, SIZE 5			
MM, LENGTH 36 CM, ATRAUMATIC,			
FENESTRATED, DOUBLE ACTION JAWS,			
CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER			
CONTACT AREA, OUTER TUBE INSULATED			
AND FORCEPS INSERT X2			
CURVED LONG, DISSECTING AND		R 4 296.45	R 5 202.51
GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH			
CONNECTOR PIN FOR UNIPOLAR			
COAGULATION, WITH LUER-LOCK			
CONNECTOR FOR CLEANING, DOUBLE			
ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE,			
WITHOUT RATCHET METAL OUTER			
SHEATH, INSULATED AND FORCEPS			
INSERT X1 METZENBAUM SCISSORS, ROTATING,		R 3 723.55	R 4 508.79
DISMANTLING, WITH CONNECTOR PIN FOR		K 3723.33	4 300.79
UNIPOLAR COAGULATION, WITH LUER-			
LOCK IRRIGATION CONNECTOR FOR			
CLEANING, DOUBLE ACTION JAWS, SPOON-SHAPED JAWS, SERRATED, CURVED,			
LENGTH OF JAWS 20 MM, SIZE 5 MM,			
LENGTH 36 CM CONSISTING OF: PLASTIC			
HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND			
SCISSORS INSERT, FOR USE WITH			
TROCARS SIZE 6 MM X1			
BOWEL GRASPER, FENESTRATED, DOUBLE		R 4 296.45	R 5 202.51
ACTION JAWS, SIZE 5MM,LENGTH 36 CM X1 LIVER RETRACTOR X1		R 5 438.90	R 6 585.88
		0 100.00	3 300.00
SUCTION AND IRRIGATION TUBE, WITH		R 1 188.11	R 1 438.66
LATERAL HOLES, SIZE 5 MM, LENGTH 36			
CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1			
SUCTION IRRIGATION HANDLE X1		R 1 886.10	R 2 283.84
540044 0100175 W05-1-1-1-1		1	
FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR		R 3 938.43	R 4 768.98
INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1			
, , , , , , , , , , , , , , , , , , , ,			

ITEM NUMBER & ACCESSORIES	BRAND	CURREN	T PRICE	NEW PR	ICF
TI EM NOMBER & AGGEGGGRAEG	NAME	INCLUSIVE OF VAT			VE OF VAT
		UP TO 30	JUNE 2020	EFFECT	IVE 1 JULY
				2020	
UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R	827.58	R	1 002.10
ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE,ONE WITH AND ONE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2		R	4 296.45	R	5 202.51
BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.51
BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 654.46	R	5 636.01
RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.51
METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R	3 723.55	R	4 508.79
ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER TUBE INSULATED AND FORCEPS INSERT X2		R	6 252.99	R	7 571.65
CURVED LONG, DISSECTING AND GRASPING FORCEPS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, LONG, SIZE 5 MM, LENGTH 36 CM, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.51

ITEM NUMBER & ACCESSORIES	BRAND	BRAND CURRENT PRICE			RICE		
	NAME	INCLUSIVE OF VAT					SIVE OF VAT
		UP TO 3	30 JUNE 2020		TIVE 1 JULY		
METZENBAUM SCISSORS, ROTATING, DISMANTLING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUERLOCK IRRIGATION CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, SPOONSHAPED JAWS, SERRATED, CURVED, LENGTH OF JAWS 20 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, METAL OUTER SHEATH, INSULATED. AND SCISSORS INSERT, FOR USE WITH TROCARS SIZE 6 MM X1		R	3 723.55	2020 R	4 508.79		
BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, SIZE 5MM,LENGTH 36 CM X1		R	4 296.45	R	5 202.51		
LIVER RETRACTOR X1		R	5 438.90	R	6 585.88		
SUCTION AND IRRIGATION TUBE, WITH LATERAL HOLES, SIZE 5 MM, LENGTH 36 CM, FOR USE WITH SUCTION AND IRRIGATION HANDLES X1		R	1 188.11	R	1 438.66		
SUCTION IRRIGATION HANDLE X1		R	1 886.09	R	2 283.84		
FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R	3 938.43	R	4 768.98		
UNIPOLAR HIGH FREQUENCY CORD, WITH 8 MM PLUG, LENGTH 300 CM X1		R	827.58	R	1002.10		
BIPOLAR CABLE X1		R	2 151.00	R	2 604.61		
ATRAUMATIC GRASPING FORCEPS ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SINGLE ACTION JAWS, WITH ESPECIALLY FINE SERRATION, FENESTRATED, SIZE 5 MM, LENGTH 36 CM CONSISTING OF:PLASTICHANDLE,ONE WITH AND ONE WITHOUT RATCHET, METAL OUTERSHEATH, INSULATED AND FORCEPS INSERT X2		R	4 296.45	R	5 202.51		
BLUNT NOSE DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, HEAVY, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITHOUT RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.51		
ATRAUMATIC DISSECTING AND GRASPING FORCEPS, ROTATING, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, SIZE 5 MM, LENGTH 36 CM, ATRAUMATIC, FENESTRATED, DOUBLE ACTION JAWS, CONSISTING OF: PLASTIC HANDLE, WITH LARGER CONTACT AREA, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	6 252.99	R	7 571.65		
ATRAUMATIC GRASPING FORCEPS, ROTATING, SIZE 5 MM, LENGTH 36 CM, DOUBLE ACTION, CONSISTING OF: PLASTIC-HANDLE WITH DISENGAGEABLE RATCHET, WITH LARGER CONTACT AREA, OUTER		R	4 797.84	R	5 809.63		

ITEM NUMBER & ACCESSORIES	BRAND	CURRENT	NEW PRICE		
	NAME INCLUSIVE OF VAT		INCLUSIVE OF VAT		
		UP TO 30 J	UNE 2020	EFFECTIVE 2020	E 1 JULY
TUBE, INSULATED AND FORCEPS INSERT X1					
BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 654.46	R	5 636.01
RIGHT ANGLED DISSECTING FORCEPS, ROTATING, SIZE 5MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.51
BABCOCK CLAMP, ROTATING, SIZE 10 MM, LENGTH 36 CM, DOUBLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 654.46	R	5 636.01
CLAW FORCEPS, ROTATING, SIZE 10 MM, LENGTH 36 CM, 2 X 3 TEETH, SINGLE ACTION JAWS, CONSISTING OF: METAL HANDLE, WITH HEMOSTAT STYLE RATCHET, OUTER TUBE, INSULATED AND FORCEPS INSERT X1		R	4 296.45	R	5 202.50
METZENBAUM SCISSORS, ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK CONNECTOR FOR CLEANING, DOUBLE ACTION JAWS, CURVED, LENGTH OF BLADES 15 MM, SIZE 5 MM, LENGTH 36 CM CONSISTING OF: PLASTIC HANDLE, INSULATED, WITHOUT RATCHET METAL OUTER SHEATH, INSULATED AND SCISSORS INSERT FOR USE WITH TROCARS SIZE 6 MM X1		R	0	R	0
METZENBAUM SCISSORS, CURVED, LENGTH OF BLADES, DOUBLE ACTION JAWS, SIZE 5 MM, LENGTH 36 CM X1		R	5 728.54	R	6 936.60
BOWEL GRASPER, FENESTRATED, DOUBLE ACTION JAWS, LENGTH OF JAWS 18MM, SIZE 5MM, LENGTH 36 CM X2		R	4 296.45	R	5 202.50
MANHES GRASPING FORCEPS,ROTATING, DISMANTLING, INSULATED, WITH CONNECTOR PIN FOR UNIPOLAR COAGULATION, WITH LUER-LOCK IRRIGATION CONNECTOR FOR CLEANING, SINGLE ACTION JAWS, WITH MULTIPLE TEETH, WIDTH OF JAWS 4.8 MM, FOR ATRAUMATIC AND ACCURATE GRASPING, SIZE 5 MM,LENGTH 36 CM,CONSISTING OF PLASTIC HANDLE, WITH RATCHET, WITH LARGER CONTACT AREA,METAL OUTER SHEATH,FORCEPS INSERT X1		R 4 296.45		R 5 202.50	
KNOT TIER, SIZE 5 MM, LENGTH 36 CM, FOR EXTRACORPOREAL KNOTTING X1		R	826.27	R	1 000.51
FASCIAL CLOSURE INSTRUMENT FOR SUBCUTANEOUS LIGATURE OF TROCAR INCISIONS, SIZE 2.8 MM, LENGTH 17 CM X1		R	3 938.43	R	4 768.98
UNIPOLAR HIGH FREQUENCY CORD, WITH 4 MM PLUG, LENGTH 300 CM X1		R	827.58	R	1 002.10

ITEM NUMBER & ACCESSORIES	BRAND NAME	CURRENT PRICE INCLUSIVE OF VAT UP TO 30 JUNE 2020		NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 JULY 2020	
BIPOLAR CABLE X1		R	2 150.99	R	2 604.61
42296321-00000	Aesculap	R	814 722.93	R	986 535.12
TELESCOPE, RIGID, 30 CM, 5 MM, 0°		R	10 803.20	R	13 081.42
TELESCOPE, RIGID, 30 CM, 5 MM, 30°		R	12 135.19	R	14 694.31
TELESCOPE, RIGID, 30 CM, 5 MM, 45°		R	0	R	0
TELESCOPE, RIGID, 33 CM, 10 MM, 0°		R	14 997.67	R	18 160.44
TELESCOPE, RIGID, 33 CM, 10 MM, 30°		R	15 168.25	R	18 366.99
TELESCOPE, RIGID, 33 CM, 10 MM, 45° FOR USE ON ITEM 42296321-00000.		R	13 234.22	R	16 025.11
TROCAR,		R	903.05	R	1 093.49
TUBE, IRRIGATION,		R	3 560.76	R	4 311.67
CONTAINER, WATER,		R	0	R	0
VALVE, SUCTION,		R	3 560.76	R	4 311.67
VALVE, IRRIGATION,		R	3 560.76	R	4 311.67
CABLE, FIBER OPTIC,		R	5 214.48	R	6 314.13
PRINTING PAPER (BOX)		R	2 163.45	R	2 619.69
42222002-00000	B Braun	R	8 070.18	R	9 772.05
COMPATIBLE SYRINGES: 5ML X10, 10ML X 10, 20ML X10, 50ML X 10		R	72.99	R	88.38
COMPATIBLE SYRINGES: 2ml x1		R	6.33	R	7.66
COMPATIBLE SYRINGES: 5ml x 1		R	6.72	R	8.14
COMPATIBLE SYRINGES: 10ml x 1		R	7.57	R	9.17
COMPATIBLE SYRINGES: 20ml x 1		R	8.11	R	9.82
COMPATIBLE SYRINGES: 50ml x 1		R	8.57	R	10.38
EXTENSION SETS X 9		R	9.43	R	11.42
INFUSION SET		R	56.60	R	68.54
POLE CLAMP		R	1 996.50	R	2 381.20
DOCKING STATION POWERED CENTRALLY. ALL APPLICABLE PORTS/TILES/LINKS MUST BE STATED AND QUOTED SEPARATELY		R	27 236.84	R	32 980.66
42222002-00001	B Braun	R	32 280.70	R	39 088.19

ITEM NUMBER & ACCESSORIES	BRAND NAME	INCLUSI	NT PRICE VE OF VAT 0 JUNE 2020	NEW PRICE INCLUSIVE OF VAT EFFECTIVE 1 JULY 2020
COMPATIBLE SYRINGES: 5ML X10, 10ML X 10, 20ML X10, 50ML X 9		R	72.99	R 88.38
COMPATIBLE SYRINGES: 5ml-125 /Box		R	6.33	R 7.66
COMPATIBLE SYRINGES: 10ml -100 / Box		R	6.72	R 8.14
COMPATIBLE SYRINGES: 20ml -120 / Box		R	8.11	R 9.82
COMPATIBLE SYRINGES: 50ml -60 / Box		R	8.57	R 10.38
EXTENSION SETS X 9		R	9.43	R 11.42
INFUSION SET		R	56.60	R 68.54
POLE CLAMP		R	1 966.50	R 2 381.20

*In the event that an incorrect contract price adjustment was made during calculation, the State reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect contract price adjustment will be dealt with by the supplier and the relevant State Institution.



Brenda Mashifane ICT & Security Services

For CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

Date: 6 July 2020