



national treasury

Department:
National Treasury
REPUBLIC OF SOUTH AFRICA

Enquiries: Brenda Mashifane

Ref RT50-2013CV
email: Brenda.mashifane@treasury.gov.za

Tel: 012 315 5877 Fax: 012 315 5058

ADDENDUM 63

RT50-2013CV: THE SUPPLY AND DELIVERY OF INDUSTRIAL COMPRESSED, MEDICAL COMPRESSED, INDUSTRIAL BULK AND PETROLEUM GASES (LPG) TO THE STATE:

FOR PERIOD: ENDING 31 MARCH 2017

Afrox Oxygen Limited T/A Afrox has adjusted the price of following products:


The effective date is, 20 February 2017

ITEM NO:	NAME OF PROVINCE:	OLD PRICE:	NEW PRICE:
RT50-01-01CV	Limpopo	R 18.41	R 19.62
	Northern Cape	R 16.14	R 17.20
	Eastern Cape	R 16.85	R 17.20
	Gauteng	R 11.24	R 11.97
	Western Cape	R 9.76	R 10.40
RT50-01-03CV	Limpopo	R 21.16	R 22.56
	Northern Cape	R 28.53	R 30.40
	Eastern Cape	R 15.58	R 16.61
	Gauteng	R 3.53	R 3.76
	Western Cape	R 7.22	
RT50-01-04CV	Limpopo	R 19.63	R 20.92
	Northern Cape	R 29.44	R 31.38
	Eastern Cape	R 13.09	R 13.95
	Western Cape	R 19.63	R 20.92
RT50-01-05CV	Limpopo	R 137.41	R 146.45
	Northern Cape	R 137.41	R 146.45
	Eastern Cape	R 137.41	R 146.45
	Gauteng	R 137.41	R 146.45
	Western Cape	R 137.41	R 146.45
RT50-01-06CV	Limpopo	R 238.74	R 254.44
	Northern Cape	R 238.74	R 254.44
	Eastern Cape	R 238.74	R 254.44
	Gauteng	R 238.74	R 254.44
	Western Cape	R 238.74	R 254.44

RT50-01-07CV	Limpopo	R 109.37	R 116.56
	Northern Cape	R 109.37	R 116.56
	Eastern Cape	R 109.37	R 116.56
	Gauteng	R 109.37	R 116.56
	Western Cape	R 109.37	R 116.56
RT50-01-08CV	Limpopo	R 62.76	R 66.90
	Northern Cape	R 62.76	R 66.90
	Eastern Cape	R 62.76	R 66.90
	Gauteng	R 62.76	R 66.90
	Western Cape	R 62.76	R 66.90
RT50-01-10CV	Limpopo	R 53.61	R 57.13
	Northern Cape	R 53.61	R 57.13
	Eastern Cape	R 53.61	R 57.13
	Gauteng	R 53.61	R 57.13
	Western Cape	R 53.61	R 57.13

*In the event that an incorrect price adjustment was made during the calculation of the contract price adjustment, the state reserves the right to adjust the price in accordance with the correct calculation. Recovery of any over or under payment as a result of the application of an incorrect price adjustment will be dealt with by the supplier and the relevant end-user department.

Yours faithfully



Brenda Mashifane
MEDICAL AND HEALTH TECHNOLOGY
for CHIEF DIRECTOR: TRANSVERSAL CONTRACTING

Date: 20/02/2017