

NATIONAL TREASURY: OFFICE OF THE CHIEF PROCUREMENT OFFICER: TRANSVERSAL CONTRACTING

Contact person: Sithembiso Mahlalela, Tel: 012-395-6680, Fax: 086 427 2895, e-mail: sithembiso.mahlalela@treasury.gov.za

SUPPLY AND DELIVERY OF FOOTWEAR AND LEATER PRODUCTS TO THE STATE FOR PERIOD 1 APRIL 2017 TO 31 MAY 2019

TO THE	BBF SAFETY GROUP (PTY) LTD	FLAN SPEC	Amendment 27, with effect 14 December 2018	
ITEM NUMBER	ITEM DESCRIPTION	CONSUMER DESCRIPTION	OLD PRICE	NEW PRICE
	BOOT, GUM, RUBBER, ANKLE HEIGHT. SPECIFICATION: ACID, BLOOD & FAT RESISTANT ANKLE BOOT, NITRILE SOLE, SABS APPROVED, STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANCE, ULTRA-SAFE OUTBACK, WASHABLE IDENTIFICATION: WHITE PVC SHAFT WITH RED SOLE. SIZES: UNISEX 3 TO 12, PACKAGING: BOXED. COLOUR: WHITE WITH RED SOLE	Department of Water and Sanifation	R 124.28	R 127.56
53111501-00002	BOOTE, COLDON: WHITE WHITTIED SOLE BOOT, GUIM, RUBBER, ANKLE HEIGHT. SPECIFICION: ACID, BLOOD & FAT RESISTANT ANKLE BOOT, NITRILE SOLE, SABS APPROVED, STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANCE, ULTRA-SAFE OUTBACK, WASHABLE IDENTIFICATION: WHITE PVC SHAFT WITH RED SOLE. SIZES: UNISEX 3 TO 12, PACKAGING:			
53111501-00002	BOXED, COLOUR: WHITE WITH RED SOLE	Department of Health: Western Cape	R 124.28	R 127.56
	BOOT, GUM, RUBBER, ANKLE HEIGHT. SPECIFICATION: ACID, BLOOD & FAT RESISTANT ANKLE BOOT, NITRILE SOLE, SABS APPROVED, STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANCE, ULTRA-SAFE OUTBACK, WASHABLE IDENTIFICATION: WHITE PVC SHAFT WITH RED			
53111501-00002	SOLE. SIZES: UNISEX 3 TO 12, PACKAGING: BOXED. COLOUR: WHITE WITH RED SOLE	Department of Defence:South African Navy	R 124.28	R 127.56
	BOOT, WORK, PARAMEDIC, OIL AND SLIP RESISTANT. SPECIFICATION: CIRCULAR SIDE ZIP FOR EASY ACCESS WITH STRETCH GUSSET WITH ZIP LOCKING VELCRO STRAP, GUSSET TONGUE, UPPER LEATHER AND MESH UPPERS, PULL TOGGEL, NUBUC COLLAR, MOISTURE WICKING LINING COMPOSITE TOE CAP, CHARGED HEEL AIR CELL FOR CUSHIONING AND SHOCK ABSORPTION, COMPOSITE SHANK, COMPRESSION COLD-MOULDED EVA MIDSOLE WITH RUBBER OUTER SOLE OIL AND SLIP RESISTANT, AND REMOVABLE EVA MOULDED SOCK LINER, PACKAGING: BOXED (IN INSTANCES	Department of Health: Western		
53111501-00009	WHERE	Cape/Department of Transport: Limpopo	R 1,038.99	R 1,066.39
53111501-00010	SPECIFICATION: STROEBEL INSOLE, PU MIDSOLE WITH OUTER SOLES OF OIL RESISTANT RUBBER, HIGH LEG PATTERN, LEG HEIGHT OF 180MM, LEATHER SMOOTH FULL CHROME TANNED FOR VAMPS AND QUARTERS OF THICKNESS 1.8 -	Department of Health: Western Cape	R 782.95	R 803.62
	SPECIFICATION: STROEBEL INSOLE, PU MIDSOLE WITH OUTER SOLES OF OIL RESISTANT RUBBER, HIGH LEG PATTERN, LEG HEIGHT OF 180MM, LEATHER SMOOTH FULL CHROME TANNED FOR		R 782.95	R 803.62
53111501-00010	VAMPS AND QUARTERS OF THICKNESS 1.8 - BOOT, PARAMEDIC, LEATHER, STEEL TOE CAP. SPECIFICATION: STROEBEL INSOLE, PU MIDSOLE WITH OUTER SOLES OF OIL RESISTANT RUBBER, HIGH LEG PATTERN, LEG HEIGHT OF 180MM, LEATHER SMOOTH FULL CHROME TANNED FOR VAMPS AND QUARTERS OF THICKNESS 1.8 - 2.1MM, FULL LEATHER BELLOWS TONGUE, OUTSIDE MILITARY STYLE COUNTER. COLLAR SMOOTH SPLIT LEATHER OF THICKNESS 1.0MM ± 0.1MM, PADDED WITH A 19MM FOAM, NON- WOVEN MATERIAL FOR VAMP LINING, QUARTER AND TONGUE LINING FABRIC	Department of Health: Limpopo	K /82.35	R 003.02
53111501-00010	MATERIAL LAMINATED TO A 4MM FOAM, TONGUE	Department of Health: Emergency Medical Services	R 782.95	R 803.62

ITEM NUMBER	ITEM DESCRIPTION	CONSUMER DESCRIPTION	OLD PRICE	NEW PRICE
53111501-00010	SPECIFICATION: STROEBEL INSOLE, PU MIDSOLE WITH OUTER SOLES OF OIL RESISTANT RUBBER, HIGH LEG PATTERN, LEG HEIGHT OF 180MM, LEATHER SMOOTH FULL CHROME TANNED FOR VAMPS AND QUARTERS OF THICKNESS 1.8 - 2.1MM, FULL LEATHER BELLOWS TONGUE, OUTSIDE MILITARY STYLE COUNTER. COLLAR SMOOTH SPLIT LEATHER OF THICKNESS 1.0MM ± 0.1MM, PADDED WITH A 19MM FOAM, NON- WOVEN MATERIAL FOR VAMP LINING, QUARTER AND TONGUE LINING FABRIC MATERIAL LAMINATED TO A 4MM FOAM, TONGUE		R 782.95	R 803.6
	SPECIFICATION: SANS 20349-2010 EDITION 2 ISO 20349-2011 EDITION 2. PERSONAL PROTECTIVE EQUIPMENT — SAFETY FOOTWEAR		_	
53111501-00015	SAFETY BOOT FOR WELDERS, NON-SLIP SOLE, HERMA TRACK, 300°C HEAT RESISTANT,	Department of Water and Sanitation	R 757.40	R 777.3
53111501-00016	SPECIFICATION: SANS 20345:2014 CLASSIFICATION I EDITION 2 ISO 20345:2011 EDITION 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR SAFETY BOOT FOR ELECTRICIANS, NON-SLIP SOLE. SIZES: 3M,3½M, BOOT, GUM, RUBBER, KNEE LENGTH, OIL AND	Department of Health: Western Cape	R 685.85	R 703.9
	HEAT RESISTANT, SAFETY TOE CAP. SPECIFICATION: SANS 20345:2014 CLASSIFICATION II EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, NON- MARKING RUBBER SOLES AND HEELS. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR:			
53111501-00018	BLACK BOOT, GUM, RUBBER, KNEE LENGTH, OIL AND	Department of Water and Sanitation	R 143.89	R 147.6
	HEAT RESISTANT, SAFETY TOE CAP. SPECIFICATION: SANS 20345:2014 CLASSIFICATION II EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, NON- MARKING RUBBER SOLES AND HEELS. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR:			
53111501-00018	BLACK BOOT, GUM, PVC, KNEE LENGTH, GENERAL	Department of Health: Western Cape	R 143.89	R 147.69
	PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION I EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5,		R 143.89	R 147.65
53111501-00019	6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: BLACK BOOT, GUM, PVC, KNEE LENGTH, GENERAL PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION I EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5,	Department of Water and Sanitation		
53111501-00019	6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: BLACK BOOT, GUM, PVC, KNEE LENGTH, GENERAL PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION I EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: 3, 4, 5,	Department of Health: Western Cape Department of Transport: Kwazulu	R 143.89	R 147.69
53111501-00019	6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: BLACK BOOT, GUM, PVC, KNEE LENGTH, GENERAL PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION I TION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE	Natal	R 143.89	R 147.69
53111501-00019	EQUIPMENT SAFETY FOOTWEAR: SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: BLACK BOOT, GUM, PVC, KNEE LENGTH, GENERAL PURPOSE, SPECIFICATION: SANS 20345:2014 CLASSIFICATION II EDITION 2 ISO 20345:2011	Department of Agriculture, Forestry and Fisheries	R 143.89	R 147.69
53111501-00020	EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR. SIZES: ALL. COLOUR: BLACK BOOT, GUM, RUBBER, KNEE LENGTH, OIL AND HEAT RESISTANT, SAFETY TOE CAP. SPECIFICATION: SANS 20345:2014	Department of Health: Free State	R 143.89	R 147.69
	CLASSIFICATION II EDITION 2 ISO 20345:2011 EDITIONS 2. PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR, NON-MARKING RUBBER SOLES AND HEELS. SIZES: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR:			
3111501-00022	WHITE	Department of Health: Western Cape	R 155.06	R 159.15

ITEM NUMBER	ITEM DESCRIPTION	CONSUMER DESCRIPTION	OLD PRICE	NEW PRICE
	BOOT, GUM, PVC, KNEE LENGTH, GENERAL			
	PURPOSE, SPECIFICATION: SANS 20345:2014			
	CLASSIFICATION II EDITION 2 ISO 20345:2011			
	EDITIONS 2. PERSONAL PROTECTIVE			
	EQUIPMENT SAFETY FOOTWEAR, SIZES: 3, 4, 5,			
3111501-00023	6, 7, 8, 9, 10, 11, 12, 13, 14. COLOUR: WHITE	Department of Health: Western Cape	R 155.06	R 159.1
3311301-00023	Boot, gum, PVC, knee length, steel toe cap, non-			
	slip sole. Specification: SABS 1320-1* *This			
	standard references other standards Edition 1.3			
	200,1 type 1; Class 1 Standard, SANS			
	20345:2014 classification II Edition 2 ISO			
	20345:2011 Editions 2. Personal protective			
	equipment safety footwear. Sizes: 3, 4, 5, 6, 7, 8,			
53111501-00043	9, 10, 11, 12, 13, 14. Colour: WHITE	Department of Water and Sanitation	R 155.06	R 159.
	SHOE, GYMNASIUM, MALE. SPECIFICATION:	,		
	05181-100-037 DATED JUNE 2004, THROUGH			
	SOLE HAVE A WALL FROM THE FOREPART TO			
	THE HEEL, COLOUR OF THE COLD MOULDED			
	EVA BLACK, FITTING: MEDIUM AND WIDE.			
	PACKAGING: BOXED, COLOUR: GREY AND			
53111901-00000	BLACK	Department of Health: Western Cape	R 474.12	R 486.
	SHOE, GYMNASIUM, MALE. SPECIFICATION:			
	05181-100-037 DATED JUNE 2004, THROUGH			
	SOLE HAVE A WALL FROM THE FOREPART TO			
	THE HEEL, COLOUR OF THE COLD MOULDED			
	EVA BLACK, FITTING: MEDIUM AND WIDE.			
	PACKAGING: BOXED, COLOUR: GREY AND			
3111901-00000	BLACK	South African Police Service	R 474.12	R 486.
7111302 00000	SHOE, LEISURE, MALE. SPECIFICATION: SALM			
	182/MS005/96UPPER MATERIALS ALL GREY			
	AND RUBY WITH THE EXCEPTION OF THE SIDE			
	FLASH AND THE HEEL FLASH WHICH BOTH			
	BLACK; THROUGH SOLE HAVE A WALL FROM			
	THE FOREPART TO THE HEEL. THE COLOUR OF			
	THE COLD MOULDED EVA BLACK THE COLOUR			
	OF THE LACES GREY TO MATCH THE SUEDE			
	SIZES: 2M, 2MM, 3M, 3MM,4M,			
	4½M,5M,5½M,6M, 6½M, 7M, 7½M, 8M, 8½M,			
	9M, 9%M, 10M, 10%M, 11M, 11%M, 12M,			
	12½M, 13M, 13½M, 14M, 2W,2½W, 3W,			
	3½W,4W, 4½W,5W,5¼W,6W, 6½W, 7W, 7½W,	Department of Defence: South African		
3111901-00002	8W, 8%W, 9W, 9%W, 10W	Military Health Service	R 464.04	R 476.
Ciolo	gana.			

MULATEDZI RAUDZINGANA

for CHIEF DIRECTOR: TRANSVERSAL CONTRACTING
OFFICE OF THE CHIEF PROCUREMENT OFFICER

DATE: 14 December 2018